





2024 PRICE BOOK

Complete compressed air processing at a glance:



your single source of supply and quality you can rely on.

Solid particles Pressure dew point Oil/oil vapor




Air quality classes in accordance with ISO 8573-1:2010

Class	Solid particles, max. number of particles per m ³			Pressure dew point	Oil content (liquid, aerosol, oil vapor)
	0.1 μm < d ≤ 0.5 μm	0.5 μm < d ≤ 1.0 μm	1.0 μm < d ≤ 5.0 μm	°F	mg/m ³
0	In accordance with the unit operator's or supplier's specifications, stricter requirements than class 1				
1	≤20,000	≤400	≤10	≤−94	≤0.01
2	≤400,000	≤6,000	≤100	≤−40	≤0.1
3	-	≤90,000	≤1,000	≤−4	≤1
4	-	-	≤10,000	≤37	≤5
5	-	-	≤100,000	≤45	> 5
6	-	-	-	≤50	-

■ Measured in accordance with ISO 8573-4, ref. conditions 14.5 psi [a] absolute, 68 °F, 0% RH

■ Measured in accordance with ISO 8573-3

■ Measured in accordance with ISO 8573-2 and ISO 8573-5, ref. conditions 14.5 psi [a] absolute, 68 °F, 0% RH



	CLEARPOINT® dust filter RFX/RXS with manual drain with differential pressure indicator		DRYPOINT® RA refrigeration dryer with BEKOMAT®
	CLEARPOINT® coalescence filter CX/FX/SX with BEKOMAT® with differential pressure indicator or filter management		DRYPOINT® MDp / MDi membrane dryer with an integrated nanofilter and adjustable PDP (MDi only)
	CLEARPOINT® A activated carbon filter Option: oil check indicator		DRYPOINT® MDe membrane dryer
	CLEARPOINT® V activated carbon cartridge with oil check indicator		DRYPOINT® X desiccant dryer with inlet and dust filter
	CLEARPOINT® V activated carbon adsorber		BEKOKAT® catalytic converter for oil and bacteria free air
	CLEARPOINT® W water separator with BEKOMAT®		BEKOMAT® intelligent zero air loss condensate drains
	QWIK-PURE® oil-water separation system for dispersed and emulsified condensates		





Contents

CLEARPOINT®

Compressed Air Filtration

Threaded Water Separators	8
Threaded Coalescing and Particulate Filters	10
Threaded Vapor Removal	14
Threaded Activated Carbon Cartridge	15
Flanged Water Separators	16
Flanged Coalescing and Particulate Filters	17
Activated Carbon Adsorption Towers	18
Threaded Compressed Air Heater	19
High Pressure Water Separators and Filters (725 psig)	20
High Pressure Stainless Steel Filters (7,250 psig)	24
Accessories	26
Maintenance and Spare Parts	27

DRYPOINT® RA

Refrigerant Air Dryers

RAc Economy Series Dryers	34
RAx Premium Series Dryers	36
RA CT Series Cycling Dryers.....	40
RA VSD Series Variable Speed Dryers	42
RA HT High Temperature Series (210 °F)	44
RS HP High Pressure Series (725 psig)	46
RA LC Series Air and Gas Chillers	48
Maintenance and Spare Parts	50

DRYPOINT® X

Desiccant Air Dryers

ACC Compact Heatless Series	70
XCe Economy Heatless Series	72
XCp Premium Heatless Series	74
XHe Economy Heated Purge Desiccant Dryers.....	78
XHi Intelligent Heated Purge Desiccant Dryers.....	80
XFe Economy Heated Blower Series	82
XFi ecoIntelligent Heated Blower Series	86
AC HP High Pressure Series (7,250 psig)	90
Maintenance and Spare Parts	92

DRYPOINT® MD

Membrane Air Dryers

MDe, MDp and FDR Product Selector Chart	100
MDe Economy Series Dryers	101
MDp Premium Series Dryers	102
FDR Series Filter, Dryer, Regulator Packages	103
MDi Product Selector Chart	104
MDi ecoIntelligent Series Dryers	105
Accessories	106
Maintenance and Spare Parts	107



Contents

BEKOMAT®

True Zero Air Loss Drains

Product Selector Chart	110
Standard Series	111
Standard High Pressure Series / Stainless Steel High Pressure Series	112
CV Series / NLV Series for Centrifugal Compressors	113
Low Pressure and Vacuum System Series / Explosion Proof Series	114
Large Capacity Series	115
Accessories	116
Maintenance and Spare Parts	117

QWIK-PURE®

Oil-water Separation Solutions

CS High-Efficiency Oil-Water Separators	122
iCS High-Efficiency Oil-Water Separators	123
Accessories	125
Maintenance and Spare Parts	124

METPOINT®

Instrumentation and Monitoring

Pre-configured Stationary Dew Point Meters	132
Pre-configured Stationary Flow Meters	133
Pre-configured Compact Multi-function Monitoring Solutions	134
Configurable Compact Multi-function Monitoring Solutions	135
Pre-configured Full-size Multi-function Monitoring Solutions	136
Configurable Full-size Multi-function Monitoring Solutions	137
Stationary Oil Vapor Monitoring Systems	138
Portable Monitoring Devices	139
Maintenance and Spare Parts	141

BEKOKAT®

Oil-free Air Generation

Advanced Catalytic Conversion Systems	144
Maintenance and Spare Parts	146

COURSES AND PRODUCTS

Industry Training	148
-------------------------	-----

Cutaway, Demo and Educational Products	149
--	-----

WARRANTY AND TERMS

Cover3More Extended Warranty	152
------------------------------------	-----

Terms and Conditions	153
----------------------------	-----

Air Filtration



CLEARPOINT®


energy saving filtration and separation

- › Threaded Water Separators
- › Threaded Coalescing and Particulate Filters
- › Threaded Vapor Removal and Activated Carbon Filters
- › Flanged Water Separators
- › Flanged Coalescing and Particulate Filters
- › High Pressure Water Separators
- › High Pressure Coalescing and Particulate Filters, and more...

CLEARPOINT® Threaded Water Separators
with float drain

- › Removal of large quantities of condensate
- › Used downstream of aftercoolers
- › CRN approved
- › Max. operating pressure: 232 psig
- › Max. operating temperature: 140 °F

Maintenance Interval: < 8,000 hours
Maintenance and Spare Parts: Page 27
Extended Warranty: Page 152



CLEARPOINT®	S040	S045	S050	S075	S100	M010
Pipe Size (NPT)	¾"	½"	½"	¾"	1"	1"
Flow Rate (scfm)	25	30	50	100	125	160
Separator Size	04W	04W	05W	07W	07W	10W
Dimensions and Weight						
A (inches)	2.95	2.95	2.95	3.94	3.94	3.94
C (inches)	7.09	7.09	8.27	11.02	11.02	13.78
D (inches)	5.91	5.91	5.91	5.91	5.91	5.91
Weight (lbs)	1.65	1.65	1.87	3.75	4.18	4.63

THREADED WATER SEPARATOR WITH FLOAT DRAIN

Order ref.	4005005	4020216	4004735	4004736	4020380	4004732
Price (\$)	\$234	\$239	\$258	\$338	\$370	\$395

Price Group 82

ELEMENT GRADE	ELEMENT TYPE	Δ PRESSURE (psid)	REMOVAL RATE
Grade W	Water Separator	.87	99.0%

Correction Factors

Operating Pressure (psig)	20	40	60	80	90	100	110	120	130	140	160	180	200	230
Correction Factor	.30	.48	.65	.82	.91	1.00	1.09	1.17	1.26	1.35	1.52	1.70	1.87	2.13

The correction factors on this page provide an estimation of the performance that can be achieved with the model sizes shown. For precise sizing for your application, please contact your BEKO Technologies sales representative.


CLEARPOINT® Threaded Water Separators

with BEKOMAT® and connection kit

ECO CHOICE

- › Removal of large quantities of condensate
- › Used downstream of aftercoolers
- › CRN approved
- › Max. operating pressure: 232 psig
- › Max. operating temperature: 140 °F

Maintenance Interval: < 8,000 hours
Maintenance and Spare Parts: Page 27
Extended Warranty: Page 152



CLEARPOINT®	S040	S045	S050	S075	S100	M010	M015	M019	M020	M022	M025	M030
Pipe Size (NPT)	¾"	½"	½"	¾"	1"	1"	1 ½"	1 ½"	2"	2"	2 ½"	3"
Flow Rate (scfm)	25	30	50	100	125	160	250	450	500	600	1000	1500
Separator Size	04W	04W	05W	07W	07W	10W	15W	20W	20W	22W	25W	30W
Dimensions and Weight												
A (inches)	2.95	2.95	2.95	3.94	3.94	3.94	5.75	5.75	5.75	5.75	10.24	10.24
C (inches)	15.55	15.55	16.73	19.49	19.49	22.24	22.83	26.89	26.89	30.71	34.88	39.76
D (inches)	5.91	5.91	5.91	5.91	5.91	5.91	6.30	6.30	6.30	6.30	7.87	7.87
Weight (lbs)	1.65	1.65	1.87	3.75	4.18	4.63	9.04	10.61	11.24	13.45	43.87	57.10

THREADED WATER SEPARATOR WITH BEKOMAT

Order ref.	4012253	4020244	4012254	4012255	4020397	4012256	4012257	4020440	4012258	4012259	4012260	4012261
Price (\$)	\$436	\$451	\$462	\$542	\$598	\$670	\$1,011	\$1,175	\$1,204	\$1,281	\$2,604	\$2,795

Price Group 82

ELEMENT GRADE	ELEMENT TYPE	Δ PRESSURE (psid)	REMOVAL RATE
Grade W	Water Separator	.87	99.0%


Correction Factors

Operating Pressure (psig)	20	40	60	80	90	100	110	120	130	140	160	180	200	230
Correction Factor	.30	.48	.65	.82	.91	1.00	1.09	1.17	1.26	1.35	1.52	1.70	1.87	2.13

The correction factors on this page provide an estimation of the performance that can be achieved with the model sizes shown. For precise sizing for your application, please contact your BEKO Technologies sales representative.

CLEARPOINT® Threaded Coalescing and Particulate Filters

with float drain with or without differential pressure gauge and eco series elements



CLEARPOINT®	S040	S045	S050	S055	S075	S100	M010	M012	M015
Pipe Size (NPT)	¾"	½"	½"	½"	¾"	1"	1"	1"	1 ½"
Flow Rate (scfm)	25	30	50	80	100	125	160	200	250
Element Size	04*	04*	05*	06*	07*	07*	10*	12*	15*

Dimensions and Weight

A (inches)	2.95	2.95	2.95	2.95	3.94	3.94	3.94	3.94	5.75
C1 (inches)	7.09	7.09	8.27	10.43	11.02	11.02	13.78	15.16	14.17
C2 (inches)	9.65	9.65	10.83	12.99	13.58	13.58	16.34	17.72	16.73
D (inches)	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.91	6.30
Weight (lbs)	1.65	1.65	1.87	2.65	3.75	4.18	4.63	4.85	9.04

THREADED FILTER WITH FLOAT DRAIN, WITHOUT GAUGE

Order ref. 25 µm	4041816	4020218	4003292	4014086	4003295	4020382	4003298	4021612	4014969
Price (\$)	\$244	\$260	\$289	\$341	\$389	\$425	\$444	\$514	\$730
Order ref. 1 µm	4002890	4020220	4002891	4002892	4002893	4020305	4002894	4002895	4002896
Price (\$)	\$244	\$260	\$289	\$341	\$389	\$425	\$444	\$514	\$730
Order ref. .01 µm	4002950	4020231	4002951	4002952	4002953	4020384	4002954	4002955	4002956
Price (\$)	\$244	\$260	\$289	\$341	\$389	\$425	\$444	\$514	\$730

THREADED FILTER WITH FLOAT DRAIN, WITH GAUGE

Order ref. 25 µm	4017030	4020232	4014415	4014087	4021611	4020385	4004738	4021614	4014423
Price (\$)	\$299	\$329	\$366	\$419	\$457	\$512	\$543	\$614	\$799
Order ref. 1 µm	4015378	4020234	4005492	4006122	4005841	4020387	4005840	4009992	4016030
Price (\$)	\$299	\$329	\$366	\$419	\$457	\$512	\$543	\$614	\$799
Order ref. .01 µm	4003520	4020235	4005073	4006047	4003404	4020388	4003524	4007053	4003405
Price (\$)	\$299	\$329	\$366	\$419	\$457	\$512	\$543	\$614	\$799

Price Group 82

* ELEMENT GRADE	ELEMENT TYPE	MICRON RATING	OIL CARRYOVER	DRY Δ PRESSURE (psid)	WET Δ PRESSURE (psid)
Grade CX	Coarse	25 µm	5 mg/m³	.44	.73
Grade FX	Fine	1 µm	.05 mg/m³	.73	1.9
Grade SX	Superfine	.01 µm	.005 mg/m³	.87	1.7

- › Advanced CLEARPOINT® eco series elements
- › Validated in accordance with ISO 12500-1 and 3
- › CRN approved
- › Filter for natural gas (CNG) on request
- › Max. operating pressure: 232 psig
- › Max. operating temperature: 140 °F

Maintenance Interval: < 8,000 hours
Maintenance and Spare Parts: Page 27
Extended Warranty: Page 152

CLEARPOINT®	M018	M019	M020	M022	M023	M025	M027	M030	M032
Pipe Size (NPT)	1 ½"	1 ½"	2"	2"	2"	2 ½"	2 ½"	3"	3"
Flow Rate (scfm)	330	450	500	600	800	1000	1300	1500	1900
Element Size	18*	20*	20*	22*	23*	25*	27*	30*	32*

Dimensions and Weight

A (inches)	5.75	5.75	5.75	5.75	5.75	10.24	10.24	10.24	10.24
C1 (inches)	16.46	18.43	18.43	22.24	26.89	26.42	30.51	35.24	41.14
C2 (inches)	19.02	20.99	20.99	24.80	29.45	29.98	33.07	37.80	43.70
D (inches)	6.30	6.30	6.30	6.30	6.30	7.87	7.87	7.87	7.87
Weight (lbs)	9.92	10.61	11.24	13.45	15.65	43.87	49.82	57.10	65.92

THREADED FILTER WITH FLOAT DRAIN, WITHOUT GAUGE

Order ref. 25 µm	4016180	4020424	4036332	4025163	4017267	4046879	4046881	4027261	4046883
Price (\$)	\$809	\$942	\$1,010	\$1,125	\$1,231	\$2,192	\$2,281	\$2,488	\$2,934
Order ref. 1 µm	4002897	4020426	4002898	4002899	4002900	4002901	4002902	4002903	4002904
Price (\$)	\$809	\$942	\$1,010	\$1,125	\$1,231	\$2,192	\$2,281	\$2,488	\$2,934
Order ref. .01 µm	4002957	4020427	4002958	4002959	4002960	4002961	4002962	4002963	4002964
Price (\$)	\$809	\$942	\$1,010	\$1,125	\$1,231	\$2,192	\$2,281	\$2,488	\$2,934

THREADED FILTER WITH FLOAT DRAIN, WITH GAUGE

Order ref. 25 µm	4021615	4020428	4013962	4013031	4023011	4022717	4022200	4024259	4020916
Price (\$)	\$869	\$1,012	\$1,022	\$1,171	\$1,305	\$2,266	\$2,354	\$2,559	\$3,003
Order ref. 1 µm	4014017	4020430	4011475	4014287	4020281	4003493	4017439	4007154	4016052
Price (\$)	\$869	\$1,012	\$1,022	\$1,171	\$1,305	\$2,266	\$2,354	\$2,559	\$3,003
Order ref. .01 µm	4014542	4020431	4003406	4013032	4003407	4021904	4025162	4022499	4016071
Price (\$)	\$869	\$1,012	\$1,022	\$1,171	\$1,305	\$2,266	\$2,354	\$2,559	\$3,003

Price Group 82


Correction Factors

Operating Pressure (psig)	20	40	60	80	90	100	110	120	130	140	160	180	200	230
Correction Factor	.30	.48	.65	.82	.91	1.00	1.09	1.17	1.26	1.35	1.52	1.70	1.87	2.13

The correction factors on this page provide an estimation of the performance that can be achieved with the model sizes shown. For precise sizing for your application, please contact your BEKO Technologies sales representative.

CLEARPOINT® Threaded Coalescing and Particulate Filters

with BEKOMAT® and connection kit with or without differential pressure gauge and eco series elements



CLEARPOINT®	S040	S045	S050	S055	S075	S100	M010	M012	M015
Pipe Size (NPT)	¾"	½"	½"	½"	¾"	1"	1"	1"	1 ½"
Flow Rate (scfm)	25	30	50	80	100	125	160	200	250
Element Size	04*	04*	05*	06*	07*	07*	10*	12*	15*

Dimensions and Weight

A (inches)	2.95	2.95	2.95	2.95	3.94	3.94	3.94	3.94	5.75
C1 (inches)	15.55	15.55	16.73	18.90	19.49	19.49	22.24	23.62	22.83
C2 (inches)	18.11	18.11	19.29	21.46	22.05	22.05	24.80	26.18	25.39
D (inches)	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.91	6.30
Weight (lbs)	1.65	1.65	1.87	2.65	3.75	4.18	4.63	4.85	9.04

THREADED FILTER WITH BEKOMAT, WITHOUT GAUGE

Order ref. 25 µm	4047720	4047721	4023800	4047722	4047723	4020398	4006811	4020361	4047724
Price (\$)	\$433	\$455	\$493	\$543	\$594	\$624	\$655	\$684	\$942
Order ref. 1 µm	4047725	4047726	4003156	4047727	4045129	4020400	4003159	4047728	4003161
Price (\$)	\$433	\$455	\$493	\$543	\$594	\$624	\$655	\$684	\$942
Order ref. .01 µm	4047729	4047730	4003186	4047731	4003188	4020401	4003189	4003190	4003191
Price (\$)	\$433	\$455	\$493	\$543	\$594	\$624	\$655	\$684	\$942

THREADED FILTER WITH BEKOMAT, WITH GAUGE

Order ref. 25 µm	4041390	4020249	4047732	4047733	4019878	4020402	4047426	4047734	4014274
Price (\$)	\$502	\$526	\$564	\$614	\$661	\$717	\$763	\$789	\$1,012
Order ref. 1 µm	4014030	4020251	4017447	4034206	4014031	4020404	4014546	4015872	4016192
Price (\$)	\$502	\$526	\$564	\$614	\$661	\$717	\$763	\$789	\$1,012
Order ref. .01 µm	4004517	4020252	4047735	4019917	4014032	4020405	4014547	4015382	4014548
Price (\$)	\$502	\$526	\$564	\$614	\$661	\$717	\$763	\$789	\$1,012

Price Group 82

* ELEMENT GRADE	ELEMENT TYPE	MICRON RATING	OIL CARRYOVER	DRY Δ PRESSURE (psid)	WET Δ PRESSURE (psid)
Grade CX	Coarse	25 µm	5 mg/m³	.44	.73
Grade FX	Fine	1 µm	.05 mg/m³	.73	1.9
Grade SX	Superfine	.01 µm	.005 mg/m³	.87	1.7

- › Advanced CLEARPOINT® eco series elements
- › Validated in accordance with ISO 12500-1 and 3
- › CRN approved
- › Filter for natural gas (CNG) on request
- › Max. operating pressure: 232 psig
- › Max. operating temperature: 140 °F

Maintenance Interval: < 8,000 hours
 Maintenance and Spare Parts: Page 27
 Extended Warranty: Page 152

CLEARPOINT®	M018	M019	M020	M022	M023	M025	M027	M030	M032
Pipe Size (NPT)	1 ½"	1 ½"	2"	2"	2"	2 ½"	2 ½"	3"	3"
Flow Rate (scfm)	330	450	500	600	800	1000	1300	1500	1900
Element Size	18*	20*	20*	22*	23*	25*	27*	30*	32*
Dimensions and Weight									
A (inches)	5.75	5.75	5.75	5.75	5.75	10.24	10.24	10.24	10.24
C1 (inches)	24.92	26.89	26.89	30.71	35.35	34.88	38.98	39.76	49.61
C2 (inches)	27.48	29.45	29.45	33.27	37.91	37.44	41.54	42.32	52.17
D (inches)	6.30	6.30	6.30	6.30	6.30	7.87	7.87	7.87	7.87
Weight (lbs)	9.92	10.61	11.24	13.45	15.65	43.87	49.82	57.10	65.92

THREADED FILTER WITH BEKOMAT, WITHOUT GAUGE

Order ref. 25 µm	4047736	4047737	4047738	4047739	4047740	4047741	4047742	4047743	4047744
Price (\$)	\$992	\$1,147	\$1,182	\$1,312	\$1,649	\$2,408	\$2,545	\$2,750	\$3,196
Order ref. 1 µm	4015958	4047745	4003163	4015972	4046877	4021460	4047746	4023010	4023806
Price (\$)	\$992	\$1,147	\$1,182	\$1,312	\$1,649	\$2,408	\$2,545	\$2,750	\$3,196
Order ref. .01 µm	4047747	4047748	4003193	4003194	4003195	4003196	4047749	4003198	4047750
Price (\$)	\$992	\$1,147	\$1,182	\$1,312	\$1,649	\$2,408	\$2,545	\$2,750	\$3,196

THREADED FILTER WITH BEKOMAT, WITH GAUGE

Order ref. 25 µm	4047751	4047752	4047753	4024905	4047754	4047755	4047756	4010436	4047757
Price (\$)	\$1,065	\$1,228	\$1,318	\$1,489	\$1,710	\$2,481	\$2,615	\$2,821	\$3,266
Order ref. 1 µm	4014183	4020447	4006657	4019916	4020290	4014908	4047758	4010403	4021831
Price (\$)	\$1,065	\$1,228	\$1,318	\$1,489	\$1,710	\$2,481	\$2,615	\$2,821	\$3,266
Order ref. .01 µm	4013481	4020448	4015409	4020043	4047759	4020558	4047760	4007153	4021297
Price (\$)	\$1,065	\$1,228	\$1,318	\$1,489	\$1,710	\$2,481	\$2,615	\$2,821	\$3,266

Price Group 82

Correction Factors

Operating Pressure (psig)	20	40	60	80	90	100	110	120	130	140	160	180	200	230
Correction Factor	.30	.48	.65	.82	.91	1.00	1.09	1.17	1.26	1.35	1.52	1.70	1.87	2.13

The correction factors on this page provide an estimation of the performance that can be achieved with the model sizes shown. For precise sizing for your application, please contact your BEKO Technologies sales representative.

CLEARPOINT® Threaded Activated Carbon Filters


oil vapor removal filters with manual ball valve

- › With activated carbon filter element
- › Removal of solid particles up to .01 µm
- › Residual oil vapor content down to .003 mg/m³
- › CRN approved
- › Max. inlet moisture: 30% (dryer required upstream)
- › Max. operating pressure: 232 psig
- › Max. operating temperature: 140 °F

Maintenance Interval: < 300 hours

Maintenance and Spare Parts: Page 27

Extended Warranty: Page 152



CLEARPOINT®	S040	S045	S050	S055	S075	S100	M010	M012	M015
Pipe Size (NPT)	3/8"	1/2"	1/2"	1/2"	3/4"	1"	1"	1"	1 1/2"
Flow Rate (scfm)	25	30	50	80	100	125	160	200	250
Element Size	04A	04A	05A	06A	07A	07A	10A	12A	15A

Dimensions and Weight

A (inches)	2.95	2.95	2.95	2.95	3.94	3.94	3.94	3.94	5.75
C (inches)	7.09	7.09	8.27	10.43	11.02	11.02	13.78	15.16	14.17
D (inches)	5.91	5.91	5.91	5.91	5.91	5.91	5.91	5.91	6.30
Weight (lbs)	1.65	1.65	1.87	2.65	3.75	4.18	4.63	4.85	9.04

THREADED ACTIVATED CARBON FILTER WITH MANUAL BALL VALVE

Order ref.	4002965	4024599	4002966	4002967	4002968	4023629	4002969	4002970	4002971
Price (\$)	\$244	\$260	\$289	\$341	\$389	\$425	\$444	\$514	\$730

CLEARPOINT®	M018	M019	M020	M022	M023	M025	M027	M030	M032
Pipe Size (NPT)	1 1/2"	1 1/2"	2"	2"	2"	2 1/2"	2 1/2"	3"	3"
Flow Rate (scfm)	330	450	500	600	800	1000	1300	1500	1900
Element Size	18A	20A	20A	22A	23A	25A	27A	30A	32A

Dimensions and Weight

A (in inches)	5.75	5.75	5.75	5.75	5.75	10.24	10.24	10.24	10.24
C1 (in inches)	16.46	16.46	18.43	22.24	26.89	26.42	30.51	35.24	41.14
D (in inches)	6.30	6.30	6.30	6.30	6.30	7.87	7.87	7.87	7.87
Weight (lbs)	9.92	10.61	11.24	13.45	15.65	43.87	49.82	57.10	65.92

THREADED ACTIVATED CARBON FILTER WITH MANUAL BALL VALVE

Order ref.	4002972	4026441	4002973	4002974	4002975	4002976	4002977	4002978	4002979
Price (\$)	\$809	\$942	\$1,010	\$1,125	\$1,231	\$2,192	\$2,281	\$2,488	\$2,934

Price Group 84

ELEMENT GRADE	ELEMENT TYPE	MICRON RATING	OIL CARRYOVER	Δ PRESSURE (psid)
Grade A	Activated Carbon Element	.01 µm	.003 mg/m ³	1.02

Correction Factors

Operating Pressure (psig)	20	40	60	80	90	100	110	120	130	140	160	180	200	230
Correction Factor	.30	.48	.65	.82	.91	1.00	1.09	1.17	1.26	1.35	1.52	1.70	1.87	2.13


The correction factors on this page provide an estimation of the performance that can be achieved with the model sizes shown. For precise sizing for your application, please contact your BEKO Technologies sales representative.

CLEARPOINT® Threaded Activated Carbon Cartridge Filters

oil vapor removal filters with manual ball valve

- › With activated carbon filter cartridge
- › Removal of solid particles up to 1 µm
- › Residual oil vapor content down to .003 mg/m³
- › CRN approved
- › Max. inlet moisture: 30% (dryer required upstream)
- › Max. operating pressure: 232 psig
- › Max. operating temperature: 140 °F

Maintenance Interval: < 1,000 hours
Maintenance and Spare Parts: Page 27
Extended Warranty: Page 152



CLEARPOINT®	S055	M010	M018
Pipe Size (NPT)	½"	1"	1 ½"
Flow Rate (scfm)	29	59	118
Cartridge Size	06V	10V	18V
Dimensions and Weight			
A (inches)	2.95	3.94	5.75
C (inches)	10.43	13.78	16.46
D (inches)	5.91	5.91	6.30
Weight (lbs)	2.65	4.63	9.92

THREADED ACTIVATED CARBON CARTRIDGE FILTER WITH MANUAL BALL VALVE

Order ref.	4013174	4047761	4017502
Price (\$)	\$577	\$924	\$1,497

Price Group 84

ELEMENT GRADE	ELEMENT TYPE	MICRON RATING	OIL CARRYOVER	Δ PRESSURE (psid)
Grade V	Activated Carbon Cartridge	1 µm	.003 mg/m³	.54

Correction Factors

Operating Pressure (psig)	20	40	60	80	90	100	110	120	130	140	160	180	200	230
Correction Factor	.30	.48	.65	.82	.91	1.00	1.09	1.17	1.26	1.35	1.52	1.70	1.87	2.13


The correction factors on this page provide an estimation of the performance that can be achieved with the model sizes shown. For precise sizing for your application, please contact your BEKO Technologies sales representative.

CLEARPOINT® Flanged Water Separators

with BEKOMAT® and connection kit

- › Removal of large quantities of condensate
- › Used downstream of aftercoolers
- › BEKOMAT® drain as standard
- › Designed according to ASME Sec. VIII, Div. 1
- › UM stamp standard and CRN optional
- › Max. operating pressure: 232 psig
- › Max. operating temperature: 140 °F

Maintenance Interval: < 8,000 hours
Maintenance and Spare Parts: Page 27
Extended Warranty: Page 152



CLEARPOINT®	L100	L102	L150	L156	L200	L204	L254	L304
Pipe Size (ANSI)	4"	4"	6"	6"	8"	8"	10"	12"
Flow Rate (scfm)	1900	2800	3800	6500	7500	9300	13000	21000
Separator Size	88W							

Dimensions and Weight

A (inches)	16.75	18.88	21.00	21.13	22.88	27.50	31.50	35.50
B (inches)	8.81	9.75	10.88	12.81	14.88	15.56	16.75	17.63
C (inches)	39	39.25	54.06	54.62	68.56	73.69	87.06	99.44
D (inches)	15.00	15.00	15.00	20.00	20.00	20.00	20.00	20.00
Weight (lbs)	150	230	294	350	500	562	653	741

FLANGED WATER SEPARATORS WITH BEKOMAT

Order ref.	4033071	4033072	4047762	4047763	4047764	4047765	4047766	4047767
Price (\$)	\$5,171	\$6,538	\$8,215	\$9,165	\$10,958	\$12,895	\$17,150	\$18,598

Price Group 80

ELEMENT GRADE	ELEMENT TYPE	DRY Δ PRESSURE (psid)	REMOVAL RATE
Grade W	Water Separator	.87	99.0%

Correction Factors

Operating Pressure (psig)	20	40	60	80	90	100	110	120	130	140	160	180	200	230
Correction Factor	.30	.48	.65	.82	.91	1.00	1.09	1.17	1.26	1.35	1.52	1.70	1.87	2.13


The correction factors on this page provide an estimation of the performance that can be achieved with the model sizes shown. For precise sizing for your application, please contact your BEKO Technologies sales representative.

CLEARPOINT® Flanged Coalescing and Particulate Filters

with BEKOMAT® and connection kit with differential pressure gauge

- › Advanced CLEARPOINT® eco series elements
- › Validated in accordance with ISO 12500
- › Designed according to ASME Sec. VIII, Div. 1
- › UM stamp standard and CRN optional
- › Max. operating pressure: 232 psig
- › Max. operating temperature: 140 °F

Maintenance Interval: < 8,000 hours
Maintenance and Spare Parts: Page 27
Extended Warranty: Page 152



CLEARPOINT®	L100	L102	L150	L156	L200	L204	L254	L304
Pipe Size (ANSI)	4"	4"	6"	6"	8"	8"	10"	12"
Flow Rate (scfm)	1900	2800	3800	6500	7500	9300	13000	21000
Element Size	88*							

Dimensions and Weight

A (inches)	21.25	21.25	23.50	23.75	28.00	30.31	34.65	38.98
B (inches)	6.88	7.13	8.00	8.25	9.50	9.75	9.88	10.87
C (inches)	46.50	47.38	46.88	50.38	53.00	56.34	60.18	64.26
D (inches)	13.00	18.00	18.00	18.00	18.00	18.00	18.00	18.00
Weight (lbs)	195	266	283	328	534	623	727	825

FLANGED FILTER WITH BEKOMAT, WITH GAUGE

Order ref. 25 µm	4047768	4047769	4047770	4047771	4046762	4046765	4047772	4047773
Price (\$)	\$6,562	\$8,172	\$9,775	\$12,066	\$14,958	\$17,458	\$23,895	\$29,450
Order ref. 1 µm	4020749	4020761	4020864	4020874	4057036	4037501	4047774	4047775
Price (\$)	\$6,562	\$8,172	\$9,775	\$12,066	\$14,958	\$17,458	\$23,895	\$29,450
Order ref. .01 µm	4020750	4020762	4020865	4047776	4041302	4046764	4047777	4047778
Price (\$)	\$6,562	\$8,172	\$9,775	\$12,066	\$14,958	\$17,458	\$23,895	\$29,450

FLANGED ACTIVATED CARBON FILTER WITH MANUAL BALL VALVE, WITHOUT GAUGE

Order ref. Activated Carbon	4020751	4020763	4020866	4047779	4046763	4046766	4047780	4047781
Price (\$)	\$6,107	\$7,699	\$9,300	\$11,591	\$14,458	\$16,985	\$23,584	\$28,954

Price Group 80

* ELEMENT GRADE	ELEMENT TYPE	MICRON RATING	OIL CARRYOVER	OIL VAPOR	DRY Δ PRESSURE (psid)	WET Δ PRESSURE (psid)	APPROVALS
Grade CX	Coarse	25 µm	5 mg/m ³	-	.44	.73	ASME Coded Vessel with UM Stamp as standard (CRN Optional)
Grade FX	Fine	1 µm	.05 mg/m ³	-	.73	1.9	
Grade SX	Superfine	.01 µm	.005 mg/m ³	-	.87	1.7	
Grade A	Activated Carbon	.01 µm	-	.003 mg/m ³	1.45	-	

Correction Factors

Operating Pressure (psig)	20	40	60	80	90	100	110	120	130	140	160	180	200
Correction Factor	.30	.48	.65	.82	.91	1.00	1.09	1.17	1.26	1.35	1.52	1.70	1.87

The correction factors on this page provide an estimation of the performance that can be achieved with the model sizes shown. For precise sizing for your application, please contact your BEKO Technologies sales representative.

CLEARPOINT® V Activated Carbon Adsorption Towers


in-line oil vapor removal towers with activated carbon fill

- › Filled with activated carbon adsorbent
- › Required pre-filtration: .01 µm
- › Residual oil vapor content down to .003 mg/m³
- › Max. inlet moisture: 30% (dryer required upstream)
- › Max. operating pressure: 150 psig
- › Max. operating temperature: 120 °F

Maintenance Interval: < 8,000 hours

Maintenance and Spare Parts: Page 27

Extended Warranty: Page 152



CLEARPOINT® V	V80	V100	V120	V160	V200	V250	V300	V400	V500
Pipe Size (NPT)	1"	1"	1"	1½"	1½"	1½"	1½"	2"	2"
Flow Rate (scfm)	80	100	120	160	200	250	300	400	500
Dimensions and Weight									
H x W x D (inches)	58 x 11 x 17	70 x 11 x 17	70 x 11 x 17	70 x 14 x 19	70 x 14 x 19	77 x 16 x 23	77 x 16 x 23	68 x 17 x 24	78 x 19 x 26
Empty Weight (lbs)	190	190	196	224	260	273	312	356	427
Total Fill (lbs)	24	30	35	48	60	75	90	120	152

ACTIVATED CARBON ADSORPTION TOWER (FILTRATION REQUIRED)

Order ref.	4034705	4034706	4034707	4034708	4034709	4034710	4034711	4034712	4034713
Price (\$)	\$3,294	\$3,899	\$4,033	\$4,437	\$4,974	\$5,243	\$5,512	\$6,721	\$7,393

Price Group 84

REQUIRED FILTERS, NOT MOUNTED

	S100	M015	M018	M020
Pre-Filter .01 µm	4020388	4003405	4014542	4003406
Price (\$)	\$512	\$799	\$869	\$1,022

Price Group 82

CLEARPOINT® V	V650	V800	V1000	V1200	V1500	V1900	V2300	V2800
Pipe Size	2½"	2½"	2½" Flange	2½" Flange	3" Flange	3" Flange	4" Flange	4" Flange
Flow Rate (scfm)	650	800	1000	1200	1500	1900	2300	2800
Dimensions and Weight								
H x W x D (inches)	74 x 22 x 29	72 x 24 x 31	85 x 24 x 26	84 x 26 x 27	90 x 28 x 29	77 x 35 x 35	93 x 35 x 35	83 x 40 x 41
Empty Weight (lbs)	583	609	734	872	1,380	1,737	2,168	2,360
Total Fill (lbs)	199	246	286	344	430	544	659	802

ACTIVATED CARBON ADSORPTION TOWER (FILTRATION REQUIRED)

Order ref.	4034714	4034715	4034716	4034717	4034718	4034719	4034720	4034721
Price (\$)	\$7,653	\$9,585	\$12,091	\$12,470	\$15,044	\$16,817	\$18,960	\$20,577

Price Group 84

REQUIRED FILTERS, NOT MOUNTED

	M025	M027	M030	L102
Pre-Filter .01 µm	4021904	4025162	4022499	4020762
Price (\$)	\$2,266	\$2,354	\$2,559	\$8,172

Price Group 82


Correction Factors

Operating Pressure (psig)	60	70	80	90	100	110	120	130	140	150
Correction Factor	.65	.74	.83	.91	1.00	1.12	1.16	1.2	1.25	1.29

CLEARPOINT® H Threaded Compressed Air Heaters
in-line compressed air heater with user adjustable temperature

- › For the adjustable heating of compressed air
- › Adjustable temperature from 86 °F to 140 °F
- › Includes line cord 8.2 ft(2.5m) with US-plug
- › Encapsulated corrosion-free stainless-steel heating cartridges
- › Available touch protection option
- › Max. operating pressure: 232 psig

No Maintenance Required
Extended Warranty: Page 152



CLEARPOINT® H	S040	S050
Pipe Size (NPT)	3/8"	1/2"
Max. Volume Flow at 100 psig	30 scfm	60 scfm
Compressed Air Outlet Temperature Adjustment Range (°F)	86 °F to 140 °F	86 °F to 140 °F
Max. Operating Pressure (psig)	232	232
Pressure Differential	< 2.18 psig	< 2.90 psig
Voltage	115 VAC / 60 Hz +/-10%	115 VAC / 60 Hz +/-10%
Inlet Temperature Range (°F)	36 °F to 122 °F	36 °F to 122 °F
Ambient Temperature Range (°F)	36 °F to 122 °F	36 °F to 122 °F
Internal Safety Auto-off Temperature (°F)	183 °F	183 °F
Max. Housing Temperature (°F)	176 °F	176 °F
Max. Compressed Air Outlet Temperature (°F)	140 °F	140 °F
Max. Power Consumption	750	750
Volume (l)	0.42	0.42
Weight (lbs)	5.3	5.3
Protection Class	IP 54	IP 54

THREADED COMPRESSED AIR HEATER

Order ref.	4029051	4012743
Price (\$)	\$1,895	\$2,011

Price Group 84

CLEARPOINT® PN50 Threaded High Pressure Water Separators


with open port or with BEKOMAT® connection kit (drain sold separately) without pressure gauge

- › Removal of large quantities of condensate
- › Used downstream of aftercooler
- › Max. operating temperature: 140 °F
- › Max. operating pressure: 725 psig

Maintenance Interval: < 8,000 hours

Maintenance and Spare Parts: Page 27

Extended Warranty: Page 152



CLEARPOINT® PN50	HP50S040	HP50S050	HP50S075	HP50M010	HP50M015	HP50M020
Pipe Size (NPT)	3/8"	1/2"	3/4"	1"	1 1/2"	2"
Flow Rate (scfm)	100	190	440	600	1000	1720
Separator Size	04W	05W	07W	10W	15W	20W

Dimensions and Weight

A (inches)	2.95	2.95	3.95	3.95	5.75	5.75
C1 (inches)	7.10	8.30	11.00	13.80	14.40	18.40
C2 (inches)	16.50	16.50	20.50	23.20	23.80	27.80
D (inches)	7.10	7.10	7.10	7.10	7.10	7.10
Weight (lbs)	1.65	1.85	3.75	4.63	9.04	11.24

THREADED HIGH PRESSURE WATER SEPARATOR WITH OPEN PORT

Order ref.	4025277	4044760	4020962	4034366	4041616	4026603
Price (\$)	\$436	\$559	\$875	\$1,083	\$1,362	\$1,834

THREADED HIGH PRESSURE WATER SEPARATOR WITH DRAIN CONNECTION KIT

Order ref.	4012590	4014556	4014435	4032180	4033059	4015959
Price (\$)	\$695	\$785	\$1,064	\$1,252	\$1,521	\$2,062

Price Group 82

OPTIONAL DRAIN

BEKOMAT® 12 CO PN63	2002931
Price (\$)	\$1,263

Price Group 10

ELEMENT GRADE	ELEMENT TYPE	Δ PRESSURE (psid)	REMOVAL RATE
Grade W	Water Separator	.87	99.0%

Correction Factors

Operating Pressure (psig)	60	90	100	150	200	300	450	600	725
Correction Factor	.14	.18	.24	.35	.43	.59	.73	.88	1.00

The correction factors on this page provide an estimation of the performance that can be achieved with the model sizes shown. For precise sizing for your application, please contact your BEKO Technologies sales representative.

CLEARPOINT® PN50 Threaded Coalescing and Particulate High Pressure Filters


with open port without pressure gauge

- › Advanced CLEARPOINT® eco series elements
- › Validated in accordance with ISO 12500-1 and 3
- › Max. operating temperature: 140 °F
- › Max. operating pressure: 725 psig

Maintenance Interval: < 8,000 hours

Maintenance and Spare Parts: Page 27

Extended Warranty: Page 152



CLEARPOINT® PN50	HP50S040	HP50S050	HP50S055	HP50S075	HP50M010	HP50M012	HP50M015	HP50M018	HP50M020	HP50M022	HP50M023
Pipe Size	3/8"	1/2"	1/2"	3/4"	1"	1"	1 1/2"	1 1/2"	2"	2"	2"
Flow Rate (scfm)	100	190	300	440	600	710	1000	1210	1720	2065	2750
Element Size	04*	05*	06*	07*	10*	12*	15*	18*	20*	22*	23*

Dimensions and Weight

A (inches)	2.36	2.36	2.36	3.15	3.15	3.15	4.72	4.72	4.72	4.72	4.72
B (inches)	2.95	2.95	2.95	3.95	3.95	3.95	5.75	5.75	5.75	5.75	5.75
C (inches)	7.10	8.30	10.40	11.00	13.80	15.20	14.40	16.50	18.40	22.20	26.90
Weight (lbs)	1.65	1.85	2.65	3.75	4.63	4.85	9.04	9.92	11.24	13.45	15.65

THREADED HIGH PRESSURE FILTER WITH OPEN PORT, WITHOUT GAUGE

Order ref. 25 µm	4011170	4020143	4025582	4010824	4047782	4047783	4011137	4047784	4011135	4047785	4047786
Price (\$)	\$445	\$593	\$691	\$914	\$1,083	\$1,240	\$1,385	\$1,631	\$1,928	\$2,087	\$2,288
Order ref. 1 µm	4011169	4009817	4009830	4010826	4033252	4011477	4047787	4047788	4029879	4047789	4047790
Price (\$)	\$445	\$593	\$691	\$914	\$1,083	\$1,240	\$1,385	\$1,631	\$1,928	\$2,087	\$2,288
Order ref. .01 µm	4025278	4020144	4014624	4024031	4047791	4047792	4011133	4047793	4011134	4047794	4047795
Price (\$)	\$445	\$593	\$691	\$914	\$1,083	\$1,240	\$1,385	\$1,631	\$1,928	\$2,087	\$2,288

Price Group 82

* ELEMENT GRADE	ELEMENT TYPE	MICRON RATING	OIL CARRYOVER	OIL VAPOR	DRY Δ PRESSURE (psid)
Grade CX	Coarse	25 µm	5 mg/m ³	-	.54
Grade FX	Fine	1 µm	.05 mg/m ³	-	.86
Grade SX	Superfine	.01 µm	.005 mg/m ³	-	1.04
Grade A	Activated Carbon	.01 µm	-	.003 mg/m ³	.70

Correction Factors

Operating Pressure (psig)	60	90	100	150	200	300	450	600	725
Correction Factor	.14	.18	.24	.35	.43	.59	.73	.88	1.00

The correction factors on this page provide an estimation of the performance that can be achieved with the model sizes shown. For precise sizing for your application, please contact your BEKO Technologies sales representative.

CLEARPOINT® PN50 Threaded Coalescing and Particulate High Pressure Filters


with BEKOMAT® connection kit (drain sold separately) without pressure gauge

- Advanced CLEARPOINT® eco series elements
- Validated in accordance with ISO 12500-1 and 3
- Shown with BEKOMAT® 12 CO PN 63 (optional)
- Filter for natural gas (CNG) on request
- Max. operating temperature: 140 °F
- Max. operating pressure: 725 psig

Maintenance Interval: < 8,000 hours

Maintenance and Spare Parts: Page 27

Extended Warranty: Page 152



CLEARPOINT® PN50	HP50S040	HP50S050	HP50S055	HP50S075	HP50M010	HP50M012	HP50M015	HP50M018	HP50M020	HP50M022	HP50M023
Pipe Size	3/8"	1/2"	1/2"	3/4"	1"	1"	1 1/2"	1 1/2"	2"	2"	2"
Flow Rate (scfm)	100	190	300	440	600	710	1000	1210	1720	2065	2750
Element Size	04*	05*	06*	07*	10*	12*	15*	18*	20*	22*	23*

Dimensions and Weight

A (inches)	2.95	2.95	2.95	3.95	3.95	3.95	5.75	5.75	5.75	5.75	5.75
A1 (inches)	2.36	2.36	2.36	3.15	3.15	3.15	4.72	4.72	4.72	4.72	4.72
C1 (inches)	16.50	16.50	19.90	20.50	23.20	24.60	23.80	25.90	27.80	31.60	36.30
C2 (inches)	7.10	8.30	10.40	11.00	13.80	15.20	14.40	16.50	18.40	22.20	26.90
D (inches)	7.10	7.10	7.10	7.10	7.10	7.10	7.10	7.10	7.10	7.10	7.10
Weight (lbs)	1.65	1.85	2.65	3.75	4.63	4.85	9.04	9.92	11.24	13.45	15.65

THREADED HIGH PRESSURE FILTER WITH DRAIN CONNECTION KIT, WITHOUT GAUGE

Order ref. 25 µm	4012593	4047796	4047797	4047798	4047799	4047800	4047801	4047802	4047803	4047804	4047805
Price (\$)	\$695	\$785	\$886	\$1,120	\$1,216	\$1,448	\$1,521	\$1,705	\$2,062	\$2,266	\$2,465
Order ref. 1 µm	4020169	4029877	4047806	4037961	4032540	4047807	4017646	4047808	4015401	4047809	4045235
Price (\$)	\$695	\$785	\$886	\$1,120	\$1,216	\$1,448	\$1,521	\$1,705	\$2,062	\$2,266	\$2,465
Order ref. .01 µm	4012594	4029878	4039185	4047810	4032539	4047811	4017647	4047812	4037533	4047813	4047814
Price (\$)	\$695	\$785	\$886	\$1,120	\$1,216	\$1,448	\$1,521	\$1,705	\$2,062	\$2,266	\$2,465

Price Group 82

OPTIONAL DRAIN

BEKOMAT® 12 CO PN63	2002931
Price (\$)	\$1,263

Price Group 10

* ELEMENT GRADE	ELEMENT TYPE	MICRON RATING	OIL CARRYOVER	OIL VAPOR	DRY Δ PRESSURE (psid)
Grade CX	Coarse	25 µm	5 mg/m³	-	.54
Grade FX	Fine	1 µm	.05 mg/m³	-	.86
Grade SX	Superfine	.01 µm	.005 mg/m³	-	1.04
Grade A	Activated Carbon	.01 µm	-	.003 mg/m³	.70

Correction Factors

Operating Pressure (psig)	60	90	100	150	200	300	450	600	725
Correction Factor	.14	.18	.24	.35	.43	.59	.73	.88	1.00

The correction factors on this page provide an estimation of the performance that can be achieved with the model sizes shown. For precise sizing for your application, please contact your BEKO Technologies sales representative.

CLEARPOINT® PN50 Threaded Activated Carbon High Pressure Filters


oil vapor removal filters with manual ball valve

- › With activated carbon filter element
- › Removal of solid particles up to .01 µm
- › Residual oil vapor content down to .003 mg/m³
- › Max. inlet moisture: 30% (dryer required upstream)
- › Max. operating pressure: 725 psig
- › Max. operating temperature: 140 °F

Maintenance Interval: 300 hours

Maintenance and Spare Parts: Page 27

Extended Warranty: Page 152



CLEARPOINT® PN50	HP50S040	HP50S050	HP50S055	HP50S075	HP50M010	HP50M012	HP50M015	HP50M018	HP50M020	HP50M022	HP50M023
Pipe Size	3/8"	1/2"	1/2"	3/4"	1"	1"	1 1/2"	1 1/2"	2"	2"	2"
Flow Rate (scfm)	100	190	300	440	600	710	1000	1210	1720	2065	2750
Element Size	04A	05A	06A	07A	10A	12A	15A	18A	20A	22A	23A

Dimensions and Weight

A (inches)	2.95	2.95	2.95	3.95	3.95	3.95	5.75	5.75	5.75	5.75	5.75
A1 (inches)	2.36	2.36	2.36	3.15	3.15	3.15	4.72	4.72	4.72	4.72	4.72
C1 (inches)	16.50	16.50	19.90	20.50	23.20	24.60	23.80	25.90	27.80	31.60	36.30
C2 (inches)	7.10	8.30	10.40	11.00	13.80	15.20	14.40	16.50	18.40	22.20	26.90
D (inches)	7.10	7.10	7.10	7.10	7.10	7.10	7.10	7.10	7.10	7.10	7.10
Weight (lbs)	1.65	1.85	2.65	3.75	4.63	4.85	9.04	9.92	11.24	13.45	15.65

THREADED HIGH PRESSURE ACTIVATED CARBON FILTER WITH MANUAL BALL VALVE

Order ref.	4022651	4037829	4025580	4031610	4042507	4047815	4047816	4047817	4015633	4047818	4047819
Price (\$)	\$695	\$785	\$886	\$1,120	\$1,216	\$1,448	\$1,521	\$1,705	\$2,062	\$2,266	\$2,465

Price Group 82

ELEMENT GRADE	ELEMENT TYPE	MICRON RATING	OIL CARRYOVER	OIL VAPOR	DRY Δ PRESSURE (psid)
Grade A	Activated Carbon	.01 µm	-	.003 mg/m³	.70


Correction Factors

Operating Pressure (psig)	60	90	100	150	200	300	450	600	725
Correction Factor	.14	.18	.24	.35	.43	.59	.73	.88	1.00

The correction factors on this page provide an estimation of the performance that can be achieved with the model sizes shown. For precise sizing for your application, please contact your BEKO Technologies sales representative.

CLEARPOINT® HP High Pressure Filters

with open port without pressure gauge



CLEARPOINT® HP 100	HP100S040	HP100S045	HP100S050	HP100S055	HP100S075	HP100M010	HP100M015	HP100M020
Max. Operating Pressure (psig)	1,450	1,450	1,450	1,450	1,450	1,450	1,450	1,450
Pipe Size (NPT)	3/8"	3/8"	1/2"	1/2"	3/4"	1"	1 1/2"	2"
Flow Rate (scfm)	25	60	160	270	400	700	1000	2000

HIGH PRESSURE FILTER WITH OPEN PORT, WITHOUT GAUGE

Order ref.	HP100S040 ...WC	HP100S045 ...WC	HP100S050 ...WC	HP100S055 ...WC	HP100S075 ...WC	HP100M010 ...WC	HP100M015 ...WC	HP100M020 ...WC
Price (\$)	\$1,434	\$1,578	\$1,927	\$2,486	\$3,354	\$4,767	\$7,598	\$8,906

... Choose one CX / FX / SX / A and insert element grade to Order ref. number. See chart below*.

CLEARPOINT® HP 350	HP350S030	HP350S040	HP350S045	HP350S050	HP350S075	HP350M010	HP350M012	HP350M015
Max. Operating Pressure (psig)	5,075	5,075	5,075	5,075	5,075	5,075	5,075	5,075
Pipe Size (NPT)	1/4"	3/8"	3/8"	1/2"	3/4"	1"	1"	1 1/2"
Flow Rate (scfm)	30	75	205	350	520	920	1300	2600

HIGH PRESSURE FILTER WITH OPEN PORT, WITHOUT GAUGE

Order ref.	HP350S030 ...WC	HP350S040 ...WC	HP350S045 ...WC	HP350S050 ...WC	HP350S075 ...WC	HP350M010 ...WC	HP350M012 ...WC	HP350M015 ...WC
Price (\$)	\$2,230	\$2,411	\$3,014	\$3,278	\$5,634	\$7,064	\$9,494	\$11,786

... Choose one CX / FX / SX / A and insert element grade to Order ref. number. See chart below*.

CLEARPOINT® HP 500	HP500S030	HP500S040	HP500S045	HP500S050
Max. Operating Pressure (psig)	7,250	7,205	7,250	7,250
Pipe Size (NPT)	1/4"	3/8"	3/8"	1/2"
Flow Rate (scfm)	30	80	220	380

HIGH PRESSURE FILTER WITH OPEN PORT, WITHOUT GAUGE

Order ref.	HP500S030 ...WC	HP500S040 ...WC	HP500S045 ...WC	HP500S050 ...WC
Price (\$)	\$2,674	\$2,911	\$3,618	\$3,957

... Choose one CX / FX / SX / A and insert element grade to Order ref. number. See chart below*.

OPTIONAL ACCESSORIES

Needle Valve for HP 100 / 350	4016153
Price (\$)	\$424
Needle Valve for HP 500	4038134
Price (\$)	\$2,420

Price Group 81

* ELEMENT GRADE	ELEMENT TYPE	MICRON RATING	OIL CARRYOVER	OIL VAPOR	DRY Δ PRESSURE (psid)
Grade CX	Coarse	25 µm	10 mg/m ³	-	.54
Grade FX	Fine	1 µm	.1 mg/m ³	-	.86
Grade SX	Superfine	.01 µm	.01 mg/m ³	-	1.04
Grade A	Activated Carbon	-	-	.003 mg/m ³	.70

- › Stainless steel housing
- › Max. operating temperature: 140 °F (HP350S075 and HP350M010 only)
- › Max. operating temperature: 248 °F (all other models)
- › Max. inlet pressure: 1,450 - 7,250 psig

Maintenance Interval: < 8,000 hours
Maintenance and Spare Parts: Page 27
Extended Warranty: Page 152

CLEARPOINT® HP	A	B	C	E	Volume (gal)	Weight (lbs)
HP100S040	2.36	.65	4.61	0.98	0.01	4.41
HP100S045	3.11	.81	5.51	1.39	0.03	9.92
HP100S050	3.07	.91	8.43	1.57	0.10	8.82
HP100S055	3.07	.91	10.39	1.57	0.13	12.13
HP100S075	4.49	1.16	10.63	2.36	0.32	23.15
HP100M010	4.49	1.16	16.54	2.36	0.52	30.20
HP100M015	6.85	1.97	18.94	3.94	0.87	74.96
HP100M020	6.85	1.97	30.87	3.94	1.51	92.60
HP350S030	2.36	0.65	4.61	0.98	0.01	4.41
HP350S040	3.11	0.81	5.51	1.39	0.03	9.92
HP350S045	3.46	0.91	8.43	1.57	0.10	14.33
HP350S050	3.46	0.91	10.39	1.57	0.13	16.53
HP350S075	5.47	1.47	11.26	3.15	0.30	45.19
HP350M010	5.47	1.47	17.17	3.15	0.52	59.52
HP350M012	6.65	1.94	18.90	3.15	0.85	99.23
HP350M015	6.65	1.94	30.83	3.15	1.51	156.53
HP500S030	2.36	0.65	4.61	0.98	0.01	4.41
HP500S040	3.11	0.81	5.51	1.39	0.03	9.92
HP500S045	4.45	0.98	8.70	2.36	0.10	26.46
HP500S050	4.45	0.98	10.67	2.36	0.13	28.66

Correction Factors

Operating Pressure (1,450 psig)	300	450	600	725	900	1,100	1,200	1,300	1,450
Correction Factor	.45	.56	.64	.71	.78	.84	.90	.95	1.00

Operating Pressure (5,075 psig)	3,000	3,600	4,500	5,075
Correction Factor	.84	.89	.94	1.00

Operating Pressure (7,250 psig)	4,500	5,000	5,800	6,500	7,250
Correction Factor	.89	.93	.96	.98	1.00

The correction factors on this page provide an estimation of the performance that can be achieved with the model sizes shown. For precise sizing for your application, please contact your BEKO Technologies sales representative.

CLEARPOINT® Accessories

■ oil check indicator




Fits CLEARPOINT® Models	Complete Oil Check Indicator Set	Mounting Adapter for Oil Check Indicator			
	S055V, M010V and M018V	S040 - S055	S075-M012	M015-M023	M025-M032
Order ref.	4008728	4008713	4008725	4008726	4008749
Price (\$)	\$478	\$89	\$92	\$96	\$117

Oil Check Indicator	
Order ref.	4025989
Price (\$)	\$414

Price Group 84



■ wall brackets



Fits Filter Housing	FMBK4	FMBK5	FMBK6	FMBK7
	S040 S045 S050 S055	S075 S100 M010 M012	M015 M018 M019 M020 M022 M023	M025 M027 M030 M032
Order ref.	4003328	4003329	4003330	4003331
Price (\$)	\$74	\$85	\$99	\$109

Price Group 84

■ modular connection kits



Fits Filter Housing	F2CK4	F2CK5	F2CK6	F2CK7
	S040 S045 S050 S055	S075 S100 M010 M012	M015 M018 M019 M020 M022 M023	M025 M027 M030 M032
Order ref.	4003332	4003333	4003334	4003335
Price (\$)	\$57	\$75	\$55	\$65

Price Group 84

CLEARPOINT® Maintenance

- replacement filter elements for standard and PN50 series threaded filters

Maintenance Interval: < 8,000 hours

Filter Housing	CX 25 µm	FX 1 µm	SX .01 µm	A* .003 ppm	Price (\$)
S040 / S045 / HP50S040	4038157	4038104	4038111	4002737	\$92
S050 / HP50S050	4038158	4038139	4038148	4002738	\$118
S055 / HP50S055	4038159	4038105	4038112	4002739	\$140
S075 / S100 / HP50S075	4038160	4038106	4038113	4002740	\$148
M010 / HP50M010	4038161	4038140	4038149	4002741	\$176
M012 / HP50M012	4038162	4038107	4038114	4002742	\$226
M015 / HP50M015	4038163	4038108	4038115	4002743	\$245
M018 / HP50M018	4038164	4038141	4038150	4002744	\$282
M019 / M020 / HP50M020	4038165	4038142	4038151	4002745	\$336
M022	4038166	4038143	4038152	4002746	\$372
M023	4038167	4038144	4038153	4002747	\$434
M025	4038168	4038109	4038116	4002748	\$471
M027	4038169	4038145	4038154	4002749	\$531
M030	4038177	4038146	4038155	4002750	\$790
M032	4038170	4038147	4038156	4002751	\$889

* A filter grade element maintenance interval: <300 hours

Price Group 86

CLEARPOINT® V Maintenance

- filling material for activated carbon adsorption towers

Maintenance Interval: 8,000 hours

Replacement Activated Carbon (30 lbs. box) 4mm diameter		
All models and fill weights	4056165	\$549 ea.

Price Group 63

- replacement filter cartridges for CLEARPOINT® V series

Maintenance Interval: < 1,000 hours

Filter Housing	V .003 ppm	Price (\$)
S055	4009180	\$367
M010	4009181	\$563
M018	4009182	\$830

Price Group 84

CLEARPOINT® Maintenance

■ replacement filter elements for flanged filters

Maintenance Interval: < 8,000 hours

Filter Housing	88CX 25 µm	88FX 1 µm	88SX .01 µm	88A .003 ppm	Order Quantity	Price (\$)	Flat Gasket for Top Lid	Price (\$)
L100	4038178	4038110	4038117	4021586	2	\$880	4032958	\$16
L102	4038178	4038110	4038117	4021586	3	\$1,320	4032959	\$45
L150	4038178	4038110	4038117	4021586	4	\$1,760	4032959	\$45
L156	4038178	4038110	4038117	4021586	7	\$3,080	4032960	\$67
L200	4038178	4038110	4038117	4021586	8	\$3,520	4032961	\$92
L204	4038178	4038110	4038117	4021586	10	\$4,400	4032962	\$141
L254	4038178	4038110	4038117	4021586	14	\$6,160	4032963	\$220
L304	4038178	4038110	4038117	4021586	22	\$9,680	4032964	\$347

Price Group 86

Price Group 63

■ replacement filter elements for HP series filters

Maintenance Interval: < 8,000 hours


Filter Housing	CX 25 µm	FX 1 µm	SX .01 µm	A .003 ppm	Price (\$)
HP100S040	4007820	4007822	4007823	4007824	\$323
HP100S045	4007827	4007829	4007830	4007831	\$416
HP100S050	4007835	4007839	4007841	4007843	\$522
HP100S055	4007836	4007840	4007842	4007844	\$614
HP100S075	4007849	4007853	4007855	4007857	\$687
HP100M010	4007850	4007854	4007856	4007858	\$794
HP100M015	4007863	4007867	4007869	4007871	\$874
HP100M020	4007864	4007868	4007870	4007872	\$1,186
HP350S030	4007820	4007822	4007823	4007824	\$323
HP350S040	4007827	4007829	4007830	4007831	\$416
HP350S045	4007835	4007839	4007841	4007843	\$522
HP350S050	4007836	4007840	4007842	4007844	\$614
HP350S075	4007849	4007853	4007855	4007857	\$687
HP350M010	4007850	4007854	4007856	4007858	\$794
HP350M012	4007863	4007867	4007869	4007871	\$874
HP350M015	4007864	4007868	4007870	4007872	\$1,186
HP500S030	4007820	4007822	4007823	4007824	\$323
HP500S040	4007827	4007829	4007830	4007831	\$416
HP500S045	4007835	4007839	4007841	4007843	\$522
HP500S050	4007836	4007840	4007842	4007844	\$614

Price Group 84

CLEARPOINT® Maintenance

■ replacement float drains

Maintenance Interval: < 8,000 hours





CLEARPOINT S040-M032 from Aug. 2004 / max. pressure 232 psig	
Order ref.	4025536
Price (\$)	\$100

Price Group 84

■ service unit for BEKOMAT® drains

Maintenance Interval: < 8,000 hours



Fits BEKOMAT® Model	31	32 V
	For S040-M025 filters S040-S100 water separators	For M010-M030 water separators L100-L304 filter and water separators
Order ref.	4023608	4023573
Price (\$)	\$147	\$211

Price Group 12

■ oil check indicator detector tube

Maintenance Interval: after every use




Replacement detector tube with needle valve for CLEARPOINT® V	
Order ref.	4025989
Price (\$)	\$414

Price Group 84

CLEARPOINT® Spare Parts


■ replacement o-ring sets for standard and PN50 series threaded units



	S040 S045 S050 S055	S075 S100 M010 M012	M015 M018 M019 M020 M022 M023	M025 M027 M030 M032
Filter Housing	and HP50 housing equivalents	and HP50 housing equivalents	and HP50 housing equivalents	and HP50 housing equivalents
Order ref.	4026562	4026563	4026564	4026565
Price (\$)	\$47	\$52	\$58	\$63

Price Group 86

■ replacement lock bar (slide) kits




Includes the slide (red lock bar), screw, flat disc, rubber seal, and Viton o-ring


Filter Housing	S040 - M012	M015 - M032
Order ref.	4008541	4008540
Price (\$)	\$44	\$58

Price Group 86


■ replacement differential pressure gauges



For direct mounting on the filter
for S040 - M032 / L100 - 304



With the potential-free contact
for S040 - M032 / L100 - 304




For direct mounting on HP series filters
(max. 5,075 psig)

Differential Pressure Gauges			
Max. Pressure (psig)	232	232	5,075
Order ref.	4010931	4001481	4009202
Price (\$)	\$115	\$243	\$1,753

Price Group 84

CLEARPOINT® Spare Parts


■ connection kit with ball valve




	1/2" connection kit with ball valve for S040-M032 L100-L304
Max. Pressure (psig)	232
Order ref.	2002228
Price (\$)	\$71

Price Group 84

■ replacement BEKOMAT® drains



For S040-M025 filters
S040-S100 water separators



For M027-M032 filters, M010-M030 water separators
L100-L304 filter and water separators

	BEKOMAT 31	BEKOMAT 32V
Max. Pressure (psig)	232	232
Order ref.	4025098	4025091
Price (\$)	\$260	\$333

Price Group 12

Refrigerant Drying




DRYPOINT® RA

the most economical way to dry compressed air

- › RAc economy series, compact refrigerant air dryers
- › RAX fully equipped, premium refrigerant air dryers
- › RA CT & VSD cycling and variable speed refrigerant air dryers
- › RA HT high inlet temperature refrigerant air dryers
- › RS HP high inlet pressure refrigerant air dryers, and more...

DRYPOINT® RAc Economy Refrigeration Dryers

economically priced with BEKOMAT® or with timer drain in a compact frame



DRYPOINT® RAc	RAc 10	RAc 15	RAc 20	RAc 35	RAc 50	RAc 75	RAc 100
Connection Size (NPT)	½"	½"	½"	½"	½"	1"	1¼"
Flow Rate (scfm)	10	15	20	35	50	75	100
Operating Voltage	115 V / 1 Ph	115 V / 1 Ph	115 V / 1 Ph	115 V / 1 Ph	115 V / 1 Ph	115 V / 1 Ph	115 V / 1 Ph
Power Consumption - Load (kW)	.19	.20	.21	.29	.30	.45	.70

Dimensions and Weight

H x W x D (inches)	19 x 15 x 20	19 x 15 x 20	19 x 15 x 20	19 x 15 x 20	19 x 15 x 20	29 x 14 x 17	29 x 14 x 18
Weight (lbs)	57	60	62	62	68	84	86

REFRIGERANT DRYER WITH BEKOMAT® DRAIN

ECO CHOICE

Order ref.	4050435	4050436	4050437	4050438	4050439	4050440	4050441
Price (\$)	\$1,642	\$1,730	\$1,856	\$1,982	\$2,463	\$2,790	\$3,498

REFRIGERANT DRYER WITH TIMER DRAIN

Order ref.	4050383	4050422	4050423	4050424	4050425	4050426	4050427
Price (\$)	\$1,437	\$1,537	\$1,730	\$1,840	\$2,143	\$2,446	\$3,037

Price Group 51

REQUIRED 1 µm PRE-FILTRATION

	S040	S045	S050	S055	S100
without Δpsi gauge Float Drain	4002890	4020220	4002891	4002892	4020305
Price (\$)	\$244	\$260	\$289	\$341	\$425
with Δpsi gauge BEKOMAT®	4014030	4020251	4017447	4034206	4020404
Price (\$)	\$502	\$526	\$564	\$614	\$717

Price Group 82

OPTIONAL .01 µm POST-FILTRATION

without Δpsi gauge Float Drain	4002950	4020231	4002951	4002952	4020384
Price (\$)	\$244	\$260	\$289	\$341	\$425

Price Group 82

OPTIONAL EQUIPMENT

Three-Valve Bypass*	4040646	4032965	4032966	4032967
Price (\$)	\$479	\$522	\$650	\$830

Price Group 53

*The bypass will be dry fit to unit and shipped loose to prevent damage, filtration is not included. Filters ordered with bypass are also shipped loose.

- › Required pre-filtration: 1 µm | Recommended post-filtration: .01 µm
- › UL / CSA certified
- › Outlet pressure dew point: Class 4-5 in accordance with ISO 8573-1:2010
- › Max. inlet air temperature: 130 °F
- › Min. / max. ambient temperature: 34 °F / 115 °F
- › Max. inlet pressure: RAc 10 - 50: 232 psig | RAc 75 - 480: 200 psig

Maintenance Interval: < 8,000 hours
Maintenance and Spare Parts: Page 50
Extended Warranty: Page 152

DRYPOINT® RAc	RAc 125	RAc 150	RAc 175	RAc 220	RAc 300	RAc 375	RAc 480
Connection Size (NPT)	1¼"	1¼"	1½"	1½"	2"	2"	2½"
Flow Rate (scfm)	125	150	175	220	300	375	480
Operating Voltage	115 V / 1 Ph	115 V / 1 Ph	230 V / 1 Ph	230 V / 1 Ph	230 V / 1 Ph	230 V / 1 Ph	230 V / 1 Ph
Power Consumption - Load (kW)	1.00	1.05	1.20	1.25	1.50	2.20	2.30
Dimensions and Weight							
H x W x D (inches)	29 x 14 x 18	32 x 19 x 18	35 x 22 x 23	35 x 22 x 23	38 x 22 x 25	38 x 22 x 25	44 x 26 x 29
Weight (lbs)	88	90	119	123	207	212	317

REFRIGERANT DRYER WITH BEKOMAT® DRAIN							ECO CHOICE
Order ref.	4050442	4050443	4050444	4050445	4050446	4050447	4050448
Price (\$)	\$3,708	\$4,017	\$4,837	\$5,170	\$7,415	\$8,123	\$10,367

REFRIGERANT DRYER WITH TIMER DRAIN							
Order ref.	4050428	4050429	4050430	4050431	4050432	4050433	4050434
Price (\$)	\$3,527	\$3,839	\$4,653	\$4,986	\$7,230	\$7,785	\$10,027

Price Group 51

REQUIRED 1 µm PRE-FILTRATION	S100	M010	M015	M020
without Δpsi gauge Float Drain	4020305	4002894	4002896	4002898
Price (\$)	\$425	\$444	\$730	\$1,010
with Δpsi gauge BEKOMAT®	4020404	4014546	4016192	4006657
Price (\$)	\$717	\$763	\$1,012	\$1,318

Price Group 82

OPTIONAL .01 µm POST-FILTRATION				
without Δpsi gauge Float Drain	4020384	4002954	4002956	4002958
Price (\$)	\$425	\$444	\$730	\$1,010

Price Group 82

OPTIONAL EQUIPMENT				
Three-Valve Bypass*	4032967	4032968	4032969	4032970
Price (\$)	\$830	\$1,000	\$1,517	\$3,125

Price Group 53

Correction Factors

Operating Pressure psig	60	80	100	120	140	160	180	200
Correction Factor	.79	.91	1.00	1.07	1.13	1.18	1.23	1.27


Ambient Air Temperature °F	80	90	100	110	115
Correction Factor	1.10	1.07	1.00	.83	.70

Inlet Air Temperature °F	90	100	110	120	130
Correction Factor	1.11	1.00	.80	.65	.53

The correction factors on this page provide an estimation of the performance that can be achieved with the model sizes shown. For precise sizing for your application, please contact your BEKO Technologies sales representative.

DRYPOINT® RAx Premium Refrigeration Dryers

equipped with all premium features including BEKOMAT® as standard



DRYPOINT® RAx	RAx 20	RAx 30	RAx 50	RAx 75	RAx 100	RAx 125
Connection Size (NPT)	½"	½"	½"	1"	1¼"	1¼"
Flow Rate (scfm)	20	30	50	75	100	125
Power Consumption - Load (kW)	.26	.27	.39	.48	.58	1.00
Dimensions and Weight						
H x W x D (inches)	29 x 14 x 17	29 x 14 x 17	29 x 14 x 17	29 x 14 x 17	32 x 19 x 18	32 x 19 x 18
Weight (lbs)	64	68	75	79	82	101

REFRIGERANT DRYER WITH STANDARD VOLTAGE

Voltage	115 V / 1 Ph	115 V / 1 Ph	115 V / 1 Ph	115 V / 1 Ph	115 V / 1 Ph	115 V / 1 Ph
Order ref.	4028689	4028691	4028693	4028695	4028697	4028699
Price (\$)	\$2,160	\$2,437	\$2,610	\$3,075	\$4,085	\$4,235

REFRIGERANT DRYER WITH OPTIONAL VOLTAGE

Voltage	230 V / 1 Ph	230 V / 1 Ph	230 V / 1 Ph	230 V / 1 Ph	230 V / 1 Ph	230 V / 1 Ph
Order ref.	4019934	4019936	4019938	4019940	4019942	4028700
Price (\$)	\$2,160	\$2,437	\$2,610	\$3,075	\$4,085	\$4,235

Price Group 51

REQUIRED 1 µm PRE-FILTRATION

	S045	S050	S100
without Δpsi gauge Float Drain	4020220	4002891	4020305
Price (\$)	\$260	\$289	\$425
with Δpsi gauge BEKOMAT®	4020251	4017447	4020404
Price (\$)	\$526	\$564	\$717

Price Group 82

OPTIONAL .01 µm POST-FILTRATION

without Δpsi gauge Float Drain	4020231	4002951	4020384
Price (\$)	\$260	\$289	\$425

Price Group 82

OPTIONAL EQUIPMENT

Anti-Corrosion Option TAC	Factory installed option - please add TAC suffix to order reference number (Example: 40xxxxx-TAC)		
Price (\$)	\$389		\$516
Three-Valve Bypass*	4031472	4032245	4032246
Price (\$)	\$522	\$650	\$830

Price Group 53

*The bypass will be dry fit to unit and shipped loose to prevent damage, filtration is not included. Filters ordered with bypass are also shipped loose.

- › Required pre-filtration: 1 µm | Recommended post-filtration: .01 µm
- › RAx 20-200 115V UL / CSA certified
- › RAx 125-400 230V UL / CSA certified
- › RAx 200-500 460V UL / CSA control panel
- › Outlet pressure dew point: Class 4-5 in accordance with ISO 8573-1:2010
- › Max. inlet air temperature: 160 °F
- › Min. / max. ambient temperature: 34 °F / 120 °F
- › Max. inlet pressure: RAx 20-50: 232 psig | RAx 75-500: 200 psig

Maintenance Interval: < 8,000 hours
Maintenance and Spare Parts: Page 50
Extended Warranty: Page 152

DRYPOINT® RAx	RAx 150	RAx 200	RAx 250	RAx 300	RAx 350	RAx 400	RAx 500
Connection Size (NPT)	1¼"	1½"	1½"	2"	2"	2½"	2½"
Flow Rate (scfm)	150	200	250	300	350	400	500
Power Consumption - Load (kW)	1.05	1.10	1.39	1.64	2.19	2.48	2.97
Dimensions and Weight							
H x W x D (inches)	32 x 19 x 18	35 x 22 x 23	35 x 22 x 23	38 x 22 x 25	38 x 22 x 25	44 x 26 x 29	44 x 26 x 29
Weight (lbs)	110	121	139	203	207	331	355

REFRIGERANT DRYER WITH STANDARD VOLTAGE

Voltage	115 V / 1 Ph	115 V / 1 Ph	230 V / 1 Ph	230 V / 1 Ph	230 V / 1 Ph	230 V / 1 Ph	460 V / 3 Ph
Order ref.	4028701	4028703	4028706	4028708	4028710	4028712	4028714
Price (\$)	\$4,620	\$5,776	\$6,699	\$8,327	\$9,083	\$10,771	\$12,579

REFRIGERANT DRYER WITH OPTIONAL VOLTAGE

Voltage	230 V / 1 Ph	230 V / 1 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	-
Order ref.	4028702	4028704	4028707	4028709	4028711	4028713	-
Price (\$)	\$4,620	\$5,776	\$7,662	\$8,793	\$9,289	\$11,478	-
Voltage	-	460 V / 3 Ph	-	-	-	-	-
Order ref.	-	4028705	-	-	-	-	-
Price (\$)	-	\$7,130	-	-	-	-	-

Price Group 51

REQUIRED 1 µm PRE-FILTRATION

	M010	M015	M020	M025
without Δpsi gauge Float Drain	4002894	4002896	4002898	4002901
Price (\$)	\$444	\$730	\$1,010	\$2,192
with Δpsi gauge BEKOMAT®	4014546	4016192	4006657	4014908
Price (\$)	\$763	\$1,012	\$1,318	\$2,481

Price Group 82

OPTIONAL .01 µm POST-FILTRATION

without Δpsi gauge Float Drain	4002954	4002956	4002958	4002961
Price (\$)	\$444	\$730	\$1,010	\$2,192

Price Group 82

OPTIONAL EQUIPMENT

Anti-Corrosion Option TAC	Factory installed option - please add TAC suffix to order reference number (Example: 40xxxxx-TAC)			
Price (\$)	\$516	\$635	\$1,274	
Water Ingress Protection IP54	Factory installed option - please add IP54 suffix to order reference number (Example: 40xxxxx-IP54)			
Price (\$)		\$741		\$806
Three-Valve Bypass*	4032246	4031899	4032247	4032248
Price (\$)	\$830	\$1,000	\$1,517	\$3,125

Price Group 53

Correction Factors


Operating Pressure psig	60	80	100	120	140	160	180	200
Correction Factor	.79	.91	1.00	1.07	1.13	1.18	1.23	1.27

Inlet Air Temperature °F	90	100	110	120	130	140	150	160
Correction Factor	1.16	1.00	.82	.68	.61	.52	.45	.40

Ambient Air Temperature °F	80	90	100	105	110	115	120
Correction Factor	1.11	1.09	1.00	.94	.87	.78	.69

DRYPOINT® RAX Premium Refrigeration Dryers

equipped with all premium features including BEKOMAT® as standard



DRYPOINT® RAX	RAX 600	RAX 800	RAX 1000	RAX 1250	RAX 1500	RAX 1750	RAX 2000	RAX 2500
Connection Size (ANSI)	3" Flange	3" Flange	3" Flange	3" Flange	4" Flange	4" Flange	4" Flange	4" Flange
Flow Rate (scfm)	600	800	1000	1250	1500	1750	2000	2500
Power Consumption - Load (kW)	2.65	3.25	4.60	5.60	6.40	7.50	8.60	9.80
Dimensions and Weight								
H x W x D (inches)	58 x 31 x 39	58 x 31 x 39	58 x 31 x 39	58 x 31 x 39	69 x 45 x 47	69 x 45 x 47	69 x 45 x 47	69 x 45 x 47
Weight (lbs)	529	534	608	686	1,021	1,186	1,190	1,349

AIR COOLED REFRIGERANT DRYER WITH STANDARD VOLTAGE

Voltage	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph
Order ref.	4028715	4028717	4028719	4028721	4028723	4028725	4028727	4028729
Price (\$)	\$15,415	\$16,949	\$19,359	\$24,625	\$30,323	\$33,301	\$37,320	\$43,658

Price Group 51

WATER COOLED REFRIGERANT DRYER WITH STANDARD VOLTAGE

Voltage	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph
Order ref.	4043474	4043475	4043476	4043477	4043478	4043479	4043480	4043481
Price (\$)	\$16,995	\$17,400	\$19,809	\$24,625	\$30,323	\$33,541	\$37,320	\$43,658

Price Group 51

REQUIRED 1 µm PRE-FILTRATION

	M030	L100	L102
without Δpsi gauge Float Drain	4002903	-	-
Price (\$)	\$2,488	-	-
with Δpsi gauge BEKOMAT®	4010403	4020749	4020761
Price (\$)	\$2,821	\$6,562	\$8,172

Price Group 82

OPTIONAL .01 µm POST-FILTRATION

without Δpsi gauge Float Drain	4002963	-	-
Price (\$)	\$2,488	-	-
with Δpsi gauge BEKOMAT®	-	4020750	4020762
Price (\$)	-	\$6,562	\$8,172

Price Group 82

OPTIONAL EQUIPMENT

Anti-Corrosion Option TAC	Factory installed option - please add TAC suffix to order reference number (Example: 40xxxxx-TAC)	
Price (\$)	\$1,570	\$2,570
Sea Water Cooled Variant SWC	Add SWC suffix to order reference number (Example: 40xxxxx-SWC)	
Price (\$)	ON REQUEST	
Water Ingress Protection IP54	Factory installed option - please add IP54 suffix to order reference number (Example: 40xxxxx-IP54)	
Price (\$)	\$838	
PC Connection Kit	4039183	
Price (\$)	\$1,113	
Three-Valve Bypass*	4032249	4039182
Price (\$)	\$4,254	\$4,080

Price Group 53

*The bypass will be dry fit to unit and shipped loose to prevent damage, filtration is not included. Filters ordered with bypass are also shipped loose.

- › Required pre-filtration: 1 µm | Recommended post-filtration: .01 µm
- › UL / CSA certified control panel
- › MODBUS ready
- › Outlet pressure dew point: Class 4-5 in accordance with ISO 8573-1:2010
- › Max. inlet air temperature: 160 °F
- › Min. / max. ambient temperature: 34 °F / 120 °F
- › Max. inlet pressure: RAx 600-10000: 200 psig

Maintenance Interval: < 8,000 hours
Maintenance and Spare Parts: Page 50
Extended Warranty: Page 152

DRYPOINT® RAx	RAx 3000	RAx 4000	RAx 5000	RAx 6000	RAx 7500	RAx8000	RAx10000
Connection Size (ANSI)	6" Flange	8" Flange	8" Flange	8" Flange	8" Flange	10" Flange	10" Flange
Flow Rate (scfm)	3000	4000	5000	6000	7500	8000	10000
Power Consumption - Load (kW)	12.20	15.70	23.50	25.50	27.10	35.00	40.70
Dimensions and Weight							
H x W x D (inches)	71 x 51 x 69	74 x 55 x 87	74 x 55 x 87	96 x 61 x 85	96 x 61 x 85	96 x 61 x 107	96 x 61 x 107
Weight (lbs)	1,830	2,330	2,650	3,640	4,030	4,730	5,390

AIR COOLED REFRIGERANT DRYER WITH STANDARD VOLTAGE

Voltage	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph
Order ref.	4028731	4028733	4028735	4031468	4031470	4038789	4038793
Price (\$)	\$54,445	\$72,440	\$95,122	\$112,946	\$132,702	\$140,109	\$191,013

Price Group 51

WATER COOLED REFRIGERANT DRYER WITH STANDARD VOLTAGE

Voltage	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph
Order ref.	4043482	4043483	4043484	4043485	4043486	4043487	4043488
Price (\$)	\$54,445	\$72,440	\$95,122	\$112,946	\$132,702	\$140,109	\$191,013

Price Group 51

REQUIRED 1 µm PRE-FILTRATION

	L150	L200	L204	L254
without Δpsi gauge Float Drain	-	-	-	-
Price (\$)	-	-	-	-
with Δpsi gauge BEKOMAT®	4020864	4057036	4037501	4047774
Price (\$)	\$9,775	\$14,958	\$17,458	\$23,895

Price Group 82

OPTIONAL .01 µm POST-FILTRATION

with Δpsi gauge BEKOMAT®	4020865	4041302	4046764	4047777
Price (\$)	\$9,775	\$14,958	\$17,458	\$23,895

Price Group 82

OPTIONAL EQUIPMENT

Anti-Corrosion Option TAC	Factory installed option - please add TAC suffix to order reference number (Example: 40xxxxx-TAC)		
Price (\$)	\$3,853	\$5,138	\$6,999
Sea Water Cooled Variant SWC	Add SWC suffix to order reference number (Example: 40xxxxx-SWC)		
Price (\$)	ON REQUEST		
Water Ingress Protection IP54	Factory installed option - please add IP54 suffix to order reference number (Example: 40xxxxx-IP54)		
Price (\$)	\$838		
PC Connection Kit	4039183		
Price (\$)	\$1,113		

Price Group 53

Correction Factors


Operating Pressure psig	60	80	100	120	140	160	180	200
Correction Factor	.79	.91	1.00	1.07	1.13	1.18	1.23	1.27

Inlet Air Temperature °F	90	100	110	120	130	140	150	160
Correction Factor	1.16	1.00	.82	.68	.61	.52	.45	.40

Ambient Air Temperature °F	80	90	100	105	110	115	120
Correction Factor	1.11	1.09	1.00	.94	.87	.78	.69

DRYPOINT® RA CT Series Refrigeration Dryers

ultra efficient dryers with cycling technology and standard BEKOMAT®



DRYPOINT® RA CT	RACT 20	RACT 30	RACT 50	RACT 75	RACT 100	RACT 125	RACT 150
Connection Size (NPT)	½"	½"	½"	1"	1¼"	1¼"	1¼"
Flow Rate (scfm)	20	30	50	75	100	125	150
Power Consumption at Full Load (kW)	.26	.27	.39	.48	.58	1.00	1.05

Dimensions and Weight

H x W x D (inches)	29 x 14 x 17	29 x 14 x 17	29 x 14 x 17	29 x 14 x 17	32 x 19 x 18	32 x 19 x 18	32 x 19 x 18
Weight (lbs)	64	68	75	79	82	101	110

REFRIGERANT DRYER WITH STANDARD VOLTAGE

Voltage	115 V / 1 Ph	115 V / 1 Ph	115 V / 1 Ph	115 V / 1 Ph	115 V / 1 Ph	115 V / 1 Ph	115 V / 1 Ph
Order ref.	4038907	4038908	4038909	4038910	4038911	4038912	4038913
Price (\$)	\$2,636	\$2,920	\$3,192	\$3,719	\$4,619	\$5,511	\$5,990

REFRIGERANT DRYER WITH OPTIONAL VOLTAGE

Voltage	-	-	-	-	-	230 V / 1 Ph	230 V / 1 Ph
Order ref.	-	-	-	-	-	4038915	4038916
Price (\$)	-	-	-	-	-	\$5,511	\$5,990

Price Group 51

REQUIRED 1 µm PRE-FILTRATION

	S045	S050	S100	M010
without Δpsi gauge Float Drain	4020220	4002891	4020305	4002894
Price (\$)	\$260	\$289	\$425	\$444
with Δpsi gauge BEKOMAT®	4020251	4017447	4020404	4014546
Price (\$)	\$526	\$564	\$717	\$763

Price Group 82

OPTIONAL .01 µm POST-FILTRATION

without Δpsi gauge Float Drain	4020231	4002951	4020384	4002954
Price (\$)	\$260	\$289	\$425	\$444

Price Group 82

OPTIONAL EQUIPMENT

Anti-Corrosion Option TAC	Factory installed option - please add TAC suffix to order reference number (Example: 40xxxxx-TAC)		
Price (\$)	\$389		\$516
Water Ingress Protection IP54	Factory installed option - please add IP54 suffix to order reference number (Example: 40xxxxx-IP54)		
115 V / 230 V Price (\$)	-		\$1,015
460 V Price (\$)	-		\$838
Three-Valve Bypass*	4031472	4032245	4032246
Price (\$)	\$522	\$650	\$830

Price Group 53

*The bypass will be dry fit to unit and shipped loose to prevent damage, filtration is not included. Filters ordered with bypass are also shipped loose.

- › Required pre-filtration: 1 µm | Recommended post-filtration: .01 µm
- › UL/CSA certified: RA CT 20-200: 115V | RA CT 250-500: 230V
- › UL/CSA certified control panel: RA CT 200-500: 460V
- › Outlet pressure dew point: Class 4-5 in accordance with ISO 8573-1:2010
- › Max. inlet air temperature: 160 °F
- › Min. / max. ambient temperature: 34 °F / 120 °F
- › Max. inlet pressure: RA CT 20-50: 232 psig | RA CT 75-500: 200 psig

Maintenance Interval: < 8,000 hours
Maintenance and Spare Parts: Page 50
Extended Warranty: Page 152

DRYPOINT® RA CT	RACT 200	RACT 250	RACT 300	RACT 350	RACT 400	RACT 500
Connection Size (NPT)	1½"	1½"	2"	2"	2½"	2½"
Flow Rate (scfm)	200	250	300	350	400	500
Power Consumption at Full Load (kW)	1.10	1.39	1.64	2.19	2.48	2.97
Dimensions and Weight						
H x W x D (inches)	35 x 22 x 23	35 x 22 x 23	38 x 22 x 25	38 x 22 x 25	44 x 26 x 29	44 x 26 x 29
Weight (lbs)	121	139	203	207	331	355

REFRIGERANT DRYER WITH STANDARD VOLTAGE

Voltage	115 V / 1 Ph	230 V / 1 Ph	230 V / 1 Ph	230 V / 1 Ph	230 V / 1 Ph	230 V / 1 Ph
Order ref.	4038914	4038918	4038919	4038920	4038921	4038922
Price (\$)	\$6,972	\$7,930	\$9,841	\$10,591	\$11,499	\$13,226

REFRIGERANT DRYER WITH OPTIONAL VOLTAGE

Voltage	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph
Order ref.	4045287	4045288	4045289	4045290	4045291	4045292
Price (\$)	\$7,977	\$8,722	\$10,645	\$11,745	\$12,047	\$14,480

Price Group 51

REQUIRED 1 µm PRE-FILTRATION

	M015	M020	M025
without Δpsi gauge Float Drain	4002896	4002898	4002901
Price (\$)	\$730	\$1,010	\$2,192
with Δpsi gauge BEKOMAT®	4016192	4006657	4014908
Price (\$)	\$1,012	\$1,318	\$2,481

Price Group 82

OPTIONAL .01 µm POST-FILTRATION

without Δpsi gauge Float Drain	4002956	4002958	4002961
Price (\$)	\$730	\$1,010	\$2,192

Price Group 82

OPTIONAL EQUIPMENT

Anti-Corrosion Option TAC	Factory installed option - please add TAC suffix to order reference number (Example: 40xxxxx-TAC)		
Price (\$)	\$635	\$1,274	
Water Ingress Protection IP54	Factory installed option - please add IP54 suffix to order reference number (Example: 40xxxxx-IP54)		
115 V / 230 V Price (\$)	\$1,015		
460 V Price (\$)	\$838		
Three-Valve Bypass*	4031899	4032247	4032248
Price (\$)	\$1,000	\$1,517	\$3,125

Price Group 53

Correction Factors


Operating Pressure psig	60	80	100	120	140	160	180	200
Correction Factor	.79	.91	1.00	1.07	1.13	1.18	1.23	1.27

Inlet Air Temperature °F	90	100	110	120	130	140	150	160
Correction Factor	1.16	1.00	.82	.68	.61	.52	.45	.40

Ambient Air Temperature °F	80	90	100	105	110	115	120
Correction Factor	1.11	1.09	1.00	.94	.87	.78	.69

DRYPOINT® RA VSD Series Refrigeration Dryers

ultra efficient dryers with variable speed technology and standard BEKOMAT®



DRYPOINT® RA VSD	RA VSD 800	RA VSD 1000	RA VSD 1250	RA VSD 1500	RA VSD 1750	RA VSD 2000	RA VSD 2500
Connection Size (NPT)	3" Flange	3" Flange	3" Flange	4" Flange	4" Flange	4" Flange	4" Flange
Flow Rate (scfm)	800	1000	1250	1500	1750	2000	2500
Power Consumption at Full Load (kW)	2.80	4.10	5.00	5.80	6.40	8.00	10.10

Dimensions and Weight

H x W x D (inches)	58 x 31 x 39	58 x 31 x 39	58 x 31 x 39	69 x 45 x 47	69 x 45 x 47	69 x 45 x 47	69 x 45 x 47
Weight (lbs)	534	608	686	1,021	1,202	1,202	1,349

AIR COOLED REFRIGERANT DRYER WITH STANDARD VOLTAGE

Voltage	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph
Order ref.	4055158	4056611	4056612	4056613	4056614	4056615	4056616
Price (\$)	\$23,896	\$25,861	\$30,013	\$36,442	\$43,546	\$44,231	\$49,007

Price Group 51

WATER COOLED REFRIGERANT DRYER WITH STANDARD VOLTAGE

Voltage	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph
Order ref.	4056622	4056623	4056624	4056625	4056626	4056627	4056628
Price (\$)	\$24,410	\$26,416	\$30,656	\$37,224	\$44,481	\$45,181	\$50,061

Price Group 51

REQUIRED 1 µm PRE-FILTRATION

	M030	L100	L102
without Δpsi gauge Float Drain	4002903	-	-
Price (\$)	\$2,488	-	-
with Δpsi gauge BEKOMAT®	4010403	4020749	4020761
Price (\$)	\$2,821	\$6,562	\$8,172

Price Group 82

OPTIONAL .01 µm POST-FILTRATION

without Δpsi gauge Float Drain	4002963	-	-
Price (\$)	\$2,488	-	-
with Δpsi gauge BEKOMAT®	-	4020750	4020762
Price (\$)	-	\$6,562	\$8,172

Price Group 82

- › Required pre-filtration: 1 µm | Recommended post-filtration: .01 µm
- › MODBUS ready
- › Outlet pressure dew point: Class 4-5 in accordance with ISO 8573-1:2010
- › Max. inlet air temperature: 160 °F
- › Min. / max. ambient temperature: 34 °F / 115 °F
- › Max. inlet pressure: 200 psig

Maintenance Interval: < 8,000 hours
 Maintenance and Spare Parts: Page 50
 Extended Warranty: Page 152

DRYPOINT® RA VSD	RA VSD 3000	RA VSD 3750	RA VSD 4000	RA VSD 5000	RA VSD 6000
Connection Size (NPT)	6" Flange	6" Flange	8" Flange	8" Flange	8" Flange
Flow Rate (scfm)	3000	3750	4000	5000	6000
Power Consumption at Full Load (kW)	11.20	13.80	15.40	17.10	22.30
Dimensions and Weight					
H x W x D (inches)	71 x 51 x 69	71 x 51 x 69	74 x 55 x 87	74 x 55 x 87	96 x 61 x 86
Weight (lbs)	1,850	2,090	2,350	2,670	3,660

AIR COOLED REFRIGERANT DRYER WITH STANDARD VOLTAGE

Voltage	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph
Order ref.	4056617	4056618	4056619	4056620	4056621
Price (\$)	\$67,190	\$74,448	\$86,282	\$102,729	\$124,859

Price Group 51

WATER COOLED REFRIGERANT DRYER WITH STANDARD VOLTAGE

Voltage	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph
Order ref.	4056629	4056630	4056631	4056632	4056633
Price (\$)	\$68,633	\$76,049	\$88,137	\$104,936	\$127,543

Price Group 51

REQUIRED 1 µm PRE-FILTRATION

	L150	L200
without Δpsi gauge Float Drain	-	-
Price (\$)	-	-
with Δpsi gauge BEKOMAT®	4020864	4057036
Price (\$)	\$9,775	\$14,958

Price Group 82

OPTIONAL .01 µm POST-FILTRATION

with Δpsi gauge BEKOMAT®	4020865	4041302
Price (\$)	\$9,775	\$14,958

Price Group 82


Correction Factors

Operating Pressure psig	60	80	100	120	140	160	180	200
Correction Factor	.79	.91	1.00	1.07	1.13	1.18	1.23	1.27

Inlet Air Temperature °F	90	100	110	120	130	140	150	160
Correction Factor	1.16	1.00	.82	.68	.61	.52	.45	.40

Ambient Air Temperature °F	80	90	100	105	110	115
Correction Factor	1.11	1.09	1.00	.94	.87	.78

DRYPOINT® RA HT High Inlet Temperature Refrigeration Dryers
with integrated aftercooler and BEKOMAT® or timer drain



DRYPOINT® RA HT	RA HT 20	RA HT 30	RA HT 40	RA HT 50	RA HT 75
Flow Rate at 45 °F Outlet PDP (scfm)	20	30	40	50	75
Connection Size (NPT)	½"	½"	½"	½"	1"
Power Consumption - Load (kW)	.21	.28	.31	.48	.77
Operating Voltage	115 V / 1 Ph	115 V / 1 Ph	115 V / 1 Ph	115 V / 1 Ph	115 V / 1 Ph
Dimensions and Weight					
H x W x D (inches)	25 x 17 x 16	25 x 17 x 16	25 x 17 x 16	25 x 17 x 16	45 x 16 x 18
Weight (lbs)	66	68	71	73	110

REFRIGERANT DRYER WITH BEKOMAT® DRAIN					ECO CHOICE
Order ref.	4050468	4050469	4050470	4050471	4050472
Price (\$)	\$3,232	\$3,616	\$4,107	\$4,415	\$4,981

REFRIGERANT DRYER WITH TIMER DRAIN					
Order ref.	4050457	4050458	4050459	4050460	4050461
Price (\$)	\$3,026	\$3,156	\$3,660	\$4,192	\$4,403
Price Group 51					

INCLUDED 1 µm PRE-FILTRATION				
	S040	S050	S075	M010
without Δpsi gauge Built-in	4002920	4002921	4002923	4002924
Price (\$)	INCLUDED			
Price Group 82				

OPTIONAL .01 µm POST-FILTRATION	S045	S050	S100
without Δpsi gauge Float Drain	4020231	4002951	4020384
Price (\$)	\$260	\$289	\$425
Price Group 82			

- › Integrated aftercooler
- › Pre-filter included
- › UL / CSA certified
- › Recommended post-filtration: .01 µm
- › Outlet pressure dew point: Class 6 in accordance with ISO 8573-1:2010
- › Max. inlet air temperature: 210 °F
- › Min. / max. ambient temperature: 34 °F / 120 °F
- › Max. inlet pressure: 200 psig

Maintenance Interval: < 8,000 hours
Maintenance and Spare Parts: Page 50
Extended Warranty: Page 152

DRYPOINT® RA HT	RA HT 100	RA HT 150	RA HT 200	RA HT 250	RA HT 300	RA HT 350
Flow Rate at 45 °F Outlet PDP (scfm)	100	150	200	250	300	350
Connection Size (NPT)	1¼"	1¼"	1½"	1½"	2"	2"
Power Consumption - Load (kW)	.88	1.14	1.28	1.57	2.13	2.68
Operating Voltage	115 V / 1 Ph	115 V / 1 Ph	230 V / 1 Ph	230 V / 1 Ph	230 V / 1 Ph	230 V / 1 Ph

Dimensions and Weight

H x W x D (inches)	49 x 20 x 20	49 x 20 x 20	55 x 22 x 23	55 x 22 x 23	59 x 28 x 31	59 x 28 x 31
Weight (lbs)	134	146	165	185	291	304

REFRIGERANT DRYER WITH BEKOMAT® DRAIN

ECO CHOICE

Order ref.	4050473	4050474	4050475	4050476	4050477	4050478
Price (\$)	\$6,131	\$7,040	\$9,091	\$9,981	\$13,176	\$14,442

REFRIGERANT DRYER WITH TIMER DRAIN

Order ref.	4050462	4050463	4050464	4050465	4050466	4050467
Price (\$)	\$5,764	\$6,191	\$8,354	\$9,230	\$12,265	\$13,640

Price Group 51

INCLUDED 1 µm PRE-FILTRATION

	M010	M015	M020
without Δpsi gauge Built-in	4002924	4002926	4002928
Price (\$)	INCLUDED		

Price Group 82

OPTIONAL .01 µm POST-FILTRATION

	S100	M010	M015	M020
without Δpsi gauge Float Drain	4020384	4002954	4002956	4002958
Price (\$)	\$425	\$444	\$730	\$1,010

Price Group 82

Correction Factors


Operating Pressure psig	60	80	100	120	140	160	180	200
Correction Factor	.79	.91	1.00	1.07	1.13	1.18	1.23	1.27

Inlet Air Temperature °F	140	160	170	180	195	210
Correction Factor	1.26	1.13	1.07	1.00	.90	.81

Ambient Air Temperature °F	80	90	100	105	110	115	120
Correction Factor	1.22	1.11	1.00	.94	.89	.83	.78

DRYPOINT® RS HP High Pressure Refrigeration Dryers

stainless steel heat exchanger with BEKOMAT® or timer drain



DRYPOINT® RS HP	RS HP 15	RS HP 30	RS HP 40	RS HP 50	RS HP 80	RS HP 100	RS HP 140	RS HP 180	RS HP 260
Connection Size (NPT)	3/8"	3/8"	3/8"	3/4"	3/4"	3/4"	3/4"	1"	1"
Flow Rate (scfm)	15	30	40	50	80	100	140	180	260
Operating Voltage	115 V / 1 Ph	115 V / 1 Ph	115 V / 1 Ph	115 V / 1 Ph	115 V / 1 Ph	115 V / 1 Ph	115 V / 1 Ph	115 V / 1 Ph	230 V / 1 Ph
Power Consumption Load (kW)	.16	.22	.33	.41	.49	.86	.89	.94	1.18

Dimensions and Weight

H x W x D (inches)	19 x 15 x 20	19 x 15 x 20	19 x 15 x 20	29 x 14 x 17	29 x 14 x 17	33 x 19 x 18	33 x 19 x 18	34 x 23 x 23	34 x 23 x 23
Weight (lbs)	62	64	71	84	86	110	117	196	223

REFRIGERANT DRYER WITH BEKOMAT® DRAIN

ECO CHOICE

Order ref.	4050485	4050487	4050489	4050501	4050502	4050503	4050504	4050505	4050511
Price (\$)	\$4,216	\$4,349	\$4,620	\$5,847	\$6,848	\$7,523	\$8,092	\$8,793	\$9,956

REFRIGERANT DRYER WITH TIMER DRAIN

Order ref.	4050479	4050480	4050481	4050491	4050492	4050493	4050494	4050495	4032047
Price (\$)	\$2,968	\$3,113	\$3,413	\$4,742	\$5,830	\$6,150	\$6,625	\$7,330	\$8,053

Price Group 50

REQUIRED 1 µm PRE-FILTRATION

	HP50S040	HP50S050	HP50S075	HP50M010
without Δpsi gauge BM Kit	4020169	4029877	4037961	4032540
Price (\$)	\$695	\$785	\$1,120	\$1,216

Price Group 82

OPTIONAL .01 µm POST-FILTRATION

without Δpsi gauge BM Kit	4012594	4029878	4047810	4032539
Price (\$)	\$695	\$785	\$1,120	\$1,216

Price Group 82

OPTIONAL EQUIPMENT

BEKOMAT® 12 CO PN63	2002931
Price (\$)	\$1,263

Price Group 10

- › Required pre-filtration: 1 µm | Recommended post-filtration: .01 µm
- › Outlet pressure dew point: Class 4-5 in accordance with ISO 8573-1:2010
- › Max. inlet air temperature: 150 °F
- › Min. / max. ambient temperature: 34 °F / 120 °F
- › Max. inlet pressure: RS HP 15-550: 725 psig | RS HP 700-3500: 650 psig

Maintenance Interval: < 8,000 hours
Maintenance and Spare Parts: Page 50
Extended Warranty: Page 152

DRYPOINT® RS HP	Max. 650 psig										
	RS HP 350	RS HP 450	RS HP 550	RS HP 700	RS HP 900	RS HP 1300	RS HP 1400	RS HP 1700	RS HP 2300	RS HP 2900	RS HP 3500
Connection Size (NPT)	1"	1½"	1½"	2"	2"	2"	3" Flange	3" Flange	3" Flange	3" Flange	3" Flange
Flow Rate (scfm)	350	450	550	700	900	1300	1400	1700	2300	2900	3500
Operating Voltage	230 V / 1 Ph	230 V / 1 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph
Power Consumption Load (kW)	1.39	1.93	2.75	3.00	3.30	4.25	5.20	5.95	6.90	8.00	-
Dimensions and Weight											
H x W x D (inches)	34 x 23 x 23	44 x 26 x 29	44 x 26 x 29	58 x 31 x 40	58 x 31 x 40	58 x 31 x 40	64 x 45 x 48	64 x 45 x 48	64 x 45 x 48	64 x 45 x 48	-
Weight (lbs)	254	344	414	556	584	862	979	1,016	1,071	1,217	-

REFRIGERANT DRYER WITH BEKOMAT® DRAIN

ECO CHOICE

Order ref.	4050512	4050513	4050514	4014309	4014310	4014311	4014312	4014313	4032048	4032049	4032050
Price (\$)	\$11,754	\$12,829	\$17,338	\$24,906	\$28,068	\$29,304	\$39,999	\$42,404	\$48,563	\$58,084	\$64,128

REFRIGERANT DRYER WITH TIMER DRAIN

Order ref.	4015603	4015604	4015605	-	-	-	-	-	-	-	-
Price (\$)	\$10,643	\$12,217	\$17,306	-	-	-	-	-	-	-	-

Price Group 50

REQUIRED 1 µm PRE-FILTRATION

	HP50M010	HP50M020	
without Δpsi gauge BM Kit	4032540	4015401	Consult Factory
Price (\$)	\$1,216	\$2,062	ON REQUEST

Price Group 82

OPTIONAL .01 µm POST-FILTRATION

without Δpsi gauge BM Kit	4032539	4037533	Consult Factory
Price (\$)	\$1,216	\$2,062	ON REQUEST

Price Group 82

OPTIONAL EQUIPMENT

BEKOMAT® 12 CO PN63	2002931
Price (\$)	\$1,263

Price Group 10

Correction Factors


Operating Pressure psig	200	300	400	500	550	580	650	725
Correction Factor	.53	.71	.84	.94	.98	1.00	1.05	1.10

Ambient Air Temperature °F	80	90	100	105	110	115	120
Correction Factor	1.11	1.09	1.00	.94	.87	.78	.69

Inlet Air Temperature °F	90	100	110	120	130	140	150
Correction Factor	1.16	1.00	.82	.68	.61	.52	.45

The correction factors on this page provide an estimation of the performance that can be achieved with the model sizes shown. For precise sizing for your application, please contact your BEKO Technologies sales representative.

DRYPOINT® RA LC Low Cooling Chillers
 compressed air and gas chiller technology with BEKOMAT®



DRYPOINT® RA LC	RA LC 8	RA LC 22	RA LC 35	RA LC 50	RA LC 70	RA LC 90
Connection Size (NPT)	3/8"	3/8"	1/2"	3/4"	3/4"	1"
Flow Rate (scfm)	5	20	35	50	70	90
Operating Voltage	115 V / 1 Ph	115 V / 1 Ph	115 V / 1 Ph	115 V / 1 Ph	115 V / 1 Ph	115 V / 1 Ph
Power Consumption Load (kW)	.19	.39	.58	.86	.89	.94

Dimensions and Weight

H x W x D (inches)	19 x 15 x 20	19 x 15 x 20	29 x 14 x 17	33 x 20 x 18	33 x 20 x 18	35 x 23 x 23
Weight (lbs)	59	64	81	130	134	179

Order ref.	4050519	4050520	4011801	4011802	4011803	4011804
Price (\$)	\$2,846	\$3,166	\$4,545	\$5,609	\$6,582	\$7,409

Price Group 51

REQUIRED 1 µm
 PRE-FILTRATION

	S040	S050	S075	S100
without Δpsi gauge Float Drain	4002890	4002891	4002893	4020305
Price (\$)	\$244	\$289	\$389	\$425
with Δpsi gauge BEKOMAT®	4014030	4017447	4014031	4020404
Price (\$)	\$502	\$564	\$661	\$717

OPTIONAL .01 µm
 POST-FILTRATION

without Δpsi gauge Float Drain	4002950	4002951	4002953	4020384
Price (\$)	\$244	\$289	\$389	\$425

Price Group 82

- › Required pre-filtration: 1 µm | Recommended post-filtration: .01 µm
- › Outlet gas temperature: 41 °F
- › Max. inlet air temperature: 130 °F
- › Min. / max. ambient temperature: 34 °F / 120 °F
- › Max. inlet pressure: 220 psig

Maintenance Interval: < 8,000 hours
Maintenance and Spare Parts: Page 50
Extended Warranty: Page 152

DRYPOINT® RA LC	RA LC 140	RA LC 210	RA LC 280	RA LC 350	RA LC 420
Connection Size (NPT)	1"	1½"	2"	2"	2"
Flow Rate (scfm)	140	210	280	350	420
Operating Voltage	230 V / 1 Ph	230 V / 1 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph
Power Consumption Load (kW)	1.86	2.12	3.30	3.80	4.25

Dimensions and Weight

H x W x D (inches)	35 x 23 x 23	44 x 26 x 29	58 x 31 x 40	58 x 31 x 42	58 x 31 x 42
Weight (lbs)	262	280	481	518	540

Order ref.	4011805	4011806	4011807	4011808	4013099
Price (\$)	\$8,927	\$12,245	\$19,513	\$21,396	\$21,745

Price Group 51

REQUIRED 1 µm PRE-FILTRATION

	M010	M015	M020
without Δpsi gauge Float Drain	4002894	4002896	4002898
Price (\$)	\$444	\$730	\$1,010
with Δpsi gauge BEKOMAT®	4014546	4016192	4006657
Price (\$)	\$763	\$1,012	\$1,318

OPTIONAL .01 µm POST-FILTRATION

without Δpsi gauge Float Drain	4002954	4002956	4002958
Price (\$)	\$444	\$730	\$1,010

Price Group 82

Correction Factors

Operating Pressure psig	60	80	100	120	140	160	180	200	220
Correction Factor	.79	.91	1.00	1.07	1.13	1.18	1.23	1.27	1.30

Inlet Air Temperature °F	80	90	95	100	110	120	130
Correction Factor	1.39	1.11	1.00	.88	.68	.53	.46

Ambient Air Temperature °F	80	90	95	100	105	110	115	120
Correction Factor	1.00	.94	.90	.86	.81	.76	.70	.63

The correction factors on this page provide an estimation of the performance that can be achieved with the model sizes shown. For precise sizing for your application, please contact your BEKO Technologies sales representative.

DRYPOINT® RA Maintenance

■ replacement filter elements

Maintenance Interval: < 8,000 hours

Filter Housing	Pre-Filter FX (1 µm)	Post-Filter SX (.01 µm)	Price (\$)
S040 / S045	4038104	4038111	\$92
S050	4038139	4038148	\$118
S055	4038105	4038112	\$140
S075 / S100	4038106	4038113	\$148
M010	4038140	4038149	\$176
M015	4038108	4038115	\$245
M019 / M020	4038142	4038151	\$336
M025	4038109	4038116	\$471
M030	4038146	4038155	\$790
L100	4038110 x 2	4038117 x 2	\$880
L102	4038110 x 3	4038117 x 3	\$1,320
L150	4038110 x 4	4038117 x 4	\$1,760
L200	4038110 x 8	4038117 x 8	\$3,520

Price Group 86

■ service unit for BEKOMAT® drains

Maintenance Interval: < 8,000 hours

	RAc 10 - 300	RAc 375 - 480	RAx 20 - 350	RAx 400 - 5000
BEKOMAT® Service Unit	4023608	4023573	4023608	4023573
Price (\$)	\$147	\$211	\$147	\$211

Price Group 12

■ timer drains - for UL certified dryers

Maintenance Interval: < 8,000 hours

	RAc 10 - 100 115 VAC	RAc 125 - 150 115 VAC	RAc 175-480 230 VAC
Solenoid Valve	4015497	4038211	4038211
Price (\$)	\$49	\$110	\$110
Coil	4029884	4029884	4029883
Price (\$)	\$78	\$78	\$78

Price Group 53

■ drain maintenance for RA HT dryers

Maintenance Interval: < 8,000 hours

	RA HT 20 - 100 115 VAC	RA HT 150 115 VAC	RA HT 100 230 VAC	RA HT 150 230 VAC	RA HT 200 - 350 230 VAC
Solenoid Valve	4015497	4015497	4015497	4015497	4038211
Price (\$)	\$49	\$49	\$49	\$49	\$110
Coil	4029884	4015508	4044438	4044438	4044438
Price (\$)	\$78	\$73	\$75	\$75	\$75

Price Group 53

BEKOMAT® Service Unit	4023608	4023573	4023608	4023573	4023573
Price (\$)	\$147	\$211	\$147	\$211	\$211

Price Group 12

DRYPOINT® RA Spare Parts

■ for RAc series dryers UL - 115 VAC from model year 2015 and above

DRYPOINT® RAc	RAc 10	RAc 15	RAc 20	RAc 35	RAc 50
Refrigerant Compressor	4035837			4015172	
Price (\$)	\$434			\$598	
Condenser	4015185	4015182			4015184
Price (\$)	\$78	\$112			\$217
Hot Gas By-Pass Valve	4015230				
Price (\$)	\$232				
Fan Motor	4015214				4015215
Price (\$)	\$112				\$126
Dehydration Filter	4035838		4012705		
Price (\$)	\$10		\$12		
Dryer Controller (DMC 15)	4015196				
Price (\$)	\$175				
Lighted Switch	4012682				
Price (\$)	\$21				
BEKOMAT®	4025280				
Price (\$)	\$237				
Temperature Probe	4010768				
Price (\$)	\$62				

Price Group 53

DRYPOINT® RAc	RAc 75	RAc 100	RAc125	RAc150
Refrigerant Compressor	4015173	4015160	4015154	
Price (\$)	\$781	\$825	\$1,148	
Condenser	4015184	4015186	4035839	4035840
Price (\$)	\$217	\$259	\$259	\$378
Hot Gas By-Pass Valve	4015230		4022079	
Price (\$)	\$232		\$363	
Fan Motor	4015215	4015216	4028542	
Price (\$)	\$126	\$156	\$313	
Dehydration Filter	4012705		4012706	
Price (\$)	\$12		\$56	
Dryer Controller (DMC 15)	4015196			
Price (\$)	\$175			
Lighted Switch	4012682			
Price (\$)	\$21			
BEKOMAT®	4025280			
Price (\$)	\$237			
Temperature Probe	4010768			
Price (\$)	\$62			
PV Pressure Switch	-		4015576	
Price (\$)	-		\$218	

Price Group 53

DRYPOINT® RA Spare Parts

■ for RAc series dryers UL - 115 VAC from model year 2020 and above

DRYPOINT® RAc	RAc 10		RAc 15	RAc 20	RAc 35	RAc 50
Refrigerant Compressor	4035837				4015172	
Price (\$)	\$434				\$598	
Condenser	4044382	4044383			4044384	
Price (\$)	\$71	\$104			\$200	
Hot Gas By-Pass Valve	4015230					
Price (\$)	\$232					
Fan Motor	4050892				4050893	
Price (\$)	\$104				\$119	
Dehydration Filter	4012705					
Price (\$)	\$12					
Dryer Controller (DMC 35)	4050888					
Price (\$)	\$157					
Lighted Switch	4012682					
Price (\$)	\$21					
BEKOMAT®	4025280					
Price (\$)	\$237					
Temperature Probe	4046053					
Price (\$)	\$22					

Price Group 53

DRYPOINT® RAc	RAc 75	RAc 100	RAc125	RAc150
Refrigerant Compressor	4015173	4015160	4015154	
Price (\$)	\$781	\$825	\$1,148	
Condenser	4044384	4035839	4035842	4035840
Price (\$)	\$200	\$259	\$406	\$378
Hot Gas By-Pass Valve	4015230		4022079	
Price (\$)	\$232		\$363	
Fan Motor	4050894	4050895	4050896	
Price (\$)	\$138	\$138	\$250	
Dehydration Filter	4012705		4012706	
Price (\$)	\$12		\$56	
Dryer Controller (DMC 35)	4059814		4050889	
Price (\$)	\$157		\$157	
Lighted Switch	4012682			
Price (\$)	\$21			
BEKOMAT®	4025280			
Price (\$)	\$237			
Temperature Probe	4046053			
Price (\$)	\$22			
Pressure Transducer	-		4046319	
Price (\$)	-		\$173	

Price Group 53

DRYPOINT® RA Spare Parts

■ for RAc series dryers UL - 230v from model year 2015 and above

DRYPOINT® RAc	RAc 175	RAc 220	RAc 300	RAc 375	RAc 480
Refrigerant Compressor	4015155		4015165	4015157	
Price (\$)	\$1,137		\$1,174	\$1,680	
Condenser	4035840	4035841	4013705	4015190	4022030
Price (\$)	\$378	\$524	\$700	\$1,054	\$1,188
Hot Gas By-Pass Valve	4022079				
Price (\$)	\$363				
Fan Motor	4022055	4029885	-		
Price (\$)	\$185	\$265	-		
Complete Fan	-		4027483		
Price (\$)	-		\$1,358		
Dehydration Filter	4012706	4012707			
Price (\$)	\$56	\$71			
Dryer Controller (DMC 15)	4014071				
Price (\$)	\$192				
Lighted Switch	4012682	-			
Price (\$)	\$21	-			
Main Switch	-	4025708			
Price (\$)	-	\$100			
BEKOMAT®	4025280			4025040	
Price (\$)	\$237			\$290	
Temperature Probe	4010768				
Price (\$)	\$62				
PV Pressure Switch	4015576		4012693		
Price (\$)	\$218		\$208		
Low Pressure Switch	-				4012690
Price (\$)	-				\$214
High Pressure Switch	-		4012692		
Price (\$)	-		\$374		
Thermo Safety Switch	-	4012691			
Price (\$)	-	\$101			

Price Group 53

DRYPOINT® RA Spare Parts

■ for RAc series dryers UL - 230v from model year 2020 and above

DRYPOINT® RAc	RAc 175	RAc 220	RAc 300	RAc 375	RAc 480
Refrigerant Compressor	4015155		4015165	4015157	
Price (\$)	\$1,137		\$1,174	\$1,680	
Condenser	4035840	4035841	4044440	4044441	4022030
Price (\$)	\$378	\$524	\$656	\$991	\$1,188
Hot Gas By-Pass Valve	4022079				
Price (\$)	\$363				
Fan Motor	4053733	4050897	-		
Price (\$)	\$196	\$247	-		
Complete Fan	-		4027483		
Price (\$)	-		\$1,358		
Dehydration Filter	4012706	4012707			
Price (\$)	\$56	\$71			
Dryer Controller (DMC 35)	4050889				
Price (\$)	\$157				
Lighted Switch	4012682	-			
Price (\$)	\$21	-			
Main Switch	-	4025708			
Price (\$)	-	\$100			
BEKOMAT®	4025280			4025040	
Price (\$)	\$237			\$290	
Temperature Probe	4046053				
Price (\$)	\$22				
Pressure Transducer	4046319				
Price (\$)	\$173				
Contactor (KC1)	-	4022080			
Price (\$)	-	\$103 ea.			
Solid State Relay (KF)	-	4050903			
Price (\$)	-	\$104			
Low Pressure Switch	-			4022105	
Price (\$)	-			\$124	
High Pressure Switch	-	4022102			
Price (\$)	-	\$139			
Thermo Safety Switch	-	4044432			
Price (\$)	-	\$92			

Price Group 53

DRYPOINT® RA Spare Parts

■ for RAx series dryers UL - 115v from model year 2015 and above

DRYPOINT® RAx	RAx 20	RAx 30	RAx 50	RAx 75	RAx 100
Refrigerant Compressor	4035837	4015172	4021996	4015173	4015160
Price (\$)	\$434	\$598	\$734	\$781	\$825
Condenser	4015182		4015186		4022029
Price (\$)	\$112		\$259		\$470
Hot Gas By-Pass Valve	4012694				
Price (\$)	\$361				
Fan Motor	4015215				4028542
Price (\$)	\$126				\$313
Dehydration Filter	4012705				
Price (\$)	\$12				
Dryer Controller (DMC 18)	4021469				
Price (\$)	\$277				
Lighted Switch	4012682				
Price (\$)	\$21				
BEKOMAT®	4027640				
Price (\$)	\$235				
Temperature Probe	4010768				
Price (\$)	\$62				
PV Pressure Switch	4015576				
Price (\$)	\$218				

Price Group 53

DRYPOINT® RAx	RAx 125	RAx 150	RAx 200
Refrigerant Compressor	4015154		
Price (\$)	\$1,148		
Condenser	4035842	4035840	4035841
Price (\$)	\$406	\$378	\$524
Hot Gas By-Pass Valve	4022079		
Price (\$)	\$363		
Fan Motor	4028542		
Price (\$)	\$313		
Dehydration Filter	4012706		4012707
Price (\$)	\$56		\$71
Dryer Controller (DMC 18)	4021469		
Price (\$)	\$277		
Main Switch	4025708		
Price (\$)	\$100		
BEKOMAT®	4027640		
Price (\$)	\$235		
Temperature Probe	4010768		
Price (\$)	\$62		
Thermo Safety Switch	4012691		
Price (\$)	\$101		
PV Pressure Switch	4015576		
Price (\$)	\$218		

Price Group 53

DRYPOINT® RA Spare Parts

■ for RAX series dryers UL - 230v from model year 2015 and above

DRYPOINT® RAX	RAX 125		RAX 150	RAX 200	RAX 250	RAX 300	RAX 350	RAX 400	RAX 500
Refrigerant Compressor	4015155				4015165	4015167	4015157	4022015	
Price (\$)	\$1,137				\$1,174	\$1,212	\$1,680	\$2,247	
Condenser	4035842	4035840	4035841		4035843	4013705	4015190	4035844	4022031
Price (\$)	\$406	\$378	\$524		\$564	\$700	\$1,054	\$1,189	\$1,623
Hot Gas By-Pass Valve	4022079								
Price (\$)	\$363								
Fan Motor	4022055		4029885			-			
Price (\$)	\$185		\$265			-			
Complete Fan	-					4027483		4029894	
Price (\$)	-					\$1,358		\$1,358	
Dehydration Filter	4012706		4012707						
Price (\$)	\$56		\$71						
Dryer Controller Display (DMC 18)	4021469								
Price (\$)	\$277								
Main Switch	4025708								
Price (\$)	\$100								
BEKOMAT®	4027640							4027642	
Price (\$)	\$235							\$287	
Temperature Probe	4010768								
Price (\$)	\$62								
Thermo Safety Switch	4012691								
Price (\$)	\$101								
PV Pressure Switch	4015576					4012693			
Price (\$)	\$218					\$208			
Low Pressure Switch	-					4012690			
Price (\$)	-					\$214			
High Pressure Switch	-					4012692			
Price (\$)	-					\$374			

Price Group 53

DRYPOINT® RA Spare Parts

■ for RAx series dryers CE - 460v from model year 2015 and above

DRYPOINT® RAx	RAx 200	RAx 250	RAx 300	RAx 350	RAx 400	RAx 500
Refrigerant Compressor	4021997			4021998	4015171	4015159
Price (\$)	\$2,264			\$1,789	\$2,496	\$3,717
Condenser	4035843	4013705		4015190	4035844	4022031
Price (\$)	\$564	\$700		\$1,054	\$1,189	\$1,623
Hot Gas By-Pass Valve	4012694				4022079	
Price (\$)	\$361				\$363	
Complete Fan	4027449				4025504	
Price (\$)	\$797				\$1,363	
Dehydration Filter	4012707					
Price (\$)	\$71					
Dryer Controller Display (DMC 18)	4021469					
Price (\$)	\$277					
Lighted Switch	4012682					
Price (\$)	\$21					
Main Switch	4022100					
Price (\$)	\$277					
BEKOMAT®	4027640				4027642	
Price (\$)	\$235				\$287	
Temperature Probe	4010768					
Price (\$)	\$62					
Thermo Safety Switch	4012691					
Price (\$)	\$101					
PV Pressure Switch	4015576					
Price (\$)	\$218					
Low Pressure Switch	4022106				4022105	
Price (\$)	\$132				\$124	
High Pressure Switch	4022101				4022102	
Price (\$)	\$126				\$139	
Fuse Kit	4022072					
Price (\$)	\$185					
Contactors (KC1, KV1)	4022080					
Price (\$)	\$103					
Transformer	4022164					
Price (\$)	\$208					

Price Group 53

DRYPOINT® RA Spare Parts

■ for RAX series dryers UL - 460v from model year 2019 and above

DRYPOINT® RAX	RAx 200	RAx 250	RAx 300	RAx 350	RAx 400	RAx 500
Refrigerant Compressor	4021997		4021998		4015171	4015159
Price (\$)	\$2,264		\$1,789		\$2,496	\$3,717
Condenser	4035843	4044440		4044441	4035844	4022031
Price (\$)	\$564	\$656		\$991	\$1,189	\$1,623
Hot Gas By-Pass Valve	4012694				4022079	
Price (\$)	\$361				\$363	
Complete Fan	4048639				4048545	
Price (\$)	\$699				\$1,340	
Dehydration Filter	4012707					
Price (\$)	\$71					
Dryer Controller Display (DMC 18)	4021469					
Price (\$)	\$277					
Lighted Switch	4012682					
Price (\$)	\$21					
Main Switch	4022100					
Price (\$)	\$277					
BEKOMAT®	4027640				4027642	
Price (\$)	\$235				\$287	
Temperature Probe	4010769					
Price (\$)	\$64					
Thermo Safety Switch	4012691					
Price (\$)	\$101					
PV Pressure Switch	4015576					
Price (\$)	\$218					
Low Pressure Switch	4022106				4022105	
Price (\$)	\$132				\$124	
High Pressure Switch	4022101				4022102	
Price (\$)	\$126				\$139	
Fuse Kit	4022072					
Price (\$)	\$185					
Contactors (KC1, KV1)	4048636					
Price (\$)	\$338					
Transformer	4022164					
Price (\$)	\$208					

Price Group 53

DRYPOINT® RA Spare Parts

■ for RAx series dryers UL - 460v from model year 2015 and above

DRYPOINT® RAx	RAx 600	RAx 800	RAx 1000	RAx 1250
Refrigerant Compressor	4029897	4029898	4029900	4027382
Price (\$)	\$3,250	\$3,321	\$3,457	\$3,949
Condenser	4015193		4015194	4015181
Price (\$)	\$1,277		\$1,525	\$2,260
Hot Gas By-Pass Valve		4022079		
Price (\$)		\$363		
Complete Fan	4026622		4025397	
Price (\$)	\$1,968		\$1,968	
Dehydration Filter		4012708		
Price (\$)		\$110		
Dryer Controller Display (DMC 24)		4022048		
Price (\$)		\$205		
Main Switch		4012684		
Price (\$)		\$349		
BEKOMAT®		4027648		
Price (\$)		\$287		
Temperature Probe		4022116		
Price (\$)		\$67		
Pressure Transducer		4022156		
Price (\$)		\$281		
Low Pressure Switch		4022105		
Price (\$)		\$124		
High Pressure Switch		4022102		
Price (\$)		\$139		
Circuit Breaker (QC1)		4035845		
Price (\$)		\$559		
Circuit Breaker (QV1)		4035850		
Price (\$)		\$554		
Aux Contact (QC1-QV1)		4035854		
Price (\$)		\$79		
Fuse Kit		4035856		
Price (\$)		\$107		
Contactors (KC1, KV0, KV1, KV2)		4035858		
Price (\$)		\$542		
Mechanical Interlock (KV)		4035861		
Price (\$)		\$47		
Relay (KHP)		4047280		
Price (\$)		\$95		
Transformer		4022165		
Price (\$)		\$310		
Reverse phase protector		4028258		
Price (\$)		\$319		

Price Group 53

DRYPOINT® RA Spare Parts

■ for RAX series dryers UL - 460v from model year 2015 and above

DRYPOINT® RAX	RAx 1500	RAx 1750	RAx 2000	RAx 2500	RAx 3000	RAx 4000	RAx 5000
Refrigerant Compressor	4025357		4029901	4022022	4022023	4022024	4022026
Price (\$)	\$3,407		\$4,668	\$8,013	\$8,823	\$9,378	\$18,803
Condenser	4015194		4015181				
Price (\$)	\$1,525		\$2,260				
Hot Gas By-Pass Valve	4013530			4012697	4012698	4022077	
Price (\$)	\$1,803			\$1,890	\$4,562	\$3,332	
Pilot Valve	-					4015987	
Price (\$)	-					\$2,846	
Complete Fan	4025397						
Price (\$)	\$1,968						
Dehydration Filter	4022063				4029902 and 4029903		
Price (\$)	\$189				\$503 + \$87		
Controller Display (DMC 24)	4022048						
Price (\$)	\$205						
Main Switch	4012684				4012685		
Price (\$)	\$349				\$349		
BEKOMAT®	4027648						
Price (\$)	\$287						
Temperature Probe	4022116						
Price (\$)	\$67						
Pressure Transducer	4022156						
Price (\$)	\$281						
Low Pressure Switch	4022105						
Price (\$)	\$124						
High Pressure Switch	4022102						
Price (\$)	\$139						
Circuit Breaker (QC1)	4035846				4035847	4035848	4035849
Price (\$)	\$634				\$667	\$754	\$1,548
Circuit Breaker (QV1)	4035851				4035852		4035853
Price (\$)	\$600				\$559		\$588
Aux Contact (QC1-QV1)	4035854						-
Price (\$)	\$79						-
Aux Contact (QC1)	-						4035855
Price (\$)	-						\$97
Aux Contact (QV1)	-						4035854
Price (\$)	-						\$79
Fuse Kit	4035856				4035857		
Price (\$)	\$107				\$83		
Contactor (KC1, KV0-2)	4035858						-
Price (\$)	\$542						-
Contactor (KC1)	-						4035859
Price (\$)	-						\$1,368
Contactor (KV0-2)	-						4035858
Price (\$)	-						\$542
Mechanical Interlock (KV)	4035861						
Price (\$)	\$47						
Relay (KHP, KDR)	4047280				-		
Price (\$)	\$95				-		
Relay (KHP)	-				4047280		
Price (\$)	-				\$95		
Relay (KDR)	-				4047281		
Price (\$)	-				\$93		
Transformer	4022165				4022166		
Price (\$)	\$310				\$676		
Reverse phase protector	4028258						
Price (\$)	\$319						

DRYPOINT® RA Spare Parts

■ for RAx series dryers UL - 460v from model year 2018 and above

DRYPOINT® RAx	RAx 6000	RAx 7500	RAx 8000	RAx 10000
Refrigerant Compressor	4022026		4048792	4022026 x2
Price (\$)	\$18,803		\$17,440	\$18,803 ea.
Condenser	4044386	4044387	Consult Factory	Consult Factory
Price (\$)	\$6,446	\$9,354	ON REQUEST	ON REQUEST
Hot Gas By-Pass Valve	4022077			
Price (\$)	\$3,332			
Pilot Valve	4015987			
Price (\$)	\$2,846			
Complete Fan	4044388		4048793	
Price (\$)	\$7,096		\$6,431	
Dehydration Filter Housing	4029902		4048794	
Price (\$)	\$503		\$795	
Dehydration Filter Element	4029903		4029903 x2	
Price (\$)	\$87		\$87 ea.	
Controller Display (DMC 24)	4022048			
Price (\$)	\$205			
Main Switch	4012685			
Price (\$)	\$349			
BEKOMAT®	4027648			
Price (\$)	\$287			
Temperature Probe	4022116			
Price (\$)	\$67			
Pressure Transducer	4022156			
Price (\$)	\$281			
Low Pressure Switch	4022105			
Price (\$)	\$124			
High Pressure Switch	4022102			
Price (\$)	\$139			
Circuit Breaker (QC1)	4044389		4044390	-
Price (\$)	\$616		\$2,146	-
Circuit Breaker (QV1)	4035852		-	-
Price (\$)	\$559		-	-
Circuit Breaker (QV1-QV2)	-		4035851	-
Price (\$)	-		\$600	-
Aux Contact (QC1-QV1)	4035854 x2			-
Price (\$)	\$79 ea.			-
Aux Contact (QC1)	4035855			-
Price (\$)	\$97			-
Contactor (KC1)	4035859			-
Price (\$)	\$1,368			-
Contactor (KV0-KV2)	4035858			-
Price (\$)	\$542			-
Aux Contact (KC1)	4035854 and 4044393			-
Price (\$)	\$79 + \$56			-
Relay (KHP)	4047280			-
Price (\$)	\$95			-
Relay (KDR)	4047281 x2			-
Price (\$)	\$93 ea.			-
Transformer	4022166			-
Price (\$)	\$676			-
Reverse phase protector	4028258			-
Price (\$)	\$319			-

Price Group 53

DRYPOINT® RA Spare Parts

■ for RA CT series dryers UL - 115v from model year 2016 and above

DRYPOINT® RA CT	RA CT 20	RA CT 30	RA CT 50	RA CT 75	RA CT 100	RA CT 125	RA CT 150	RA CT 200
Refrigerant Compressor	4035837	4015172	4021996	4015173	4015160	4015154		
Price (\$)	\$434	\$598	\$734	\$781	\$825	\$1,148		
Condenser	4015182		4035839	4015186	4035842		4035840	4035841
Price (\$)	\$112		\$259	\$259	\$406		\$378	\$524
Hot Gas By-Pass Valve	4015230					4022079		
Price (\$)	\$232					\$363		
Fan Motor	4015215				4028542			
Price (\$)	\$126				\$313			
Dehydration Filter	4012705					4012706		4012707
Price (\$)	\$12					\$56		\$71
Check valve	-					4029887		
Price (\$)	-					\$93		
Liquid solenoid valve (EVL)	4015492							4015493
Price (\$)	\$117							\$189
Coil for EVL	4029890							
Price (\$)	\$70							
Hot gas solenoid valve (EVH)	4015492							4015493
Price (\$)	\$117							\$189
Coil for EVH	4029890							
Price (\$)	\$70							
Controller Display (DMC 51)	4027528							
Price (\$)	\$83							
Main Module (DMC 51)	4035740							
Price (\$)	\$205							
Display Cable (DMC 51)	4027529							
Price (\$)	\$28							
Main Switch	4012682					4025708		
Price (\$)	\$21					\$100		
BEKOMAT®	4025280							
Price (\$)	\$237							
Temperature Probe	4029886							
Price (\$)	\$70							
PV Pressure Switch	4015576							
Price (\$)	\$218							

Price Group 53

DRYPOINT® RA Spare Parts

■ for RA CT series dryers UL - 230v from model year 2016 and above

DRYPOINT® RA CT	RA CT 125		RA CT 150	RA CT 200	RA CT 250	RA CT 300	RA CT 350	RA CT 400	RA CT 500
Refrigerant Compressor	4015155				4015165	4015167	4015157	4022015	
Price (\$)	\$1,137				\$1,174	\$1,212	\$1,680	\$2,247	
Condenser	4035842	4035840	4035841	4035843	4044440	4015190	4035844	4022031	
Price (\$)	\$406	\$378	\$524	\$564	\$656	\$1,054	\$1,189	\$1,623	
Hot Gas By-Pass Valve	4022079								
Price (\$)	\$363								
Complete Fan	-					4027483	4029894		
Price (\$)	-					\$1,358	\$1,358		
Fan Motor	4022055		4029885			-			
Price (\$)	\$185		\$265			-			
Dehydration Filter	4037241		4012707						
Price (\$)	\$58		\$71						
Check valve	4029887					4029888		4029889	
Price (\$)	\$93					\$101		\$118	
Liquid solenoid valve (EVL)	4015492		4015493						
Price (\$)	\$117		\$189						
Coil for EVL	4029891								
Price (\$)	\$64								
Hot gas solenoid valve (EVH)	4015492		4015493						
Price (\$)	\$117		\$189						
Coil for EVH	4029891								
Price (\$)	\$64								
Controller Display (DMC 51)	4027528								
Price (\$)	\$83								
Main Module (DMC 51)	4035740								
Price (\$)	\$205								
Display Cable (DMC 51)	4027529								
Price (\$)	\$28								
Main Switch	4025708								
Price (\$)	\$100								
BEKOMAT®	4025280							4025040	
Price (\$)	\$237							\$290	
Temperature Probe	4029886		4029886 x2						
Price (\$)	\$70		\$70 ea.						
PV Pressure Switch	4015576								
Price (\$)	\$218								
Low Pressure Switch	-					4022105			
Price (\$)	-					\$124			
High Pressure Switch	-					4022102			
Price (\$)	-					\$139			

Price Group 53

DRYPOINT® RA Spare Parts

■ For RA CT series dryers CE – 460v from model year 2016 and above.

DRYPOINT® RA CT	RA CT 200		RA CT 250	RA CT 300	RA CT 350	RA CT 400	RA CT 500
Refrigerant Compressor	4021997				4021998	4015171	4015159
Price (\$)	\$2,264				\$1,789	\$2,496	\$3,717
Condenser	4035843	4044440			4015190	4035844	4022031
Price (\$)	\$564	\$656			\$1,054	\$1,189	\$1,623
Hot Gas By-Pass Valve	4012694					4022079	
Price (\$)	\$361					\$363	
Complete Fan	4027449					4025504	
Price (\$)	\$797					\$1,363	
Dehydration Filter	4012707						
Price (\$)	\$71						
Check valve	4029887			4029888		4029889	
Price (\$)	\$93			\$101		\$118	
Liquid solenoid valve (EVL)	4015493						
Price (\$)	\$189						
Coil for EVL	4029891						
Price (\$)	\$64						
Hot gas solenoid valve (EVH)	4015493						
Price (\$)	\$189						
Coil for EVH	4029891						
Price (\$)	\$64						
Controller Display (DMC 51)	4027528						
Price (\$)	\$83						
Main Module (DMC 51)	4035741					4035740	
Price (\$)	\$230					\$205	
Display Cable (DMC 51)	4044410						
Price (\$)	\$23						
Main Switch	4022100						
Price (\$)	\$277						
Lighted Switch	4012682						
Price (\$)	\$21						
BEKOMAT®	4025280					4025040	
Price (\$)	\$237					\$290	
Temperature Probe	4029886						
Price (\$)	\$70						
PV Pressure Switch	4015576						
Price (\$)	\$218						
Low Pressure Switch	4022106					4022105	
Price (\$)	\$132					\$124	
High Pressure Switch	4022101					4022102	
Price (\$)	\$126					\$139	
Fuse Kit	4022072						
Price (\$)	\$185						
Contactor (KC1)	4022080						
Price (\$)	\$103 ea.						
Transformer	4022164						
Price (\$)	\$208						

Price Group 53

DRYPOINT® RA Spare Parts

■ For RA CT series dryers UL – 460v from model year 2020 and above.

DRYPOINT® RA CT	RA CT 200	RA CT 250	RA CT 300	RA CT 350	RA CT 400	RA CT 500
Refrigerant Compressor	4021997			4021998	4015171	4015159
Price (\$)	\$2,264			\$1,789	\$2,496	\$3,717
Condenser	4035843	4044440		4015190	4035844	4022031
Price (\$)	\$564	\$656		\$1,054	\$1,189	\$1,623
Hot Gas By-Pass Valve	4012694				4022079	
Price (\$)	\$361				\$363	
Complete Fan	4048639				4048545	
Price (\$)	\$699				\$1,340	
Dehydration Filter	4051221					
Price (\$)	\$70					
Liquid solenoid valve (EVL)	4015493					
Price (\$)	\$189					
Coil for EVL	4044409		4029891			
Price (\$)	\$55		\$64			
Hot gas solenoid valve (EVH)	4015493					
Price (\$)	\$189					
Coil for EVH	4029891	-	-	-	-	-
Price (\$)	\$64	-	-	-	-	-
Controller Display (DMC 51)	4027528					
Price (\$)	\$83					
Main Module (DMC 51)	4035741				4035740	
Price (\$)	\$230				\$205	
Display Cable (DMC 51)	4044410					
Price (\$)	\$23					
Main Switch	4053902					
Price (\$)	\$620					
Lighted Switch	4012682					
Price (\$)	\$21					
BEKOMAT®	4025280				4025040	
Price (\$)	\$237				\$290	
Temperature Probe	4029886					
Price (\$)	\$70					
PV Pressure Switch	4015576					
Price (\$)	\$218					
Low Pressure Switch	4022106				4022105	
Price (\$)	\$132				\$124	
High Pressure Switch	4022101				4022102	
Price (\$)	\$126				\$139	
Contact (KC1)	4048636					
Price (\$)	\$338					
Transformer	4022164					
Price (\$)	\$208					

Price Group 53

DRYPOINT® RA Spare Parts

■ for RA VSD series dryers CE - 460v from model year 2016 and above

DRYPOINT® RA VSD ECO	RA VSD 800		RA VSD 1000		RA VSD 1250	RA VSD 1500	RA VSD 1750	RA VSD 2000
VSD Compressor					4037447		4037448	
Price (\$)					\$2,950		\$3,350	
Compressor Inverter					4037460		4037461	
Price (\$)					\$312		\$623	
Condenser	4015193	4015194	4015181	4015194 x2		4015181 x2		
Price (\$)	\$1,277	\$1,525	\$2,260	\$1,525 ea.		\$2,260 ea.		
Complete Fan	4026622	4025397			4025397 x2			
Price (\$)	\$1,968	\$1,968			\$1,968 ea.			
Electrical Panel Fan					4037466			
Price (\$)					\$1,968			
Condenser Fan Inverter	4037462	4037463			4037464			
Price (\$)	\$1,346	\$1,346			\$2,028			
Dehydration Filter					4029903			
Price (\$)					\$87			
Dryer Controller Display (DMC 50/55)	Consult Factory - Dryer serial number required							
Price (\$)	ON REQUEST							
Main Switch					4012684			
Price (\$)					\$349			
BEKOMAT®	4027648					4027648 x2		
Price (\$)	\$287					\$287 ea.		
Electronic Expansion Valve (EEVN)	4044421					4044421 x2		
Price (\$)	\$137					\$137 ea.		
EEV Controller	4044411	4060853					4060853 x2	
Price (\$)	\$312	\$951					\$951 ea.	
Coil for EEVN	4044422					4044422 x2		
Price (\$)	\$165					\$165 ea.		
Electrical Panel Filter	4044427					4044428		
Price (\$)	\$312					\$623		
Pressure Balancing Solenoid Valve	4015492					4015493		
Price (\$)	\$117					\$189		
Coil for PBSV					4015511			
Price (\$)					\$623			
Temperature Probe					4029886 x4			
Price (\$)					\$70 ea.			
Pressure Transducer	4037453				4044423			
Price (\$)	\$281				\$281			
EEV Temperature Probe	4044429					4044429 x2		
Price (\$)	\$90					\$90 ea.		
EEV Pressure Transducer	4044430					4044430 x2		
Price (\$)	\$318					\$318 ea.		
Low Pressure Switch	4022106				4022105			
Price (\$)	\$132				\$124			
High Pressure Switch	4022101				4022102			
Price (\$)	\$126				\$139			
Transformer					4044417			
Price (\$)					\$542			
Relay (KEN)					4015978			
Price (\$)					\$95			
Relay (KDR)	-					4015978		
Price (\$)	-					\$95		
Relay (KDA n)	4044403					4044403 x2		
Price (\$)	\$95					\$95 ea.		

Price Group 53

DRYPOINT® RA Spare Parts

■ for RA VSD series dryers CE - 460v from model year 2016 and above

DRYPOINT® RA VSD ECO	RA VSD 2500	RA VSD 3000	RA VSD 3750	RA VSD 4000	RA VSD 5000	RA VSD 6000
VSD Compressor	4037448					
Price (\$)	\$3,350					
Fixed Speed Compressor	-	4029900	4027382	4027382 x2	4025357 x2	
Price (\$)	-	\$3,457	\$3,949	\$3,949 ea.	\$3,407 ea.	
Compressor Inverter	4037461					
Price (\$)	\$623					
Condenser	4015181 x2	4015181 x3		4015181 x4		4044386
Price (\$)	\$2,260 ea.	\$2,260 ea.		\$2,260 ea.		\$6,446
Complete Fan	4025397 x2	4025397 x3		4025397 x4		4041416 x2
Price (\$)	\$1,968 ea.	\$1,968 ea.		\$1,968 ea.		\$3,934 ea.
Electrical Panel Fan	4037466					
Price (\$)	\$1,968					
Condenser Fan Inverter	4037464	4044398		4044399		-
Price (\$)	\$2,028	\$3,125		\$3,559		-
Dehydration Filter	4029903					
Price (\$)	\$87					
Dryer Controller Display (DMC 50/55)	Consult Factory - Dryer serial number required					
Price (\$)	ON REQUEST					
Main Switch	4012684		4012685			
Price (\$)	\$349		\$349			
BEKOMAT®	4027648 x2	4027648 x3		4027648 x4		4027648 x6
Price (\$)	\$287 ea.	\$287 ea.		\$287 ea.		\$287 ea.
Electronic Expansion Valve (EEVN)	4044421 x2	4044421 x3		4044421 x4		4044421 x6
Price (\$)	\$137 ea.	\$137 ea.		\$137 ea.		\$137 ea.
EEV Controller	4060853 x2	4060853 x3		4060853 x4		4060853 x6
Price (\$)	\$951 ea.	\$951 ea.		\$951 ea.		\$951 ea.
Coil for EEVN	4044422 x 2	4044422 x3		4044422 x4		4044422 x6
Price (\$)	\$165 ea.	\$165 ea.		\$165 ea.		\$165 ea.
Electrical Panel Filter	4044428					
Price (\$)	\$623					
Pressure Balancing Solenoid Valve	4015493		4044397			
Price (\$)	\$189		\$312			
Coil for PBSV	4015511					
Price (\$)	\$623					
Temperature Probe	4029886 x4					
Price (\$)	\$70 ea.					
Pressure Transducer	4044423					
Price (\$)	\$281					
EEV Temperature Probe	4044429 x2	4044429 x3		4044429 x4		4044429 x6
Price (\$)	\$90 ea.	\$90 ea.		\$90 ea.		\$90 ea.
EEV Pressure Transducer	4044430 x2	4044430 x3		4044430 x4		4044430 x6
Price (\$)	\$318 ea.	\$318 ea.		\$318 ea.		\$318 ea.
Low Pressure Switch	4022105					
Price (\$)	\$124					
High Pressure Switch	4022102					
Price (\$)	\$139					
Transformer	4044417	4044418		4044419		
Price (\$)	\$542	\$634		\$915		
Relay (KEN)	4015978					
Price (\$)	\$95					
Relay (KDR)	-			4015978		
Price (\$)	-			\$95		
Relay (KdAn)		4044403		4044403 x2		
Price (\$)		\$95		\$95 ea.		
Reverse phase protector	4028258					
Price (\$)	\$319					




Desiccant Drying

DRYPOINT® X

efficient low dew point desiccant drying

- › ACC compact heatless desiccant air dryers
- › XCe economy heatless desiccant air dryers
- › XCp premium heatless desiccant air dryers
- › XFe economy heated blower desiccant air dryers
- › XFi ecoIntelligent heated blower desiccant air dryers
- › ACH heated purge desiccant air dryers
- › AC HP heatless high pressure desiccant air dryers

DRYPOINT® ACC Compact Heatless Desiccant Dryers
 with pre-filtration and post-filtration* included



DRYPOINT® ACC	ACC 4	ACC 6	ACC 8	ACC 10	ACC 15	ACC 25	ACC 35
Flow Rate at -40 °F (scfm)	4	6	8	10	15	25	35
Flow Rate at -100 °F (scfm)	3	4	6	7	11	18	25
Connection Size (NPT)	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"
Dimensions and Weight							
H x W x D (inches)	18 x 11 x 4	20 x 11 x 4	22 x 11 x 4	25 x 11 x 4	32 x 11 x 4	42 x 11 x 4	58 x 11 x 4
Weight (lbs)	29	31	33	36	43	53	68

HEATLESS DESICCANT DRYER WITH FLOAT DRAIN

Order ref. (-40 °F or -100 °F)	4022746	4022748	4012623	4012625	4012626	4012627	4012628
Price (\$)	\$2,208	\$2,342	\$2,544	\$2,743	\$3,078	\$4,213	\$5,311

HEATLESS DESICCANT DRYER WITH BEKOMAT®

Order ref. (-40 °F or -100 °F)	4022749	4022750	4012639	4012640	4012641	4012642	4012643
Price (\$)	\$2,410	\$2,544	\$2,743	\$2,944	\$3,278	\$4,414	\$5,511

ECO CHOICE

Price Group 62

OPTIONAL EQUIPMENT

Wall Mounting Bracket	4008702
Price (\$)	\$285
Floor Mounting Bracket	4009870
Price (\$)	\$280

Price Group 69

- › Standard pressure dew point: -40 °F or -100 °F
- › Standard intelligent power supply: 12 - 24VDC/ 100 - 240 VAC; 50/60 Hz
- › Min. / max. air inlet temperature: 35 °F / 120 °F
- › Min. / max. ambient temperature: 41 °F / 120 °F
- › Min. / max. operating pressure: 58 / 232 psig (ACC 4-35), 189 psig (ACC 46-110)

Maintenance Interval: < 8,000 hours
Maintenance and Spare Parts: Page 92
Extended Warranty: Page 152

DRYPOINT® ACC	ACC 46	ACC 56	ACC 75	ACC 90	ACC 110
Flow Rate at -40 °F (scfm)	45	55	75	90	110
Flow Rate at -100 °F (scfm)	34	42	57	69	84
Connection Size (NPT)	1"	1"	1"	1"	1"

Dimensions and Weight

H x W x D (inches)	26 x 15 x 12	29 x 15 x 12	37 x 15 x 12	41 x 15 x 12	50 x 15 x 12
Weight (lbs)	106	117	142	160	192

HEATLESS DESICCANT DRYER WITH FLOAT DRAIN

Order ref. (-40 °F)	4050733	4050734	4050735	4050736	4050737
Price (\$)	\$5,761	\$6,214	\$6,499	\$7,096	\$9,760
Order ref. (-100 °F)	4054019	4054020	4054021	4054022	4054023
Price (\$)	\$6,040	\$6,470	\$6,614	\$7,339	\$9,985

HEATLESS DESICCANT DRYER WITH BEKOMAT®

ECO CHOICE

Order ref. (-40 °F)	4050738	4050739	4050740	4050741	4050742
Price (\$)	\$5,935	\$6,388	\$6,673	\$7,270	\$9,934
Order ref. (-100 °F)	4054024	4054025	4054026	4054027	4054028
Price (\$)	\$6,233	\$6,664	\$6,808	\$7,532	\$10,179

Price Group 69

Correction Factors


Operating Pressure (psig)	60	70	80	90	100	110	120	130	140	150
Correction Factor	.64	.73	.81	.90	1.00	1.08	1.16	1.25	1.33	1.41

Inlet Air Temperature °F	80	85	90	95	100	105	110	115	120
Correction Factor	1.17	1.11	1.06	1.00	.86	.74	.68	.61	.49

The correction factors on this page provide an estimation of the performance that can be achieved with the model sizes shown. For precise sizing for your application, please contact your BEKO Technologies sales representative.

DRYPOINT® XCe Economy Heatless Desiccant Dryers

with basic controller and slanted seat valves



DRYPOINT® XCe	XCe 80	XCe100	XCe 120	XCe 160	XCe 200	XCe 250
Connection Size (NPT)	¾"	1"	1"	1¼"	1¼"	1½"
Flow Rate (scfm)	80	100	120	160	200	250
Dimensions and Weight						
H x W x D (inches)	54 x 37 x 22	64 x 38 x 23	64 x 38 x 23	68 x 40 x 26	68 x 40 x 26	69 x 45 x 30
Empty Weight (lbs)	232	295	296	320	320	413
Total Fill (lbs)	132	167	167	262	262	384

HEATLESS DESICCANT DRYER WITHOUT FILTERS (FILTRATION REQUIRED)

Order ref.	4026930	4026931	4026932	4026933	4026934	4026935
Price (\$)	\$7,903	\$8,291	\$8,580	\$9,245	\$10,266	\$10,894

HEATLESS DESICCANT DRYER WITH MOUNTED FILTERS

Order ref.	4027010	4027011	4027012	4027013	4027014	4027015
Price (\$)	\$9,163	\$9,621	\$10,205	\$11,110	\$12,229	\$13,557

HEATLESS DESICCANT DRYER WITH MOUNTED FILTERS AND 3-VALVE BYPASS

Order ref.	4032017	4032018	4032019	4032020	4032021	4032022
Price (\$)	\$9,506	\$10,033	\$10,842	\$11,829	\$13,018	\$13,958

Price Group 60

REQUIRED FILTERS,
NOT MOUNTED

	S075	S100	M010	M012	M015
Pre-Filter .01 µm	4003404	4020388	4003524	4007053	4003405
Price (\$)	\$457	\$512	\$543	\$614	\$799
Post-Filter 1 µm	4021029	4021030	4021031	4024402	4021032
Price (\$)	\$389	\$425	\$444	\$514	\$730

Price Group 82

OPTIONAL EQUIPMENT

Drain Upgrade to BEKOMAT®	4047670
Price (\$)	\$407
Stainless Steel Tubing	4048882
Price (\$)	\$1,943

Price Group 12

- › Standard outlet pressure dew point: -40 °F
- › Electrical power supply: 120 VAC | 50 - 60Hz
- › Required pre-filtration grade SX: .01 µm | Required post-filtration grade FX: 1 µm
- › cULus listed controller with NEMA 4 indoor rating
- › ASME / CRN coded vessels
- › Min. / max. inlet air temperature: 40 °F / 120 °F
- › Min. / max. operating pressure: 60 / 150 psig

Maintenance Interval: < 8,000 hours
Maintenance and Spare Parts: Page 92
Extended Warranty: Page 152

DRYPOINT® XCe	XCe 300	XCe 400	XCe 500	XCe 650	XCe 800
Connection Size (NPT)	1½"	2"	2"	2½"	2½"
Flow Rate (scfm)	300	400	500	650	800
Dimensions and Weight					
H x W x D (inches)	69 x 45 x 30	71 x 49 x 35	73 x 53 x 36	74 x 57 x 40	71 x 61 x 43
Empty Weight (lbs)	412	594	717	871	925
Total Fill (lbs)	384	539	715	917	1,114

HEATLESS DESICCANT DRYER WITHOUT FILTERS (FILTRATION REQUIRED)

Order ref.	4026936	4026937	4026938	4026939	4026940
Price (\$)	\$12,143	\$14,022	\$15,765	\$18,757	\$22,741

HEATLESS DESICCANT DRYER WITH MOUNTED FILTERS

Order ref.	4027016	4027017	4027018	4027019	4027020
Price (\$)	\$15,029	\$17,126	\$19,769	\$24,384	\$28,642

HEATLESS DESICCANT DRYER WITH MOUNTED FILTERS AND 3-VALVE BYPASS

Order ref.	4032023	4032024	4032025	4032026	4032027
Price (\$)	\$15,427	\$17,675	\$20,667	\$26,034	\$30,374

Price Group 60

REQUIRED FILTERS, NOT MOUNTED

	M018	M020	M025
Pre-Filter .01 µm	4014542	4003406	4021904
Price (\$)	\$869	\$1,022	\$2,266
Post-Filter 1 µm	4021033	4007876	4021036
Price (\$)	\$809	\$1,010	\$2,192

Price Group 82

OPTIONAL EQUIPMENT

Drain Upgrade to BEKOMAT®	4047670
Price (\$)	\$407
Stainless Steel Tubing	4048882
Price (\$)	\$1,943


Price Group 12

Correction Factors

Operating Pressure (psig)	60	70	80	90	100	110	120	130	140	150	Inlet Air Temperature °F	90	95	100	105	110	115	120
Correction Factor	0.65	0.74	0.82	0.91	1.00	1.09	1.17	1.22	1.25	1.30	Correction Factor	1.07	1.04	1.00	0.92	0.84	0.77	0.70

The correction factors on this page provide an estimation of the performance that can be achieved with the model sizes shown. For precise sizing for your application, please contact your BEKO Technologies sales representative.

DRYPOINT® XCp Premium Heatless Desiccant Dryers
with standard humidity demand control and BEKOTOUCH interface



DRYPOINT®XCp	XCp 80	XCp 100	XCp 120	XCp 160	XCp 200	XCp 250	XCp 300	XCp 400	XCp 500
Connection Size (NPT)	¾"	1"	1"	1¼"	1¼"	1½"	1½"	2"	2"
Flow Rate (scfm)	80	100	120	160	200	250	300	400	500
Dimensions and Weight									
H x W x D (inches)	54 x 37 x 22	64 x 38 x 23	64 x 38 x 23	68 x 40 x 26	68 x 40 x 26	69 x 45 x 30	69 x 45 x 30	71 x 49 x 35	73 x 53 x 36
Empty Weight (lbs)	251	314	315	339	339	433	432	613	736
Total Fill (lbs)	132	167	167	262	262	384	384	539	715

HEATLESS DESICCANT DRYER WITHOUT FILTERS (FILTRATION REQUIRED)

Order ref.	4026941	4026942	4026943	4026944	4026945	4026946	4026947	4026948	4026949
Price (\$)	\$11,741	\$12,251	\$12,613	\$13,405	\$14,692	\$15,912	\$17,224	\$19,128	\$21,661

HEATLESS DESICCANT DRYER WITH MOUNTED FILTERS

Order ref.	4027494	4027495	4027496	4027497	4027498	4027499	4027500	4027501	4027502
Price (\$)	\$13,119	\$13,720	\$14,235	\$15,269	\$16,656	\$18,574	\$20,108	\$22,234	\$25,666

HEATLESS DESICCANT DRYER WITH MOUNTED FILTERS AND 3-VALVE BYPASS

Order ref.	4029343	4029524	4032028	4032029	4029557	4032030	4032031	4032032	4030934
Price (\$)	\$13,371	\$14,079	\$14,872	\$15,987	\$17,444	\$19,373	\$20,908	\$23,331	\$26,563

Price Group 60

REQUIRED FILTERS,
NOT MOUNTED

	S075	S100	M010	M012	M015	M018	M020
Pre-Filter .01 µm	4003404	4020388	4003524	4007053	4003405	4014542	4003406
Price (\$)	\$457	\$512	\$543	\$614	\$799	\$869	\$1,022
Post-Filter 1 µm	4021029	4021030	4021031	4024402	4021032	4021033	4007876
Price (\$)	\$389	\$425	\$444	\$514	\$730	\$809	\$1,010

Price Group 82

Correction Factors

Operating Pressure (psig)	60	70	80	90	100	110	120	130	140	150	Inlet Air Temperature °F	90	95	100	105	110	115	120
Correction Factor	0.65	0.74	0.82	0.91	1.00	1.09	1.17	1.22	1.25	1.30	Correction Factor	1.07	1.04	1.00	0.92	0.84	0.77	0.70

The correction factors above provide an estimation of the performance that can be achieved with the model sizes shown. For precise sizing for your application, please contact your BEKO Technologies sales representative.

Flow Rate at -40 °F PDP (scfm)	80	100	120	160	200	250	300	400	500
Correction Factor for -100 °F PDP	0.8								

Sizing for -100 °F outlet PDP applications must be done by a product specialist. Please consult your BEKO Technologies representative for details and sizing assistance.

- › Standard outlet pressure dew point: -40 °F
- › Optional outlet pressure dew point*: -100 °F
- › Electrical power supply: 120 VAC | 50 - 60Hz
- › Required pre-filtration grade SX: .01 µm | Required post-filtration grade FX: 1 µm
- › cULus listed controller with NEMA 4 indoor rating
- › ASME / CRN coded vessels
- › Min. / max. inlet air temperature: 40 °F / 120 °F
- › Min. / max. operating pressure: 60 / 150 psig

Maintenance Interval: < 8,000 hours
 Maintenance and Spare Parts: Page 92
 Extended Warranty: Page 152


OPTIONAL EQUIPMENT

DRYPOINT® XCp	XCp 80	XCp 100	XCp 120	XCp 160	XCp 200	XCp 250	XCp 300	XCp 400	XCp 500
Drain Upgrade to BEKOMAT®	4047670								
Price (\$)	\$407								
Price Group 12									
Stainless Steel Tubing	4048557								
Price (\$)	\$1,943								
Dryer Outdoor Protection Package (above +32 °F)	4048559								
Price (\$)	\$2,145								
Dryer Outdoor Protection Package (down to -20 °F)	4048561							4048562	
Price (\$)	\$6,792							\$7,494	
Dryer and Filter Outdoor Protection Package (down to -20 °F)	4048564							4048565	
Price (\$)	\$8,936							\$10,046	
-100 °F Outlet Pressure Dew Point*	4048567				4048568			4048569	
Price (\$)	\$832				\$888			\$968	
Dew Point Monitor with Display for -40 °F	4028343								
Price (\$)	\$2,557								
Dew Point Monitor with Display for -100 °F*	4040512								
Price (\$)	\$4,853								
Failure to Switch Pressure Alarm	4029530								
Price (\$)	\$702								
Δp Filter Alarm with Gauge	4029531								
Price (\$)	\$535								
MODBUS Communication Package	4047031								
Price (\$)	\$498								

Price Group 63

*See required correction factors on page 74. Optional dew point monitor with display for -100 °F does not provide for dew point demand control.

DRYPOINT® XcP Premium Heatless Desiccant Dryers
with standard humidity demand control and BEKOTOUCH interface



DRYPOINT® XcP	XcP 650	XcP 800	XcP 1000	XcP 1200	XcP 1500	XcP 1900	XcP 2300	XcP 2800
Connection Size (NPT)	2½"	2½"	2½" Flange	2½" Flange	3" Flange	3" Flange	4" Flange	4" Flange
Flow Rate (scfm)	650	800	1000	1200	1500	1900	2300	2800
Dimensions and Weight								
H x W x D (inches)	74 x 57 x 40	71 x 61 x 43	90 x 66 x 32	91 x 66 x 37	91 x 72 x 44	96 x 72 x 44	103 x 78 x 48	103 x 78 x 48
Empty Weight (lbs)	892	944	1,490	1,792	2,814	2,814	4,168	4,168
Total Fill (lbs)	917	1,114	1,120	1,355	1,840	2,110	3,125	3,125

HEATLESS DESICCANT DRYER WITHOUT FILTERS (FILTRATION REQUIRED)

Order ref.	4026950	4026951	4029915	4029916	4029917	4029918	4029919	4029920
Price (\$)	\$24,310	\$29,300	\$33,292	\$37,074	\$46,326	\$50,682	\$61,874	\$67,598

HEATLESS DESICCANT DRYER WITH MOUNTED FILTERS

Order ref.	4027503	4027504	4029921	4029922	4029923	4029924	4029925	4029926
Price (\$)	\$30,282	\$35,394	\$40,181	\$44,339	\$57,221	\$63,228	\$81,648	\$88,435

HEATLESS DESICCANT DRYER WITH MOUNTED FILTERS AND 3-VALVE BYPASS

Order ref.	4032033	4032034	4029927	4029928	4029929	4029930	4029931	4029932
Price (\$)	\$32,289	\$37,280	\$42,328	\$46,487	\$59,742	\$65,751	\$85,725	\$93,223

Price Group 60

REQUIRED FILTERS,
NOT MOUNTED

	M025	M027	M030	M032	L102
Pre-Filter .01 µm	4020558	4047760	4007153	4021297	4020762
Price (\$)	\$2,481	\$2,615	\$2,821	\$3,266	\$8,172
Post-Filter 1 µm	4021036	4030249	4021037	4043755	4021056
Price (\$)	\$2,408	\$2,545	\$2,750	\$3,196	\$7,699

Price Group 82

Correction Factors

Operating Pressure (psig)	60	70	80	90	100	110	120	130	140	150
Correction Factor	0.65	0.74	0.82	0.91	1.00	1.09	1.17	1.22	1.25	1.30

Inlet Air Temperature °F	90	95	100	105	110	115	120
Correction Factor	1.07	1.04	1.00	0.92	0.84	0.77	0.70

The correction factors above provide an estimation of the performance that can be achieved with the model sizes shown. For precise sizing for your application, please contact your BEKO Technologies sales representative.

Flow Rate at -40 °F PDP (scfm)	650	800	1000	1200	1500	1900	2300	2800
Correction Factor for -100 °F PDP	0.8							

Sizing for -100 °F outlet PDP applications must be done by a product specialist. Please consult your BEKO Technologies representative for details and sizing assistance.

- › Standard outlet pressure dew point: -40 °F
- › Optional outlet pressure dew point*: -100 °F
- › Electrical power supply: 120 VAC | 50 - 60Hz
- › Required pre-filtration grade SX: .01 µm | Required post-filtration grade FX: 1 µm
- › cULus listed controller with NEMA 4 indoor rating
- › ASME / CRN coded vessels
- › Min. / max. inlet air temperature: 40 °F / 120 °F
- › Min. / max. operating pressure: 60 / 150 psig

Maintenance Interval: < 8,000 hours
 Maintenance and Spare Parts: Page 92
 Extended Warranty: Page 152

OPTIONAL EQUIPMENT


DRYPOINT® XcP	XCp 650	XCp 800	XCp 1000	XCp 1200	XCp 1500	XCp 1900	XCp 2300	XCp 2800
Stainless Steel Tubing	4048557				4048558			
Price (\$)	\$1,943				\$2,224			
Dryer Outdoor Protection Package (above +32 °F)	4048559				4048560			
Price (\$)	\$2,145				\$2,823			
Dryer Outdoor Protection Package (down to -20 °F)	4048563		4048938		4048939		4048940	
Price (\$)	\$8,151		ON REQUEST		ON REQUEST		ON REQUEST	
Dryer and Filter Outdoor Protection Package (down to -20 °F)	4048566		4048941		4048942		4048943	
Price (\$)	\$10,995		ON REQUEST		ON REQUEST		ON REQUEST	
-100 °F Outlet Pressure Dew Point*	4048569		4048947		4048948		4048949	
Price (\$)	\$968		\$990		\$1,088		\$1,196	
Dew Point Monitor with Display for -40 °F				4028343				
Price (\$)				\$2,557				
Dew Point Monitor with Display for -100 °F*				4040512				
Price (\$)				\$4,853				
Failure to Switch Pressure Alarm				4029530				
Price (\$)				\$702				
Δp Filter Alarm with Gauge				4029531				
Price (\$)				\$535				
MODBUS Communication Package				4047031				
Price (\$)				\$498				

Price Group 63

*See required correction factors on page 76. Optional dew point monitor with display for -100 °F does not provide for dew point demand control.

DRYPOINT® XHe Economy Heated Purge Desiccant Dryers

with external heater and BEKOTOUCH 2 controls



DRYPOINT® XHe	XHe 100	XHe 150	XHe 200	XHe 250	XHe 300	XHe 400	XHe 500	XHe 600
Connection Size (NPT)	1"	1¼"	1½"	1½"	1½"	2"	2"	2½"
Flow Rate (scfm)	100	150	200	250	300	400	500	600
Dimensions and Weight								
H x W x D (inches)	67 x 39 x 27	71 x 46 x 29	73 x 52 x 30	73 x 52 x 30	75 x 54 x 30	78 x 61 x 36	79 x 64 x 39	78 x 74 x 42
Empty Weight (lbs)	568	571	581	669	804	994	1072	1331
Total Fill (lbs)	140	210	280	350	420	560	700	840

HEATED PURGE DESICCANT DRYER WITHOUT FILTERS (FILTRATION REQUIRED)

Order ref.	4060268	4060269	4060270	4060271	4060272	4060273	4060274	4060275
Price (\$)	\$23,129	\$23,618	\$24,910	\$26,124	\$30,300	\$31,677	\$33,850	\$39,838

HEATED PURGE DESICCANT DRYER WITH MOUNTED FILTERS

Order ref.	4060284	4060285	4060286	4060287	4060288	4060289	4060290	4060291
Price (\$)	ON REQUEST							

HEATED PURGE DESICCANT DRYER WITH MOUNTED FILTERS AND 3-VALVE BYPASS

Order ref.	4060292	4060293	4060294	4060295	4060296	4060297	4060298	4060299
Price (\$)	ON REQUEST							

Price Group 65

REQUIRED FILTERS, NOT MOUNTED

	S100	M010	M012	M015	M018	M020	M022
Order ref.	4020388	4003524	4007053	4003405	4014542	4003406	4013032
Price (\$)	\$512	\$543	\$614	\$799	\$869	\$1,022	\$1,127
Order ref.	4021030	4021031	4024402	4021032	4021033	4007876	4021034
Price (\$)	\$425	\$444	\$514	\$730	\$809	\$1,010	\$1,082

Price Group 82

OPTIONAL EQUIPMENT

Drain upgrade to BEKOMAT®	Consult Factory							
Price (\$)	\$407							
Δp Filter Alarm with Gauge	4029531							
Price (\$)	\$514							
Valve Limit Switches	4060443							
Price (\$)	ON REQUEST							
Tower Insulation (indoor only)	4060426	4060427	4060428	4060429	4060430	4060431	4060432	4060433
Price (\$)	ON REQUEST							

Price Group 65

- › Standard outlet pressure dew point: -40 °F
- › Electrical power supply: XHe 100 - 250: 120 VAC / 1Ph / 60 Hz
XHe 300 - 3200: 460 VAC / 3 Ph / 60 Hz
- › Required pre-filtration grade SX: .01 µm | Required post-filtration grade FX: 1 µm
- › cUL certified controls with NEMA 4 indoor rating
- › Min. / max. inlet air temperature: 40 °F / 120 °F
- › Min. / max. ambient temperature: 40 °F / 120 °F
- › Min. / max. operating pressure: 60 / 150 psig

Maintenance Interval: < 8,000 hours
Maintenance and Spare Parts: Page 92
Extended Warranty: Page 152

DRYPOINT® XHe	XHe 800	XHe 1000	XHe 1200	XHe 1500	XHe 1800	XHe 2100	XHe 2500	XHe 3200
Connection Size (Flanged)	2½"	2½"	2½"	3"	3"	4"	4"	6"
Flow Rate (scfm)	800	1000	1200	1500	1800	2100	2500	3200
Dimensions and Weight								
H x W x D (inches)	109 x 69 x 39	111 x 73 x 41	114 x 76 x 42	99 x 88 x 47	116 x 98 x 45	110 x 98 x 47	125 x 97 x 47	119 x 119 x 53
Empty Weight (lbs)	1514	1837	2102	2214	2771	3330	3676	4349
Total Fill (lbs)	1120	1400	1680	2100	2520	2940	3500	4480

HEATED PURGE DESICCANT DRYER WITHOUT FILTERS (FILTRATION REQUIRED)

Order ref.	4060276	4060277	4060278	4060279	4060280	4060281	4060282	4060283
Price (\$)	\$45,475	\$57,923	\$62,967	\$68,231	\$72,345	\$89,037	\$90,685	\$99,456

Price Group 65

STANDALONE SKID-MOUNTED FILTRATION PACKAGE (PIPING KIT NOT INCLUDED)

H x W x D:	70 x 40 x 26	70 x 40 x 26	70 x 40 x 32	70 x 40 x 32	74 x 44 x 36
Order ref.	4049687	4049689	4049691	4049693	4049695
Price (\$)	\$7,871	\$8,800	\$17,067	\$21,152	\$25,001

STANDALONE SKID-MOUNTED FILTRATION PACKAGE WITH 3-VALVE BYPASS (PIPING KIT NOT INCLUDED)

Order ref.	4057760	4057761	4057762	4057763	4057764
Price (\$)	\$9,922	\$11,187	\$20,412	\$24,371	\$30,919

STANDALONE SKID-MOUNTED FILTRATION PACKAGE WITH INTERCONNECTING PIPING KIT

Order ref.	Consult Factory
Price (\$)	ON REQUEST

STANDALONE SKID-MOUNTED FILTRATION PACKAGE WITH INTERCONNECTING PIPING KIT & 3-VALVE BYPASS

Order ref.	Consult Factory
Price (\$)	ON REQUEST

Price Group 65

REQUIRED FILTERS, NOT MOUNTED

	M025	M030	L100	L102	L150
Order ref.	4020558	4007153	4020750	4020762	4045133
Price (\$)	\$2,481	\$2,821	\$6,562	\$8,172	\$9,775
Order ref.	4021036	4021037	4032234	4021056	4048944
Price (\$)	\$2,408	\$2,750	\$6,107	\$7,699	\$9,300

Price Group 82


OPTIONAL EQUIPMENT

Δp Filter Alarm with Gauge	4029531							
Price (\$)	\$514							
Valve Limit Switches	4060443							
Price (\$)	ON REQUEST							
Tower Insulation (indoor only)	4060434	4060435	4060436	4060437	4060438	4060439	4060440	4060441
Price (\$)	ON REQUEST							

Price Group 65

DRYPOINT® XHi Intelligent Heated Purge Desiccant Dryers

with external heater, variable purge valve, and **BEKOTOUCH 2** controls



DRYPOINT® XHi	XHi 100	XHi 150	XHi 200	XHi 250	XHi 300	XHi 400	XHi 500	XHi 600
Connection Size (NPT)	1"	1¼"	1½"	1½"	1½"	2"	2"	2½"
Flow Rate (scfm)	100	150	200	250	300	400	500	600
Dimensions and Weight								
H x W x D (inches)	67 x 39 x 27	71 x 46 x 29	73 x 52 x 30	73 x 52 x 30	75 x 54 x 30	78 x 61 x 36	79 x 64 x 39	78 x 74 x 42
Empty Weight (lbs)	574	576	670	673	808	999	1077	1336
Total Fill (lbs)	140	210	280	350	420	560	700	840

HEATED BLOWER DESICCANT DRYER WITHOUT FILTERS (FILTRATION REQUIRED)

Order ref.	4060300	4060301	4060302	4060303	4060304	4060305	4060306	4060307
Price (\$)	\$29,854	\$30,343	\$31,512	\$33,145	\$37,105	\$38,465	\$40,812	\$46,800

HEATED PURGE DESICCANT DRYER WITH MOUNTED FILTERS

Order ref.	4060316	4060317	4060318	4060319	4060320	4060321	4060322	4060323
Price (\$)	ON REQUEST							

HEATED PURGE DESICCANT DRYER WITH MOUNTED FILTERS AND 3-VALVE BYPASS

Order ref.	4060324	4060325	4060326	4060327	4060328	4060329	4060330	4060331
Price (\$)	ON REQUEST							

Price Group 65

REQUIRED FILTERS, NOT MOUNTED

	S100	M010	M012	M015	M018	M020	M022
Order ref.	4020388	4003524	4007053	4003405	4014542	4003406	4013032
Price (\$)	\$512	\$543	\$614	\$799	\$869	\$1,022	\$1,127
Order ref.	4021030	4021031	4024402	4021032	4021033	4007876	4021034
Price (\$)	\$425	\$444	\$514	\$730	\$809	\$1,010	\$1,082

Price Group 82

OPTIONAL EQUIPMENT

Δp Filter Alarm with Gauge	4029531							
Price (\$)	\$514							
Dew Point Demand	4060442							
Price (\$)	\$2,761							
Tower Insulation (indoor only)	4060426	4060427	4060428	4060429	4060430	4060431	4060432	4060433
Price (\$)	ON REQUEST							

Price Group 65

- › Standard outlet pressure dew point: -40 °F
- › Electrical power supply: XHi 100 - 250: 120 VAC / 1Ph / 60 Hz
XHi 300 - 3200: 460 VAC / 3 Ph / 60 Hz
- › Required pre-filtration grade SX: .01 µm | Required post-filtration grade FX: 1 µm
- › cUL certified controls with NEMA 4 indoor rating
- › Min. / max. inlet air temperature: 40 °F / 120 °F
- › Min. / max. ambient temperature: 40 °F / 120 °F
- › Min. / max. operating pressure: 60 / 150 psig

Maintenance Interval: < 8,000 hours
Maintenance and Spare Parts: Page 92
Extended Warranty: Page 152

DRYPOINT® XHi	XHi 800	XHi 1000	XHi 1200	XHi 1500	XHi 1800	XHi 2100	XHi 2500	XHi 3200
Connection Size (Flanged)	2½"	2½"	3"	3"	3"	4"	4"	6"
Flow Rate (scfm)	800	1000	1200	1500	1800	2100	2500	3200
Dimensions and Weight								
H x W x D (inches)	109 x 69 x 39	111 x 73 x 41	114 x 76 x 42	99 x 88 x 47	116 x 98 x 45	110 x 98 x 47	125 x 97 x 47	119 x 119 x 53
Empty Weight (lbs)	1552	1876	2160	2233	2801	3360	3624	4401
Total Fill (lbs)	1120	1400	1680	2100	2520	2940	3500	4480

HEATED BLOWER DESICCANT DRYER WITHOUT FILTERS (FILTRATION REQUIRED)

Order ref.	4060308	4060309	4060310	4060311	4060312	4060313	4060314	4060315
Price (\$)	\$52,550	\$65,020	\$69,996	\$75,987	\$79,876	\$96,634	\$98,282	\$107,654

Price Group 65

STANDALONE SKID-MOUNTED FILTRATION PACKAGE (PIPING KIT NOT INCLUDED)

H x W x D:	70 x 40 x 26	70 x 40 x 26	70 x 40 x 32	70 x 40 x 32	74 x 44 x 36
Order ref.	4049687	4049689	4049691	4049693	4049695
Price (\$)	\$7,871	\$8,800	\$17,067	\$21,152	\$25,001

STANDALONE SKID-MOUNTED FILTRATION PACKAGE WITH 3-VALVE BYPASS (PIPING KIT NOT INCLUDED)

Order ref.	4057760	4057761	4057762	4057763	4057764
Price (\$)	\$9,922	\$11,187	\$20,412	\$24,371	\$30,919

STANDALONE SKID-MOUNTED FILTRATION PACKAGE WITH INTERCONNECTING PIPING KIT

Order ref.	Consult Factory
Price (\$)	ON REQUEST

STANDALONE SKID-MOUNTED FILTRATION PACKAGE WITH INTERCONNECTING PIPING KIT & 3-VALVE BYPASS

Order ref.	Consult Factory
Price (\$)	ON REQUEST

Price Group 65

REQUIRED FILTERS, NOT MOUNTED

	M025	M030	L100	L102	L150
Order ref.	4020558	4007153	4020750	4020762	4045133
Price (\$)	\$2,481	\$2,821	\$6,562	\$8,172	\$9,775
Order ref.	4021036	4021037	4032234	4021056	4048944
Price (\$)	\$2,408	\$2,750	\$6,107	\$7,699	\$9,300

Price Group 82


OPTIONAL EQUIPMENT

Δp Filter Alarm with Gauge	4029531							
Price (\$)	\$514							
Dew Point Demand	4060442							
Price (\$)	\$2,761							
Tower Insulation (indoor only)	4060434	4060435	4060436	4060437	4060438	4060439	4060440	4060441
Price (\$)	ON REQUEST							

Price Group 65

DRYPOINT® XFe Economy Heated Blower Desiccant Dryers

with externally operated blower, high performance valves, BEKOTOUCH 2 controls, and loose filtration



DRYPOINT® XFe	XFe 800	XFe 1000	XFe 1200	XFe 1500	XFe 1800
Connection Size (NPT)	2½" Flange	2½" Flange	3" Flange	3" Flange	4" Flange
Flow Rate (scfm)	800	1000	1200	1500	1800
Dimensions and Weight					
H x W x D (inches)	110 x 95 x 39	111 x 95 x 39	115 x 106 x 47	99 x 106 x 47	118 x 126 x 54
Empty Weight (lbs)	1,841	2,222	2,417	2,486	3,354
Total Fill (lbs)	1,260	1,570	1,890	2,370	2,840

HEATED BLOWER DESICCANT DRYER WITHOUT FILTERS (FILTRATION REQUIRED)

Order ref.	4052633	4052634	4052635	4052636	4052637
Price (\$)	\$69,569	\$78,093	\$82,084	\$97,993	\$105,410

Price Group 65

REQUIRED FILTERS,
NOT MOUNTED

	M025	M030	L100
Pre-Filter .01 µm	4020558	4007153	4020750
Price (\$)	\$2,481	\$2,821	\$6,562
Post-Filter 1 µm	4021036	4021037	4032234
Price (\$)	\$2,408	\$2,750	\$6,107

Price Group 82

OPTIONAL EQUIPMENT

Dew Point Demand Control	4034925				
Price (\$)	\$2,761				
Δp Filter Alarm with Gauge	4029531				
Price (\$)	\$535				
Valve Position Indicators	4034919				
Price (\$)	\$1,932				
Tower Insulation (indoor only)	4034853	4034859	4034865	4034871	4034877
Price (\$)	\$4,138	\$4,286	\$4,481	\$4,681	\$4,824

Price Group 65

- › Standard outlet pressure dew point: -40 °F
- › Electrical power supply: 460 VAC / 3 Ph / 60 Hz
- › Required pre-filtration grade SX: .01 µm | Required post-filtration grade FX: 1 µm
- › cUL certified controls with NEMA 4 indoor rating
- › Min. / max. inlet air temperature: 40 °F / 120 °F
- › Min. / max. ambient temperature: 40 °F / 120 °F
- › Min. / max. operating pressure: 60 / 150 psig

Maintenance Interval: < 8,000 hours
Maintenance and Spare Parts: Page 92
Extended Warranty: Page 152

DRYPOINT® XFe	XFe 2300	XFe 2800	XFe 3300	XFe 4000	XFe 5000	XFe 6000
Connection Size (NPT)	4" Flange	4" Flange	6" Flange	6" Flange	6" Flange	6" Flange
Flow Rate (scfm)	2300	2800	3300	4000	5000	6000
Dimensions and Weight						
H x W x D (inches)	112 x 126 x 54	127 x 126 x 54	121 x 148 x 71	138 x 149 x 71	137 x 192 x 66	136 x 192 x 66
Empty Weight (lbs)	3,951	3,967	4,766	5,507	7,206	8,422
Total Fill (lbs)	3,640	4,390	5,180	6,260	7,820	9,380

HEATED BLOWER DESICCANT DRYER WITHOUT FILTERS (FILTRATION REQUIRED)

Order ref.	4052638	4052639	4052640	4052641	4052642	4052643
Price (\$)	\$121,248	\$135,262	\$173,332	\$196,437	\$224,409	\$260,239

Price Group 65

REQUIRED FILTERS, NOT MOUNTED

	L102	L150	L156
Pre-Filter .01 µm	4020762	4045133	4047776
Price (\$)	\$8,172	\$9,775	\$12,066
Post-Filter 1 µm	4021056	4048944	4021058
Price (\$)	\$7,699	\$9,300	\$11,591

Price Group 82


OPTIONAL EQUIPMENT

Dew Point Demand Control	4034925					
Price (\$)	\$2,761					
Δp Filter Alarm with Gauge	4029531					
Price (\$)	\$535					
Valve Position Indicators	4034919					
Price (\$)	\$1,932					
Tower Insulation (indoor only)	4034883	4034889	4034895	4034901	4034907	4034913
Price (\$)	\$4,938	\$5,464	\$6,389	\$6,801	\$7,429	\$8,172

Price Group 82

DRYPOINT® XFe Economy Heated Blower Desiccant Dryers

with externally operated blower, high performance valves, **BEKOTOUCH 2** controls, and filtration packages



DRYPOINT® XFe	XFe 800	XFe 1000	XFe 1200	XFe 1500	XFe 1800
Connection Size (Flanged)	2½"	2½"	3"	3"	4"
Flow Rate (scfm)	800	1000	1200	1500	1800
Dimensions and Weight					
H x W x D (inches)	110 x 95 x 39	111 x 95 x 39	115 x 106 x 47	99 x 106 x 47	118 x 126 x 54
Empty Weight (lbs)	1,841	2,222	2,417	2,486	3,354
Total Fill (lbs)	1,260	1,570	1,890	2,370	2,840

HEATED BLOWER DESICCANT DRYER WITHOUT FILTERS (FILTRATION REQUIRED)

Order ref.	4052633	4052634	4052635	4052636	4052637
Price (\$)	\$69,569	\$78,093	\$82,084	\$97,993	\$105,410

Price Group 65

STANDALONE SKID-MOUNTED FILTRATION PACKAGE (PIPING KIT NOT INCLUDED)

H x W x D:	70 x 40 x 26	70 x 40 x 26	70 x 40 x 32
Order ref.	4049687	4049689	4049691
Price (\$)	\$7,871	\$8,800	\$17,067

STANDALONE SKID-MOUNTED FILTRATION PACKAGE WITH 3-VALVE BYPASS (PIPING KIT NOT INCLUDED)

Order ref.	4057760	4057761	4057762
Price (\$)	\$9,922	\$11,187	\$20,412

STANDALONE SKID-MOUNTED FILTRATION PACKAGE WITH INTERCONNECTING PIPING KIT

Order ref.	4058335	4058336	4058337	4058338	4058339
Price (\$)	\$11,097	\$11,097	\$17,685	\$17,587	\$28,308

STANDALONE SKID-MOUNTED FILTRATION PACKAGE WITH INTERCONNECTING PIPING KIT & 3-VALVE BYPASS

Order ref.	4059073	4059074	4059075	4059076	4059077
Price (\$)	\$13,148	\$13,148	\$20,072	\$19,973	\$31,653

Price Group 65

OPTIONAL EQUIPMENT

Dew Point Demand Control	4034925				
Price (\$)	\$2,761				
Δp Filter Alarm with Gauge	4029531				
Price (\$)	\$535				
Valve Position Indicators	4034919				
Price (\$)	\$1,932				
Tower Insulation (indoor only)	4034853	4034859	4034865	4034871	4034877
Price (\$)	\$4,138	\$4,286	\$4,481	\$4,681	\$4,824

Price Group 65

- › Standard outlet pressure dew point: -40 °F
- › Electrical power supply: 460 VAC / 3 Ph / 60 Hz
- › Required pre-filtration grade SX: .01 µm | Required post-filtration grade FX: 1 µm
- › cUL certified controls with NEMA 4 indoor rating
- › Min. / max. inlet air temperature: 40 °F / 120 °F
- › Min. / max. ambient temperature: 40 °F / 120 °F
- › Min. / max. operating pressure: 60 / 150 psig

Maintenance Interval: < 8,000 hours
Maintenance and Spare Parts: Page 92
Extended Warranty: Page 152

DRYPOINT® XFe	XFe 2300	XFe 2800	XFe 3300	XFe 4000	XFe 5000	XFe 6000
Connection Size (Flanged)	4"	4"	6"	6"	6"	6"
Flow Rate (scfm)	2300	2800	3300	4000	5000	6000
Dimensions and Weight						
H x W x D (inches)	112 x 126 x 54	127 x 126 x 54	121 x 148 x 71	138 x 149 x 71	137 x 192 x 66	136 x 192 x 66
Empty Weight (lbs)	3,951	3,967	4,766	5,507	7,206	8,422
Total Fill (lbs)	3,640	4,390	5,180	6,260	7,820	9,380

HEATED BLOWER DESICCANT DRYER WITHOUT FILTERS (FILTRATION REQUIRED)

Order ref.	4052638	4052639	4052640	4052641	4052642	4052643
Price (\$)	\$121,248	\$135,262	\$173,332	\$196,437	\$224,409	\$260,239

Price Group 65

STANDALONE SKID-MOUNTED FILTRATION PACKAGE (PIPING KIT NOT INCLUDED)

H x W x D:	70 x 40 x 32	74 x 44 x 36	74 x 44 x 36
Order ref.	4049693	4049695	4049697
Price (\$)	\$21,152	\$25,001	\$34,660

STANDALONE SKID-MOUNTED FILTRATION PACKAGE WITH 3-VALVE BYPASS (PIPING KIT NOT INCLUDED)

Order ref.	4057763	4057764	4057765
Price (\$)	\$24,371	\$30,919	\$40,469

STANDALONE SKID-MOUNTED FILTRATION PACKAGE WITH INTERCONNECTING PIPING KIT

Order ref.	4058340	4058341	4058342	4058343	4058344	4058345
Price (\$)	\$33,176	\$33,273	\$45,780	\$55,990	\$55,915	\$55,895

STANDALONE SKID-MOUNTED FILTRATION PACKAGE WITH INTERCONNECTING PIPING KIT & 3-VALVE BYPASS

Order ref.	4059078	4059079	4059080	4059081	4059082	4059083
Price (\$)	\$36,521	\$36,618	\$49,520	\$59,731	\$59,655	\$59,634

Price Group 65


OPTIONAL EQUIPMENT

Dew Point Demand Control	4034925					
Price (\$)	\$2,761					
Δp Filter Alarm with Gauge	4029531					
Price (\$)	\$535					
Valve Position Indicators	4034919					
Price (\$)	\$1,932					
Tower Insulation (indoor only)	4034883	4034889	4034895	4034901	4034907	4034913
Price (\$)	\$4,938	\$5,464	\$6,389	\$6,801	\$7,429	\$8,172

Price Group 65

DRYPOINT® XFi ecoIntelligent Heated Blower Desiccant Dryers

with externally operated blower, 0-3% purge using auto-adjusting software, **BEKOTOUCH 2** controls, and loose filtration



DRYPOINT® XFi	XFi 800	XFi 1000	XFi 1200	XFi 1500	XFi 1800
Connection Size (Flanged)	2½"	2½"	3"	3"	4"
Flow Rate (scfm)	800	1000	1200	1500	1800
Dimensions and Weight					
H x W x D (inches)	110 x 95 x 39	111 x 95 x 39	115 x 106 x 47	99 x 106 x 47	118 x 126 x 54
Empty Weight (lbs)	1,815	2,104	2,357	2,526	3,057
Total Fill (lbs)	1,260	1,570	1,890	2,370	2,840

HEATED BLOWER DESICCANT DRYER WITHOUT FILTERS (FILTRATION REQUIRED)

Order ref.	4052644	4052645	4052646	4052647	4052648
Price (\$)	\$78,309	\$86,939	\$91,766	\$104,892	\$112,074

Price Group 65

REQUIRED FILTERS, NOT MOUNTED

	M025	M030	L100
Pre-Filter .01 µm	4020558	4007153	4020750
Price (\$)	\$2,481	\$2,821	\$6,562
Post-Filter 1 µm	4021036	4021037	4032234
Price (\$)	\$2,408	\$2,750	\$6,107

Price Group 82

OPTIONAL EQUIPMENT

Δp Filter Alarm with Gauge	4029531				
Price (\$)	\$535				
Tower Insulation (indoor only)	4034853	4034859	4034865	4034871	4034877
Price (\$)	\$4,138	\$4,286	\$4,481	\$4,681	\$4,824

Price Group 65

- › Standard outlet pressure dew point: -40 °F
- › Electrical power supply: 460 VAC / 3 Ph / 60 Hz
- › Required pre-filtration grade SX: .01 µm | Required post-filtration grade FX: 1 µm
- › cUL certified controls with NEMA 4 indoor rating
- › Min. / max. inlet air temperature: 40 °F / 120 °F
- › Min. / max. ambient temperature: 40 °F / 120 °F
- › Min. / max. operating pressure: 60 / 150 psig

Maintenance Interval: < 8,000 hours
 Maintenance and Spare Parts: Page 92
 Extended Warranty: Page 152

DRYPOINT® XFi	XFi 2300	XFi 2800	XFi 3300	XFi 4000	XFi 5000	XFi 6000
Connection Size (Flanged)	4"	4"	6"	6"	6"	6"
Flow Rate (scfm)	2300	2800	3300	4000	5000	6000
Dimensions and Weight						
H x W x D (inches)	112 x 126 x 54	126 x 126 x 54	121 x 148 x 71	138 x 149 x 71	137 x 192 x 66	136 x 192 x 66
Empty Weight (lbs)	3,698	4,000	5,592	6,468	7,236	7,711
Total Fill (lbs)	3,640	4,390	5,180	6,260	7,820	9,380

HEATED BLOWER DESICCANT DRYER WITHOUT FILTERS (FILTRATION REQUIRED)

Order ref.	4052649	4052650	4052651	4052652	4052653	4052654
Price (\$)	\$128,307	\$145,269	\$183,299	\$201,528	\$230,758	\$266,811

Price Group 65

REQUIRED FILTERS, NOT MOUNTED

	L102	L150	L156
Pre-Filter .01 µm	4020762	4045133	4047776
Price (\$)	\$8,172	\$9,775	\$12,066
Post-Filter 1 µm	4021056	4048944	4021058
Price (\$)	\$7,699	\$9,300	\$11,591

Price Group 82


OPTIONAL EQUIPMENT

Δp Filter Alarm with Gauge	4029531					
Price (\$)	\$535					
Tower Insulation (indoor only)	4034883	4034889	4034895	4034901	4034907	4034913
Price (\$)	\$4,938	\$5,464	\$6,389	\$6,801	\$7,429	\$8,172

Price Group 65

DRYPOINT® XFi ecoIntelligent Heated Blower Desiccant Dryers

with externally operated blower, 0-3% purge using auto-adjusting software, **BEKOTOUCH 2** controls, and filtration packages



DRYPOINT® XFi	XFi 800	XFi 1000	XFi 1200	XFi 1500	XFi 1800
Connection Size (NPT)	2½" Flange	2½" Flange	3" Flange	3" Flange	4" Flange
Flow Rate (scfm)	800	1000	1200	1500	1800
Dimensions and Weight					
H x W x D (inches)	110 x 95 x 39	111 x 95 x 39	115 x 106 x 47	99 x 106 x 47	118 x 126 x 54
Empty Weight (lbs)	1,815	2,104	2,357	2,526	3,057
Total Fill (lbs)	1,260	1,570	1,890	2,370	2,840

HEATED BLOWER DESICCANT DRYER WITHOUT FILTERS (FILTRATION REQUIRED)

Order ref.	4052644	4052645	4052646	4052647	4052648
Price (\$)	\$78,309	\$86,939	\$91,766	\$104,892	\$112,074

Price Group 65

STANDALONE SKID-MOUNTED FILTRATION PACKAGE (PIPING KIT NOT INCLUDED)

H x W x D:	70 x 40 x 26	70 x 40 x 26	70 x 40 x 32
Order ref.	4049687	4049689	4049691
Price (\$)	\$7,871	\$8,800	\$17,067

STANDALONE SKID-MOUNTED FILTRATION PACKAGE WITH 3-VALVE BYPASS (PIPING KIT NOT INCLUDED)

Order ref.	4057760	4057761	4057762
Price (\$)	\$9,922	\$11,187	\$20,412

STANDALONE SKID-MOUNTED FILTRATION PACKAGE WITH INTERCONNECTING PIPING KIT

Order ref.	4058335	4058336	4058337	4058338	4058339
Price (\$)	\$11,097	\$11,097	\$17,685	\$17,587	\$28,308

STANDALONE SKID-MOUNTED FILTRATION PACKAGE WITH INTERCONNECTING PIPING KIT & 3-VALVE BYPASS

Order ref.	4059073	4059074	4059075	4059076	4059077
Price (\$)	\$13,148	\$13,148	\$20,072	\$19,973	\$31,653

Price Group 65

OPTIONAL EQUIPMENT

Δp Filter Alarm with Gauge	4029531				
Price (\$)	\$514				
Tower Insulation (indoor only)	4034853	4034859	4034865	4034871	4034877
Price (\$)	\$3,982	\$4,125	\$4,312	\$4,505	\$4,642

Price Group 65

- › Standard outlet pressure dew point: -40 °F
- › Electrical power supply: 460 VAC / 3 Ph / 60 Hz
- › Required pre-filtration grade SX: .01 µm | Required post-filtration grade FX: 1 µm
- › cUL certified controls with NEMA 4 indoor rating
- › Min. / max. inlet air temperature: 40 °F / 120 °F
- › Min. / max. ambient temperature: 40 °F / 120 °F
- › Min. / max. operating pressure: 60 / 150 psig

Maintenance Interval: < 8,000 hours
 Maintenance and Spare Parts: Page 92
 Extended Warranty: Page 152

DRYPOINT® XFi	XFi 2300	XFi 2800	XFi 3300	XFi 4000	XFi 5000	XFi 6000
Connection Size (NPT)	4" Flange	4" Flange	6" Flange	6" Flange	6" Flange	6" Flange
Flow Rate (scfm)	2300	2800	3300	4000	5000	6000
Dimensions and Weight						
H x W x D (inches)	112 x 126 x 54	126 x 126 x 54	121 x 148 x 71	138 x 149 x 71	137 x 192 x 66	136 x 192 x 66
Empty Weight (lbs)	3,698	4,000	5,592	6,468	7,236	7,711
Total Fill (lbs)	3,640	4,390	5,180	6,260	7,820	9,380

HEATED BLOWER DESICCANT DRYER WITHOUT FILTERS (FILTRATION REQUIRED)

Order ref.	4052649	4052650	4052651	4052652	4052653	4052654
Price (\$)	\$128,307	\$145,269	\$183,299	\$201,528	\$230,758	\$266,811

Price Group 65

STANDALONE SKID-MOUNTED FILTRATION PACKAGE (PIPING KIT NOT INCLUDED)

H x W x D:	70 x 40 x 32	74 x 44 x 36	74 x 44 x 36
Order ref.	4049693	4049695	4049697
Price (\$)	\$21,152	\$25,001	\$34,660

STANDALONE SKID-MOUNTED FILTRATION PACKAGE WITH 3-VALVE BYPASS (PIPING KIT NOT INCLUDED)

Order ref.	4057763	4057764	4057765
Price (\$)	\$24,371	\$30,919	\$40,469

STANDALONE SKID-MOUNTED FILTRATION PACKAGE WITH INTERCONNECTING PIPING KIT

Order ref.	4058340	4058341	4058342	4058343	4058344	4058345
Price (\$)	\$33,176	\$33,273	\$45,780	\$55,990	\$55,915	\$55,895

STANDALONE SKID-MOUNTED FILTRATION PACKAGE WITH INTERCONNECTING PIPING KIT & 3-VALVE BYPASS

Order ref.	4059078	4059079	4059080	4059081	4059082	4059083
Price (\$)	\$36,521	\$36,618	\$49,520	\$59,731	\$59,655	\$59,634

Price Group 65


OPTIONAL EQUIPMENT

Δp Filter Alarm with Gauge	4029531					
Price (\$)	\$514					
Tower Insulation (indoor only)	4034883	4034889	4034895	4034901	4034907	4034913
Price (\$)	\$4,752	\$5,258	\$6,149	\$6,545	\$7,150	\$7,865

Price Group 65

DRYPOINT® AC HP Heatless High Pressure Desiccant Dryers

full stainless steel components with PLC controller



DRYPOINT® AC HP	AC 60 HP 100	AC 90 HP 100	AC 160 HP 100	AC 250 HP 100	AC 390 HP 100	AC 110 HP 250	AC 145 HP 250	AC 210 HP 250
Connection Size (NPT)	½"	½"	½"	½"	½"	½"	½"	½"
Flow Rate (scfm)	35	50	95	145	230	65	85	125
Max. Pressure (psig)	1450	1450	1450	1450	1450	3600	3600	3600

Dimensions and Weight

H x W x D (inches)	57 x 31 x 18	59 x 31 x 18	59 x 31 x 18	70 x 31 x 18	70 x 33 x 20	53 x 31 x 18	53 x 31 x 18	66 x 31 x 18
Weight (lbs)	350	350	400	550	570	460	485	540

Price (\$)	ON REQUEST									
Price Group 61										

OPTIONAL EQUIPMENT

Purge Air Heater	Consult Factory
Price (\$)	\$4,622
Shock Proofing	Consult Factory
Price (\$)	ON REQUEST
Needle Valve (manual drain)	Consult Factory
Price (\$)	\$856
Auto Drain 115 V / 60 Hz with Timer	4024797
Price (\$)	\$2,529
Vibration Dampening Pads	4034084
Price (\$)	\$283

Price Group 63

- › Standard pressure dew point: -40 °F
- › Optional outlet pressure dew point: -100 °F
- › Vessels and all components are stainless steel
- › Optional pressure approvals: on request
- › Shock and vibration proof systems: on request
- › External low pressure purge attachment: on request
- › Standard electrical power supply: 85 - 265 VAC; 24 Vdc; 50-60 Hz
- › Included pre-filtration grade SX: .01 µm
- › Optional pre-filtration grade FX: 1 µm
- › Included post-filtration grade FX: 1 µm
- › Min. / max. air inlet temperature: 41 °F / 131 °F
- › Min. / max. ambient temperature: 41°F / 122°F

Maintenance Interval: < 8,000 hours
Maintenance and Spare Parts: Page 92
Extended Warranty: Page 152

DRYPOINT® AC HP	AC 440 HP 250	AC 655 HP 250	AC 145 HP 350	AC 190 HP 350	AC 265 HP 350	AC 540 HP 350	AC 820 HP 350
Connection Size	½"	½"	½"	½"	½"	½"	½"
Flow Rate (scfm)	260	385	85	110	155	315	480
Max. Pressure (psig)	3600	3600	5000	5000	5000	5000	5000

Dimensions and Weight

H x W x D (inches)	66 x 31 x 18	70 x 33 x 20	53 x 31 x 18	53 x 31 x 18	66 x 31 x 18	66 x 31 x 18	70 x 33 x 20
Weight (lbs)	620	680	460	485	540	620	680

Price (\$)	ON REQUEST						
------------	------------	--	--	--	--	--	--

Price Group 61

OPTIONAL EQUIPMENT

Purge Air Heater	Consult Factory
Price (\$)	\$4,622
Shock Proofing	Consult Factory
Price (\$)	ON REQUEST
Needle Valve (manual drain)	Consult Factory
Price (\$)	\$856
Auto Drain 115 V / 60 Hz with Timer	4024797
Price (\$)	\$2,529
Vibration Dampening Pads	4034084
Price (\$)	\$283

Price Group 63

DRYPOINT® X Maintenance

■ for all XCe and XCp series desiccant dryers

Maintenance Interval: 8,000 hours

DRYPOINT® X	XCe/XCp 80	XCe/XCp 100	XCe/XCp 120	XCe/XCp 160	XCe/XCp 200	XCe/XCp 250	XCe/XCp 300	XCe/XCp 400	XCe/XCp 500
Complete Exhaust Silencer	4020833	4020834	4020833 x 2	4020835	4020836	4020836	4026420 x 2	4020835 x 2	4020835 x 2
Price (\$)	\$106	\$122	\$106 ea.	\$229	\$275	\$275	\$128 ea.	\$229 ea.	\$229 ea.

Price Group 63

Replacement Element Pre-Filter (0.1 µm)	4038113	4038149	4038114	4038115	4038150	4038151
Price (\$)	\$148	\$176	\$226	\$245	\$282	\$336
Replacement Element Post-Filter (1 µm)	4038106	4038140	4038107	4038108	4038141	4038142
Price (\$)	\$148	\$176	\$226	\$245	\$282	\$336

Price Group 86

Float Drain Maintenance Kit	4025536
Price (\$)	\$100

Price Group 84

BEKOMAT® 31 Service Unit	4023608
Price (\$)	\$147
BEKOMAT® 32 Service Unit	4025061
Price (\$)	\$174

Price Group 13

DRYPOINT® X	XCe/XCp 650	XCe/XCp 800	XCp 1000	XCp 1200	XCp 1500	XCp 1900	XCp 2300	XCp 2800
Exhaust Silencer Element	-	4029620 x 8	4029621 x 8	4029621 x 8	4029621 x 8	4029621 x 8	4029621 x 8	4029621 x 8
Price (\$)	-	\$121 ea.	\$159 ea.	\$159 ea.	\$159 ea.	\$159 ea.	\$159 ea.	\$159 ea.
Complete Exhaust Silencer	4020836 x 2	4060228 x 2	4060229 x 2	4060229 x 2	4060229 x 2	4060229 x 2	4060229 x 2	4060229 x 2
Price (\$)	\$275 ea.	\$1,266 ea.	\$1,405 ea.	\$1,405 ea.	\$1,405 ea.	\$1,405 ea.	\$1,405 ea.	\$1,405 ea.
Butterfly Valve Disc Seal Kit (*Dryer serial nos. prior to 15858906)	-	4032037 x 4	4032038 x 4	4032039 x 4	4032039 x 4	4032039 x 4	4032039 x 4	4032039 x 4
Price (\$)	-	\$74	\$96	\$121	\$121	\$121	\$121	\$121
Butterfly Valve Disc Seal Kit (*Dryer serial nos. from 15858906)	-	4061006 x 4	4061007 x 4	4061008 x 4	4061008 x 4	4061008 x 4	4061008 x 4	4061008 x 4
Price (\$)	-	\$85	\$99	\$110	\$110	\$110	\$110	\$110

Price Group 63

Replacement Element Pre-Filter (0.1 µm)	4038116	4038154	4038155	4038156	4038117 x 3
Price (\$)	\$471	\$531	\$790	\$889	\$1,320
Replacement Element Post-Filter (1 µm)	4038109	4038145	4038146	4038147	4038110 x 3
Price (\$)	\$471	\$531	\$790	\$889	\$1,320

Price Group 86

Float Drain Maintenance Kit	4025536
Price (\$)	\$100

Price Group 84

BEKOMAT® 31 Service Unit	4023608
Price (\$)	\$147
BEKOMAT® 32 Service Unit	4025061
Price (\$)	\$174

Price Group 13

DRYPOINT® X Maintenance

■ for all XCe and XCp series desiccant dryers

Maintenance Interval: 16,000 hours

DRYPOINT® X	XCe/XCp 80	XCe/XCp 100	XCe/XCp 120	XCe/XCp 160	XCe/XCp 200	XCe/XCp 250	XCe/XCp 300	XCe/XCp 400	XCe/XCp 500	XCe/XCp 650	XCe/XCp 800
Inlet Valve Actuator	4027892	4027893		4027894		4027895		4027896		4027897	
Price (\$)	\$290	\$312		\$397		\$416		\$777		\$940	
Exhaust Valve		4020800		4020802		4026416			4020804		4020806
Price (\$)		\$267		\$287		\$373			\$375		\$398
Exhaust Valve Actuator		4027887		4027888		4027889			4027890		4027891
Price (\$)		\$180		\$196		\$237			\$302		\$275
¾" Valve Service Seal Kit						4027898					
Price (\$)						\$18					
1" Valve Service Seal Kit						4027899					
Price (\$)						\$21					
1¼" Valve Service Seal Kit						4027900					
Price (\$)						\$38					
1½" Valve Service Seal Kit						4027901					
Price (\$)						\$45					
2" Valve Service Seal Kit						4027902					
Price (\$)						\$60					
2½" Valve Service Seal Kit						4027903					
Price (\$)						\$139					

Price Group 63

■ activated alumina desiccant filling material

Maintenance Interval: 24,000 hours

DRYPOINT® X	XCe/XCp 80	XCe/XCp 100	XCe/XCp 120	XCe/XCp 160	XCe/XCp 200	XCe/XCp 250	XCe/XCp 300	XCe/XCp 400
Order ref. 1/8" diameter						4027022		
Unit of Measure						lbs.		
Order qty.	132	167		262		384		539
Price (\$)	\$660	\$835		\$1,310		\$1,920		\$2,695

Price Group 63

DRYPOINT® X	XCe/XCp 500	XCe/XCp 650	XCe/XCp 800	XCp 1000	XCp 1200	XCp 1500	XCp 1900	XCp 2300	XCp 2800
Order ref. 1/8" diameter						4027022			
Unit of Measure						lbs.			
Order qty.	715	917	1114	1120	1355	1840	2110	3125	
Price (\$)	\$3,575	\$4,585	\$5,570	\$5,600	\$6,775	\$9,200	\$10,550	\$15,625	

Price Group 63

DRYPOINT® X Spare Parts

■ standard replacement components for XCe and XCp series desiccant dryers

DRYPOINT® X	XCe/XCp 80	XCe/XCp 100	XCe/XCp 120	XCe/XCp 160	XCe/XCp 200	XCe/XCp 250	XCe/XCp 300	XCe/XCp 400	XCe/XCp 500	XCe/XCp 650	XCe/XCp 800
Outlet Check Valve	4020820	4020822		4026421		4020821		4020823		4020816	
Price (\$)	\$37	\$47		\$71		\$102		\$142		\$312	
Pressure Relief Safety Valve		4026666		4026667		4026668				4026669	
Price (\$)		\$53		\$77		\$140				\$466	
Complete Dryer Inlet Valve	4020801	4020803		4026417		4020805		4020807		4032458	
Price (\$)	\$288	\$316		\$362		\$415		\$801		\$850	
Complete Dryer Exhaust Valve		4020800		4020802		4026416		4020804		4020806	
Price (\$)		\$267		\$287		\$373		\$375		\$398	
Purge Flow Control Valve		4020764				4020765		4020766			
Price (\$)		\$101				\$139		\$254			

DRYPOINT® X	XCp 1000	XCp 1200	XCp 1500	XCp 1900	XCp 2300	XCp 2800
Outlet Check Valve	4029374		4029375		4029376	
Price (\$)	\$374		\$419		\$582	
Pressure Relief Safety Valve	4026669	4026670		4026671		4026672
Price (\$)	\$466	\$572		\$671		\$879
Purge Flow Control Valve	4032820		4032819		4032822	
Price (\$)	\$56		\$82		\$109	
Complete Exhaust Silencer	4060228 x 2		4060229 x 2			
Price (\$)	\$1,266 ea.		\$1,405 ea.			
Complete Inlet/Purge Butterfly Valve	4059187 x 4		4059189 x 4		4059191 x 4	
Price (\$)	\$425 ea.		\$450 ea.		\$535 ea.	

Price Group 63

Standardized Replacement Parts	Order ref.	Price (\$)
BEKOMINI Controller for All XCe Models	4026540	\$468
BEKOTOUCH Controller for All XCp Models	4052559	\$972
BEKOTOUCH Display Screen for All XCp Models	4052560	\$1,411
Complete Solenoid Valve Assembly for XCe/XCp 80-800	4024046	\$641
Complete Solenoid Valve Assembly for XCp 1000-2800	4029193	\$1,080
2½" 0-160 psig Pressure Gauge for All XCe Models	4026663	\$27
2½" 0-160 psig Pressure Gauge for All XCp Models	4026664	\$45
Complete Humidity Sensor Assembly for All XCp Models	4027695	\$333
Gauge Clamp for All XCp Models	4026665	\$13
¼" 20-130 psig Filter Regulator Combo for All XCe/XCp Models	4026419	\$122
Fiilter Element for Filter Regulator Combo	4038241	\$7
Replacement Brass Cone Silencer for All XCe/XCp Models	4026418	\$10
Replacement On/Off Switch for XCp 80-2800	4029399	\$110
Replacement Speed Control for All XCe/XCp Models	4027427	\$31

Always refer to the installation and operating manual supplied with the dryer being serviced

Price Group 63

■ replacement desiccant filling material

Replacement Activated Alumina (lbs.) ¾" (other varieties available on request)		
All models and fill weights	4027022	\$5 per lb

Price Group 63

DRYPOINT® ACH Maintenance

■ for all previous generation ACH series desiccant dryers

Maintenance Interval: 8,000 hours

DRYPOINT® ACH	ACH 70	ACH 130	ACH 180	ACH 260	ACH 355	ACH 460	ACH 575	ACH 720	ACH 1010	ACH 1300	ACH 1725	ACH 2350	ACH 3250	ACH 4050
Replacement Element Pre-Filter (.01 µm)	4038112	4038113	4038149	4038114	4038115	4038150	4038151	4038152	4038153	4038116	4038117 x 2	4038117 x 3	4038117 x 4	4038117 x 7
Price (\$)	\$140	\$148	\$176	\$226	\$245	\$282	\$336	\$372	\$434	\$471	\$880	\$1,320	\$1,760	\$3,080
Replacement Element Post-Filter (1 µm)	4038105	4038106	4038140	4038107	4038108	4038141	4038142	4038143	4038144	4038109	4038110 x 2	4038110 x 3	4038110 x 4	4038110 x 7
Price (\$)	\$140	\$148	\$176	\$226	\$245	\$282	\$336	\$372	\$434	\$471	\$880	\$1,320	\$1,760	\$3,080

Price Group 86

Order ref. 1/8" dia. Activated Alumina	4027022													
Order qty.	100	180	250	360	490	640	800	1,000	1,400	1,800	2,400	3,300	4,500	5,600
Price (\$)	\$500	\$900	\$1,250	\$1,800	\$2,450	\$3,200	\$4,000	\$5,000	\$7,000	\$9,000	\$12,000	\$16,500	\$22,500	\$28,000

Price Group 63

DRYPOINT® ACH Spare Parts

■ replacement desiccant filling material

Replacement Activated Alumina (lbs.) 1/8" (other varieties available on request)		
All models and fill weights	4027022	\$5 per lb

Price Group 63

DRYPOINT® ACC Maintenance

■ complete maintenance kits and spare parts

Maintenance Interval: see below

ACC 4 - 35 for all model years and ACC 45 - 105 up to model year 2021

Dryer Model	Annual Maintenance				Maintenance Kit A				Maintenance Kit B			
	with Float Drain		with BEKOMAT®		with Float Drain		with BEKOMAT®		with Float Drain		with BEKOMAT®	
	Order ref.	Price (\$)	Order ref.	Price (\$)	Order ref.	Price (\$)	Order ref.	Price (\$)	Order ref.	Price (\$)	Order ref.	Price (\$)
ACC 4	4048821	\$239	4022723	\$239	4048826	\$470	4023687	\$470	4048843	\$1,424	4023705	\$1,424
ACC 6					4048827	\$551	4023688	\$551	4048844	\$1,499	4023706	\$1,499
ACC 8					4048828	\$580	4023689	\$580	4048845	\$1,557	4023707	\$1,557
ACC 10					4048829	\$705	4023690	\$715	4048846	\$1,684	4023708	\$1,684
ACC 15					4048830	\$861	4023691	\$861	4048847	\$1,838	4023709	\$1,838
ACC 25					4048831	\$965	4023692	\$965	4048848	\$1,943	4023710	\$1,943
ACC 35					4048832	\$1,299	4023693	\$1,299	4048849	\$2,276	4023711	\$2,276
ACC 45	4048822	\$280	4022724	\$280	4048833	\$1,409	4023694	\$1,409	4048850	\$2,817	4023712	\$2,817
ACC 55					4048834	\$1,521	4023695	\$1,521	4048851	\$2,927	4023713	\$2,927
ACC 65					4048835	\$1,705	4023696	\$1,705	4048852	\$3,112	4023714	\$3,112
ACC 85	4048823	\$300	4022725	\$300	4048836	\$1,928	4023697	\$1,928	4048853	\$3,336	4023715	\$3,336
ACC 105					4048837	\$2,373	4023698	\$2,373	4048854	\$3,779	4023716	\$3,779

ACC 46 - 110 for model year 2022 and newer

Dryer Model	Annual Maintenance				Maintenance Kit A				Maintenance Kit B			
	with Float Drain		with BEKOMAT®		with Float Drain		with BEKOMAT®		with Float Drain		with BEKOMAT®	
	Order ref.	Price (\$)	Order ref.	Price (\$)	Order ref.	Price (\$)	Order ref.	Price (\$)	Order ref.	Price (\$)	Order ref.	Price (\$)
ACC 46	4056917	\$328	4056919	\$363	4056951	\$1,938	4056973	\$1,990	4056968	\$3,425	4056978	\$3,436
ACC 56					4056964	\$2,070	4056974	\$2,058	4056969	\$3,635	4056979	\$3,626
ACC 75					4056965	\$2,315	4056975	\$2,260	4056970	\$3,811	4056980	\$3,842
ACC 90	4056918	\$404	4056920	\$442	4056966	\$2,537	4056976	\$2,540	4056971	\$3,987	4056981	\$4,095
ACC 110					4056967	\$3,069	4056977	\$3,111	4056972	\$4,474	4056982	\$4,641

Price Group 69

Annual Maintenance (1-year) Kit includes: pre-filter replacement element and drain service kit.

Maintenance Kit A (2-year) includes: all components in the 1-year kit **plus** desiccant cartridges, pre-filter replacement element, drain service kit, sealing o-rings with washers and service manual.

Maintenance Kit B (4-year) includes: all components in the 1-year and 2-year kits **plus** a complete valve service kit and service manual.

NOTE: preventative maintenance is to be performed at intervals of 1-year, 2-years and 4-years or 6,000, 12,000 and 24,000 hours- whichever comes first.

DRYPOINT® ACC	Order ref.	Price (\$)
Valve Service Kit for ACC 4 - 35 - all model years	4022889	\$969
Valve Service Kit for ACC 45 - 175 - up to model year 2021	4022890	\$1,395
Solenoid Valve Kit for ACC 46 - 110 - model year 2022 and newer	4054051	\$1,565
Shuttle Valve Kit for ACC 4 - 35 - all model years	4035867	\$137
Shuttle Valve Kit for ACC 45 - 175 - up to model year 2021	4035868	\$313
Shuttle Valve Kit for ACC 46 - 110 - model year 2022 and newer	4054050	\$313
Silencer for ACC 4 - all model years	4056245	\$172
Silencer for ACC 6 - 35 - all model years	4035863	\$172
Silencer for ACC 45 - 85 - up to model year 2021	4035864	\$378
Silencer for ACC 46 - 90 - model year 2022 and newer	4054049	\$378
Silencer for ACC 105 - 175 - up to model year 2021	4035865	\$565
Silencer for ACC 110 - 180 - model year 2022 and newer	4055292	\$565
Diaphragm Kit Top for ACC 4 - 35 - all model years	4022206	\$192
Diaphragm Kit Bottom for ACC 4 - 35 - all model years	4022208	\$192
Master Seal Kit for ACC 46 - 110 - model year 2022 and newer	4054053	\$192
Controller for ACC 4 - 35 - all model years	4027273	\$1,463
Controller for ACC 45 - 365 - up to model year 2021	4027027	\$2,300
Controller with Valves for ACC 46 - 110 - model year 2022 and newer	4054052	\$2,894

Price Group 69

DRYPOINT® AC HP Maintenance

■ replacement filter elements, maintenance parts, and select spare parts

Maintenance Interval: < 8,000 hours

Filter Housing	CX 25 µm	FX 1 µm	SX .01 µm	A .003 ppm	Price (\$)
HP100S040	4007820	4007822	4007823	4007824	\$323
HP100S045	4007827	4007829	4007830	4007831	\$416
HP100S050	4007835	4007839	4007841	4007843	\$522
HP100S055	4007836	4007840	4007842	4007844	\$614
HP100S075	4007849	4007853	4007855	4007857	\$687
HP100M010	4007850	4007854	4007856	4007858	\$794
HP100M015	4007863	4007867	4007869	4007871	\$874
HP100M020	4007864	4007868	4007870	4007872	\$1,186
HP350S030	4007820	4007822	4007823	4007824	\$323
HP350S040	4007827	4007829	4007830	4007831	\$416
HP350S045	4007835	4007839	4007841	4007843	\$522
HP350S050	4007836	4007840	4007842	4007844	\$614
HP350S075	4007849	4007853	4007855	4007857	\$687
HP350M010	4007850	4007854	4007856	4007858	\$794
HP350M012	4007863	4007867	4007869	4007871	\$874
HP350M015	4007864	4007868	4007870	4007872	\$1,186

Price Group 84

Maintenance Interval: see manual

Maintenance Parts	Installation Location (diagram in manual)	Order ref.	Price (\$)
1" Standard Silencer	X11	4016160	\$425
1" Low-noise Silencer	X11A	4016161	\$223
Safety Valve	S3	4016162	\$92
Water Resistant Desiccant per 2 lbs	-	4016163	\$125
Water Resistant Desiccant per 7 lbs	-	4016164	\$372
Molecular Sieve Desiccant per 2 lbs	-	4016165	\$170
Molecular Sieve Desiccant per 9 lbs	-	4016166	\$671
Sealing Kit (non-return valve)		4022984	\$525

Price Group 63

Select Spare Parts	Installation Location on Diagram in Manual	Order ref.	Price (\$)
Changeover Valve	V1/2	4016144	\$9,461
Pressure Build-up Valve	V3	4016145	\$5,356
Pressure Release Valve	V4	4016146	\$5,874
Complete Valve Set	V1-V4, R1-R4	4016147	\$25,482
Non-return Valve Block	R1-R4	4016149	\$4,808
Non-return Valve	R5	4016148	\$333
Pressure Controller (up to 6,092 psig)	X13	4016150	\$5,530
Second Stage Pressure Reducer	X2	4016151	\$384
Pneumatic Pilot Valves	Y1-Y4	4058176	\$1,879
Needle Valve (manual drain)	H3-H5	4016153	\$432
Pressure Gauge 0-232 psig	PI 1.4	4016154	\$123
Pressure Gauge 0-375 psig	PI 1.3	4016155	\$123
Pressure Gauge 0-4,351 psig	PI 1.1/1.2	4016156	\$123
Pressure Gauge 0-5,800 psig	PI 1.1/1.2	4016157	\$123
Pressure Gauge 0-8,700 psig	PI 1.1/1.2	4016158	\$352
Auto Drain (5,076 psig, 15 V without cable)	-	4024797	\$2,529
Vessel Sieve	X5	4016159	\$432
Adapter for Vessel Ø12mm/116m	-	4024859	\$432
Sealing Kit for ½" Vessel	-	4024858	\$111
Electronic Control Unit 24 VDC	-	XE ACHP 26400	\$3,836
Electronic Control Unit 230 VAC	-	XE ACHP 26405	\$4,545

Price Group 63

Membrane Drying

DRYPOINT® MD

space saving compressed air membrane dryers

- › MDe economy membrane air dryers
- › MDp premium membrane air dryers with integrated pre-filtration
- › FDR filter, membrane air dryer, regulator packages
- › MDi ecoIntelligent membrane air dryers



DRYPOINT® MD Product Selector Chart

product sizing table for MDe, MDp and FDR series membrane air dryers

Inlet Pressure Dew Point (PDP)		Desired Outlet PDP Result Based on Nearest Inlet PDP Parameter							
40 °F	with refrigerant drying	26 °F	0 °F	-30 °F	-40 °F				
100 °F	without refrigerant drying	70 °F	35 °F	-4 °F	-20 °F				

Model Selector	Flow Rate (scfm)							
	Inlet	Outlet	Inlet	Outlet	Inlet	Outlet	Inlet	Outlet
MDe 2, MDp 2 and FDR 2	2.09	1.92	.98	.81	.64	.47	.58	.42
MDe 4, MDp 4 and FDR 4	4.18	3.83	2.07	1.72	1.44	1.09	1.33	.96
MDe 6, MDp 6 and FDR 6	6.27	5.75	3.10	2.58	2.15	1.63	2.00	1.44
MDe 8, MDp 8 and FDR 8	8.36	7.67	4.13	3.43	2.87	2.17	2.63	1.89
MDe 10, MDp 10 and FDR 10	11.34	10.29	5.70	4.66	4.10	3.05	3.85	2.77
MDe 12, MDp 12 and FDR 12	12.55	11.50	6.20	5.15	4.31	3.26	3.89	2.81
MDe 17, MDp 17 and FDR 17	16.73	15.33	8.25	6.85	5.75	4.35	5.17	3.76
MDe 25 and MDp 25	25.09	23.00	12.41	10.31	8.63	6.53	7.94	5.69
MDe 35 and MDp 35	33.46	30.66	16.53	13.74	11.50	8.70	10.51	7.56
MDe 45 and MDp 45	43.29	39.09	24.24	20.05	17.25	13.06	15.97	11.52
MDe 55 and MDp 55	55.89	50.64	28.92	23.68	20.65	15.40	19.08	13.68
MDe 65 and MDp 65	67.21	60.81	35.49	29.09	25.21	18.81	23.56	16.92
MDe 100 and MDp 100	100.77	91.37	53.26	43.85	37.86	28.46	35.33	25.42
MDe 130 and MDp 130	134.35	121.78	71.00	58.41	50.48	37.90	46.79	33.70

Correction Factors

Operating Pressure (psig)	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180
Correction Factor	0.22	0.32	0.42	0.54	0.68	0.83	1.00	1.13	1.26	1.40	1.55	1.70	1.87	2.03	2.19


The correction factors on this page provide an estimation of the performance that can be achieved with the model sizes shown. For precise sizing for your application, please contact your BEKO Technologies sales representative.

DRYPOINT® MDe Economy Series Membrane Dryers

standard membrane air dryer with tubular or filter style housing

- › Required pre-filtration: 5 µm (MDe 2-8) or .01 µm (MDe 10-130)
- › Min. ambient air temperature: 34 °F
- › Max. standard operating temperature: 130 °F
- › Max. standard operating pressure: 140 psig
- › Max. optional operating temperature: 160 °F
- › Max. optional operating pressure: 232 psig

Maintenance Interval: 8,000 hours
Maintenance and Spare Parts: Page 107
Extended Warranty: Page 152



DRYPOINT® MDe	MDe 2	MDe 4	MDe 6	MDe 8	MDe 10	MDe 12	MDe 17
Connection Size (NPT)	¼"	¼"	¼"	¼"	¾"	¾"	¾"
Inlet Flow Rate (scfm)	2.09	4.18	6.27	8.36	11.34	12.55	16.73
Installation Orientation and Housing Design	Horizontal Tubular Style	Horizontal Tubular Style	Horizontal Tubular Style	Horizontal Tubular Style	Vertical Filter Style	Vertical Filter Style	Vertical Filter Style
Dimensions and Weight							
A x B x C (inches)	5.51	7.48	9.06	11.42	13.34 x 2.95 x 1.10	16.10 x 2.95 x 1.10	18.46 x 2.95 x 1.10
D (inches)	ø1.77	ø1.77	ø1.77	ø1.77	-	-	-
Weight (lbs)	0.60	0.77	0.90	1.08	4.08	4.58	4.97

Order ref.	4041398	4006052	4006071	4006055	4016246	4006056	4041399
Price (\$)	\$699	\$796	\$904	\$1,003	\$1,121	\$1,162	\$1,294
Optional Operating Temperature and Pressure AP	Factory installed option - please add AP suffix to order reference number (Example: 4016246-AP)						
Price (\$)	ON REQUEST						

Price Group 70

REQUIRED PRE-FILTRATION	KN Series	S040
Pre-Filter 5 µm or .01 µm	4011323 (5 µm)	4002950 (.01 µm)
Price (\$)	\$184	\$244

Price Group 82

DRYPOINT® MDe	MDe 25	MDe 35	MDe 45	MDe 55	MDe 65	MDe 100	MDe 130
Connection Size (NPT)	¾"	¾"	¾"	¾"	1½"	1½"	1½"
Inlet Flow Rate (scfm)	25.09	33.46	43.29	55.89	67.21	100.77	134.35
Installation Orientation and Housing Design	Vertical Filter Style	Vertical Filter Style	Vertical Filter Style	Vertical Filter Style	Vertical Filter Style	Vertical Filter Style	Vertical Filter Style
Dimensions and Weight							
A x B x C (inches)	18.98 x 3.94 x 1.34	20.95 x 3.94 x 1.34	23.70 x 3.94 x 1.34	26.46 x 3.94 x 1.34	23.20 x 5.74 x 1.89	28.30 x 5.74 x 1.89	34.60 x 5.74 x 1.89
D (inches)	-	-	-	-	-	-	-
Weight (lbs)	7.66	8.38	8.99	9.64	17.14	19.56	22.00

Order ref.	4006062	4006065	4006068	4010491	4011371	4011369	4011091
Price (\$)	\$1,531	\$1,710	\$1,900	\$2,036	\$4,009	\$5,388	\$7,073
Optional Operating Temperature and Pressure AP	Factory installed option - please add AP suffix to order reference number (Example: 40xxxxx-AP)						
Price (\$)	ON REQUEST						

Price Group 70

REQUIRED PRE-FILTRATION	S045	S050	S055	S075	S100
Pre-Filter .01 µm	4020231	4002951	4002952	4002953	4020384
Price (\$)	\$260	\$289	\$341	\$389	\$425


Price Group 82

DRYPOINT® MDp Premium Series Membrane Dryers

membrane air dryer with integrated pre-filter

- › Integrated pre-filtration: .01 µm
- › Recommended pre-filtration: 1 or 5 µm
- › Min. ambient air temperature: 34 °F
- › Max. standard operating temperature: 130 °F
- › Max. standard operating pressure: 140 psig
- › Max. optional operating temperature: 160 °F
- › Max. optional operating pressure: 232 psig

Maintenance Interval: 8,000 hours
Maintenance and Spare Parts: Page 107
Extended Warranty: Page 152



DRYPOINT® MDp	MDp 2	MDp 4	MDp 6	MDp 8	MDp 10	MDp 12	MDp 17
Connection Size (NPT)	¼"	¼"	¼"	¼"	¾"	¾"	¾"
Inlet Flow Rate (scfm)	2.09	4.18	6.27	8.36	11.34	12.55	16.73
Dimensions and Weight							
A x B x C (inches)	10.43 x 1.81 x 1.06	12.40 x 1.81 x 1.06	13.98 x 1.81 x 1.06	16.34 x 1.81 x 1.06	17 x 2.95 x 1.10	19.76 x 2.95 x 1.10	22.19 x 2.95 x 1.10
Weight (lbs)	1.74	1.92	2.07	2.07	4.13	4.63	5.07

Order ref.	4011794	4011795	4011796	4011797	4041400	4010308	4041401
Price (\$)	\$964	\$1,020	\$1,134	\$1,241	\$1,315	\$1,455	\$1,585
Optional Operating Temperature and Pressure AP	Factory installed option - please add AP suffix to order reference number (Example: 4010308-AP)						
Price (\$)	ON REQUEST						

Price Group 70

OPTIONAL EQUIPMENT

Pre-Filter 1 or 5 µm	4011323 (5 µm)	4002890 (1 µm)
Price (\$)	\$184	\$234
Price Group 82		
Remote Purge Air Switch PAS	Factory installed option - please add PAS suffix to order reference number (Example: 4010308-PAS)	
Price (\$)	\$750	

Price Group 70

DRYPOINT® MDp	MDp 25	MDp 35	MDp 45	MDp 55	MDp 65	MDp 100	MDp 130
Connection Size (NPT)	¾"	¾"	¾"	¾"	1½"	1½"	1½"
Inlet Flow Rate (scfm)	25.09	33.46	43.29	55.89	67.21	100.77	134.35
Dimensions and Weight							
A (inches)	22.57 x 3.94 x 1.34	24.59 x 3.94 x 1.34	27.35 x 3.94 x 1.34	29.98 x 3.94 x 1.34	31.30 x 5.74 x 1.89	36.80 x 5.74 x 1.89	42.75 x 5.74 x 1.89
Weight (lbs)	7.72	9.03	9.04	9.75	20.00	22.44	24.86

Order ref.	4009631	4008460	4010490	4041402	4010800	4011370	4011090
Price (\$)	\$1,884	\$2,066	\$2,266	\$2,563	\$4,710	\$6,243	\$7,982
Optional Operating Temperature and Pressure AP	Factory installed option - please add AP suffix to order reference number (Example: 40xxxxx-AP)						
Price (\$)	ON REQUEST						

Price Group 70

OPTIONAL EQUIPMENT


Pre-Filter 1 µm	4020220	4002891	4002892	4002893	4020305
Price (\$)	\$260	\$289	\$341	\$389	\$425
Price Group 82					
Remote Purge Air Switch PAS	Factory installed option - please add PAS suffix to order reference number (Example: 4010800-PAS)				
Price (\$)	\$750				

Price Group 70


DRYPOINT® FDR Membrane Dryers
pre-configured filter, dryer and pressure regulator packages

- › Pre-configured FDR packages include all required filtration
- › Custom configurations available to suit application
- › Min. ambient air temperature: 34 °F
- › Max. standard operating temperature: 130 °F
- › Max. standard operating pressure: 140 psig
- › Max. optional operating temperature: 160 °F
- › Max. optional operating pressure: 232 psig

Maintenance Interval: 4,000 - 8,000 hours
Maintenance and Spare Parts: Page 107
Extended Warranty: Page 152



FDR 2 - 8



FDR 10 - 17

DRYPOINT® FDR	FDR 2	FDR 4	FDR 6	FDR 8	FDR 10	FDR 12	FDR 17
Connection Size (NPT)	¼"	¼"	¼"	¼"	¼"	¼"	¼"
Inlet Flow Rate (scfm)	2.09	4.18	6.27	8.36	11.34	12.55	16.73
Dimensions and Weight							
A x B x C (inches)	7.48 x 5.51 x 1.06	9.44 x 5.51 x 1.06	11.02 x 5.51 x 1.06	13.38 x 5.51 x 1.06	13.38 x 6.88 x 1.06	16.14 x 6.88 x 1.06	18.50 x 6.88 x 1.06
Weight (lbs)	2.97	3.15	3.30	3.50	6.39	6.83	7.27

Order ref.	4032040	4032041	4032042	4032043	4032044	4032045	4032046
Price (\$)	\$1,233	\$1,383	\$1,430	\$1,530	\$1,688	\$1,806	\$1,943
Optional Operating Temperature and Pressure AP	Factory installed option - please add AP suffix to order reference number (Example: 40xxxxx-AP)						
Price (\$)	ON REQUEST						

Price Group 70

product sizing table for MDi series membrane air dryers

Model Selector	Flow Rate (scfm)							
	Inlet	Outlet	Inlet	Outlet	Inlet	Outlet	Inlet	Outlet
MDi 12	12.55	11.50	6.20	5.15	4.31	3.26	3.89	2.84
MDi 17	16.73	15.33	8.25	6.85	5.75	4.35	5.14	3.74
MDi 25	25.09	23.00	12.41	10.31	8.63	6.53	7.86	5.76
MDi 35	33.46	30.66	16.53	13.74	11.50	8.70	10.38	7.58
MDi 45	43.01	38.99	23.70	19.68	16.49	12.47	14.52	10.50
MDi 55	52.63	47.90	27.50	22.78	19.38	14.66	16.94	12.22
MDi 65	64.13	58.36	33.11	27.34	23.49	17.72	20.99	15.19
MDi 100	95.84	87.10	50.53	41.79	35.69	26.95	32.09	23.39
MDi 130	128.25	116.72	66.98	55.45	47.40	35.86	43.15	31.65

Flow rate values and performance values are based on having the DRYPOINT® MDi in the constant mode. Outlet pressure dew point settings are user adjustable and will alter the flow rate at the outlet of the membrane dryer based on the adjustment made.

Operating Pressure (psig)	40	50	60	70	80	90	100	110	120	130	140
Correction Factor	0.22	0.32	0.42	0.54	0.68	0.83	1.00	1.13	1.26	1.40	1.55


The correction factors on this page provide an estimation of the performance that can be achieved with the model sizes shown. For precise sizing for your application, please contact your BEKO Technologies sales representative.

DRYPOINT® MDi ecoIntelligent Series Membrane Dryers

membrane air dryer with adjustable pressure dew point control

ECO CHOICE

- › Integrated pre-filtration: .01 µm
- › Electrical power required: 115-230 VAC / 50-60 Hz
- › Min. ambient air temperature: 34 °F
- › Max. operating temperature: 122 °F
- › Max. operating pressure: 145 psig



Maintenance Interval: 8,000 hours

Maintenance and Spare Parts: Page 107

Extended Warranty: Page 152

DRYPOINT® MDi	MDi 12	MDi 17	MDi 25	MDi 35	MDi 45	MDi 55	MDi 65	MDi 100	MDi 130
Connection Size (NPT)	3/8"	3/8"	3/4"	3/4"	3/4"	3/4"	1"	1"	1"
Inlet Flow Rate (scfm)	12.55	16.73	25.09	33.46	43.01	52.63	64.13	95.84	128.25

Dimensions and Weight

A (inches)	24.44	26.81	27.20	29.17	31.93	34.69	35.87	41.38	47.28
B (inches)	5.90	5.90	7.06	7.06	7.06	7.06	9.84	9.84	9.84
C (inches)	5.67	5.67	5.90	5.90	5.90	5.9	6.46	6.46	6.46
D (inches)	2.36	2.36	3.14	3.14	3.14	3.14	4.92	4.92	4.92
Weight (lbs)	7.50	7.93	10.80	11.46	12.13	12.79	24.03	26.46	28.88

Order ref.	4040184	4040185	4040186	4040187	4040188	4040189	4040190	4040191	4040192
Price (\$)	\$2,209	\$2,333	\$2,655	\$2,845	\$3,040	\$3,225	\$5,726	\$7,217	\$8,607

Price Group 70


OPTIONAL PRE-FILTRATION

	S040	S045	S050	S055	S075	S100
Pre-Filter 1 or 5 µm	4002890	4020220	4002891	4002892	4002893	4020305
Price (\$)	\$244	\$260	\$289	\$341	\$389	\$425

Price Group 82


DRYPOINT® MD Accessories

■ for MDe, MDp and FDR series membrane dryers




¼" Connection Size (NPT)	with float drain and connection kit 5 µm	with float drain and connection kit .01 µm	with connection kit
	Pre-Filter FD04 (White)	Micro-Filter FD05 (Green)	Activated Carbon Filter FD09
Order ref.	4011323	4005810	4008652
Price (\$)	\$184	\$228	\$180

Price Group 80



	Pressure Regulator with Differential Pressure Gauge	Fine Pressure Regulator with Differential Pressure Gauge
	Max. 232 psig	Max. 232 psig
Pressure Scale (psig)	44–145 (¼")	4.4–44 (¼")
Order ref.	4005032	4009194
Price (\$)	\$196	\$229

Price Group 73



	MDe 2-8 Wall Bracket (optional)	MDp 2-8 Wall Bracket (optional)	MDe / MDp 10-17 Wall Bracket (included in box)	MDe / MDp 25-55 Wall Bracket (included in box)	MDe / MDp 65-130 Wall bracket (included in box)
Order ref.	4006735	4008004	4003328	4003329	4003330
Price (\$)	\$59	\$37	\$74	\$85	\$99

Price Group 73

DRYPOINT® MD Maintenance

- filter elements and float drain for MDp and MDi series

Maintenance Interval: < 8,000 hours

Filter Elements	DM08 PLUS Series and MDp 2-8	DM10 PLUS Series and MDp / MDi 10-17	DM20 PLUS Series man. before May 2009	DM20 PLUS Series man. after May 2009 and MDp / MDi 25-55	DM40 PLUS Series and MDp / MDi 65-130
Order ref.	4007467	4007268	4007268	4010849	4009150
Price (\$)	\$81	\$118	\$118	\$148	\$232

Price Group 83

Float Drain	
Order ref.	4025973
Price (\$)	\$122

Price Group 84

DRYPOINT® FDR Maintenance

- filter elements and float drain for FDR series

Maintenance Interval: < 8,000 hours

Filter Elements	FKN00-26X5 5 µm Pre-Filter Element (White)	FKN23-35XA .01 µm Micro-Filter Element (Green)	AC Activated Carbon Filter Element
Order ref.	4011325	4004904	4007041
Price (\$)	\$21	\$117	\$108

Price Group 83

Float Drain	
Order ref.	4025973
Price (\$)	\$122

Price Group 84

DRYPOINT® MDi Spare Parts

- replacement control units

Control Units for Model	MDi 12	MDi 17	MDi 25	MDi 35	MDi 45	MDi 55	MDi 65	MDi 100	MDi 130
Order ref.	4040164	4040166	4040167	4040168	4040169	4040170	4040171	4040172	4040173
Price (\$)	\$1,041	\$1,041	\$1,041	\$1,041	\$1,041	\$1,041	\$1,041	\$1,041	\$1,041

Price Group 73



Condensate Drainage

BEKOMAT®

intelligent condensate drainage with true zero air loss

- › Standard Condensate Drains
- › High Pressure Condensate Drains
- › Condensate Drains for Centrifugal Compressors
- › Condensate Drains for Vacuum Systems
- › Condensate Drains for Explosive Atmospheres

BEKOMAT® Product Selector Chart

Compressor HP	Compressor SCFM	After Cooler	Wet Receiver Tank	Pre-Filter	Refrigerant Dryer	Post-Filter	Dry Receiver Tank
20	100	31	31	31	31	31	31
40	180	32	32	31	31	31	31
50	225	32	32	31	32	31	32
60	270	33	33	31	32	31	32
75	338	33	33	31	32	31	32
100	500	33	33	31	32	31	32
125	563	13	13	31	33	31	33
150	675	13	13	31	33	31	33
175	788	13	13	31	33	31	33
200	900	13	13	31	33	31	33
250	1125	13	13	32	13	32	13
300	1300	13	13	32	13	32	13
400	1800	14	14	32	13	32	13
500	2250	14	14	32	13	32	13
750	3375	14	14	33	14	33	14
1000	5000	14	14	33	14	33	14
1250	5625	16	16	13	14	13	14
1500	6750	16	16	13	14	13	14
1750	7875	16	16	13	14	13	14
2000	9000	16	16	13	14	13	14
2500	11250	16	16	13	16	13	16
3000	13500	16	16	13	16	13	16
4000	18000	16	16	14	16	14	16
5000	22500	16	16	14	16	14	16

To use the BEKOMAT® Product Selector Chart, first locate either your compressor horsepower (for multiple compressors use the total system horsepower) or the net flow rate of your compressed air system. Follow the row to the right and locate the column with the appropriate installation point for your application (i.e wet receiver tank) and you will instantly know the correct BEKOMAT® model size for your application and installation point.

For extremely corrosive applications where excessive amounts of rust, scale or particles are present please contact your BEKO representative for special installation instructions.

Product Code Key


oil and oil-free condensate all standard models	A
special gas application CO variants	B
highly corrosive applications stainless steel variants	C

BEKOMAT® Standard Condensate Drains

for standard pressure

- › Automatic zero loss drain
- › Standard Viton® diaphragm
- › UL/CSA approved
- › Min. / max. operating temperature: 33 °F / 140 °F
- › Standard voltage:
 - BEKOMAT® 31-33: 95-240 VAC 50/60 Hz /100-125 VDC
 - BEKOMAT® 13-16: 115 VAC
- › Optional voltages:
 - BEKOMAT® 31-33: 18 - 72 VDC, 24 - 48 VAC
 - BEKOMAT® 13-16: 24 VAC/DC, 230 VAC 50/60 Hz


Maintenance Interval: < 8,000 hours
 Maintenance and Spare Parts: Page 117
 Extended Warranty: Page 152



	Aluminum housing - without dry contact	Aluminum housing	Aluminum housing	Aluminum housing + hard coating
BEKOMAT®	31	32	33	33 CO
Connection (NPT)	1 x ½"	1 x ½"	3 x ½"	3 x ½"
Min. / Max. Pressure (psig)	12 / 232	12 / 232	12 / 232	12 / 232
Compressor Flow Rate (scfm)	100	225	500	500
Dryer Flow Rate (scfm)	200	450	1000	1000
Filter Flow Rate (scfm)	1000	2250	5000	5000
Product Key » page 104	A	A	A	A, B

Order ref.	4025038	4025088	4025094	4025096
Price (\$)	\$260	\$353	\$623	\$691

Price Group 12



	Aluminum housing	Aluminum housing + hard coating	Aluminum housing	Aluminum housing + hard coating	Aluminum housing + hard coating
BEKOMAT®	13	13 CO	14	14 CO	16 CO
Connection (NPT)	2 x ½"	2 x ½"	3 x ¾"	3 x ¾"	2 x ¾" / 1 x 1"
Min. / Max. Pressure (psig)	12 / 232	12 / 232	12 / 232	12 / 232	12 / 232
Compressor Flow Rate (scfm)	1300	1300	5400	5400	50000
Dryer Flow Rate (scfm)	2600	2600	10800	10800	100000
Filter Flow Rate (scfm)	13000	13000	54000	54000	500000
Product Key » page 104	A	A, B	A	A, B	A, B

Order ref.	2002944	2002957	2002968	2002976	2002983
Price (\$)	\$925	\$1,302	\$1,252	\$1,701	\$2,573


Price Group 10

BEKOMAT® PN Condensate Drains


for high pressure systems

- › Automatic zero loss drain
- › Standard Viton® diaphragm
- › Min. / max. operating temperature: 33 °F / 140 °F
- › Standard voltage: 115 VAC
- › Optional voltages:
24 VAC/DC,
230 VAC 50/60 Hz


Maintenance Interval: < 8,000 hours
Maintenance and Spare Parts: Page 117
Extended Warranty: Page 152



Aluminum housing
+ hard coating & high pressure



Aluminum housing
+ hard coating & high pressure



Aluminum housing
+ hard coating & high pressure

BEKOMAT®	12 CO PN 63	13 CO PN 50	14 CO PN 25
Connection (NPT)	1 x ½"	2 x ½"	3 x ¾"
Min. / Max. Pressure (psig)	12 / 912	12 / 725	12 / 360
Compressor Flow Rate (scfm)	280	1300	5400
Dryer Flow Rate (scfm)	560	2600	10800
Filter Flow Rate (scfm)	2800	13000	54000
Product Key » page 104	A, B	A, B	A, B
Order ref.	2002931	4006463	4005485
Price (\$)	\$1,263	\$2,081	\$2,641


Price Group 10

BEKOMAT® E Condensate Drains


for high pressure systems with stainless steel drain body

- › Automatic zero loss drain
- › Standard Viton® diaphragm
- › Min. / max. operating temperature: 33 °F / 140 °F
- › Standard voltage: 115 VAC
- › Optional voltages:
24 VAC/DC,
230 VAC 50/60 Hz

Maintenance Interval: < 8,000 hours
Maintenance and Spare Parts: Page 117
Extended Warranty: Page 152



Stainless Steel housing
+ high pressure



Stainless Steel housing
+ high pressure

Stainless Steel housing
+ high pressure

BEKOMAT®	3 E 25	3 E 63	6 E 25
Connection (NPT)	3 x ¾"	3 x ¾"	2 x ¾" / 1 x 1"
Min. / Max. Pressure (psig)	12 / 360	12 / 912	12 / 360
Compressor Flow Rate (scfm)	4500	4500	50000
Dryer Flow Rate (scfm)	9000	9000	100000
Filter Flow Rate (scfm)	45000	45000	500000
Product Key » page 104	A, B, C	A, B, C	A, B, C
Order ref.	4020176	2002876	2002890
Price (\$)	\$5,326	\$5,783	\$9,211


Price Group 11

BEKOMAT® CV Condensate Drains

for centrifugal compressors with check valve

- › Automatic zero loss drain
- › Standard Viton® diaphragm
- › Min. / max. operating temperature: 33 °F / 140 °F
- › Standard voltage: 115 VAC
- › Optional voltages:
24 VAC/DC,
230 VAC 50/60 Hz

Maintenance Interval: < 8,000 hours
Maintenance and Spare Parts: Page 117
Extended Warranty: Page 152



Aluminum housing
+ check-valve set

Aluminum housing
+ check-valve set

Aluminum housing
+ check-valve set & hard coating

BEKOMAT®	13 CV	14 CV	16 CO CV
Connection (NPT)	2 x ½"	3 x ¾"	2 x ¾" / 1 x 1"
Min. / Max. Pressure (psig)	12 / 232	12 / 232	12 / 232
Compressor Flow Rate (scfm)	2000	8000	50000
Dryer Flow Rate (scfm)	4000	16000	100000
Filter Flow Rate (scfm)	20000	80000	500000
Product Key » page 104	A	A	A, B
Order ref.	4015770	4006574	4016313
Price (\$)	\$1,120	\$1,484	\$2,739


Price Group 10

BEKOMAT® NLV Condensate Drains

for centrifugal compressors with no-load valve


- › Automatic zero loss drain
- › Standard Viton® diaphragm
- › Min. / max. operating temperature: 33 °F / 140 °F
- › Standard voltage: 115 VAC
- › Optional voltages:
24 VAC/DC,
230 VAC 50/60 Hz

Maintenance Interval: < 8,000 hours
Maintenance and Spare Parts: Page 117
Extended Warranty: Page 152



Depth: 6.30

Aluminum housing
+ no load valve & hard coating



Depth: 10.2

Aluminum housing
+ no load valve & hard coating


BEKOMAT®	3 CO NLV	6 CO NLV
Connection (NPT)	3 x ¾"	2 x ¾" / 1 x 1"
Min. / Max. Pressure (psig)	0 / 360	0 / 232
Compressor Flow Rate (scfm)	6000	50000
Dryer Flow Rate (scfm)	12000	100000
Filter Flow Rate (scfm)	60000	500000
Product Key » page 104	A, B	A, B
Order ref.	2002883	2002894
Price (\$)	\$2,757	\$3,653

Price Group 10

BEKOMAT® V Condensate Drains

for low pressure and vacuum systems with patented technology


- › Automatic zero loss drain
- › Standard Viton® diaphragm
- › Min. / max. operating temperature: 33 °F / 140 °F
- › Standard voltage: 115 VAC
- › Optional voltages:
24 VAC/DC,
230 VAC 50/60 Hz



Maintenance Interval: < 8,000 hours

Maintenance and Spare Parts: Page 117

Extended Warranty: Page 152





BEKOMAT®	3 CO V	6 CO V
Connection (NPT)	1 x ¾"	1 x ¾"
Min. / Max. Pressure (psia)	1.45 / 26	1.45 / 26
Compressor Flow Rate (scfm)	4500	50000
Dryer Flow Rate (scfm)	9000	100000
Filter Flow Rate (scfm)	45000	500000
Product Key » page 104	A, B	A, B
Order ref.	2002888	4001724
Price (\$)	\$2,894	\$3,806

Price Group 10

BEKOMAT® EX Condensate Drains

for explosive atmospheres

- › Automatic zero loss drain
- › Standard Viton® diaphragm
- › Min. / max. operating temperature: 33 °F / 140 °F
- › Standard voltage: 12 VDC



Maintenance Interval: < 8,000 hours

Maintenance and Spare Parts: Page 117

Extended Warranty: Page 152

BEKOMAT®	3 CO EX	3 E EX	6 CO EX	6 E EX
Connection (NPT)	3 x ¾"	3 x ¾"	2 x ¾" / 1 x 1"	2 x ¾" / 1 x 1"
Min. / Max. Pressure (psig)	12 / 232	12 / 232	12 / 232	12 / 232
Compressor Flow Rate (scfm)	4500	4500	50000	50000
Dryer Flow Rate (scfm)	9000	9000	100000	100000
Filter Flow Rate (scfm)	45000	45000	500000	500000
Product Key » page 104	A, B	A, B, C	A, B	A, B, C
Order ref.	4010556	4007950	2002892	4007027
Price (\$)	\$2,894	\$6,693	\$3,806	\$9,194


Price Group 11

Options	Power Supply 12 VDC recommended intrinsic safety	Isolation Amplifier recommended for connection of BEKOMAT® EX with potential free control
Voltage	110-230 VAC	230 VAC
Order Number	4005140	4006591
Price (\$)	\$2,810	\$1,193


BEKOMAT® Large Capacity Condensate Drains for large capacity compressors

- › Automatic zero loss drain
- › Standard Viton® diaphragm
- › Min. / max. operating temperature: 33 °F / 140 °F
- › Standard voltage: 110 VAC

Maintenance Interval: < 8,000 hours
Maintenance and Spare Parts: Page 117
Extended Warranty: Page 152



Stainless steel housing + potential contact



Stainless steel housing + potential contact


BEKOMAT®	8	9
Connection (Flanged)	2"	2"
Min. / Max. Pressure (psig)	7.5 / 143	7.5 / 60
Compressor Flow Rate (scfm)	330500 to 500000	850000 to 1050000
Product Key » page 104	A, B, C	A, B, C

Order ref.	4052971	4052972
Price (\$)	\$28,260	\$32,343

Price Group 11

BEKOMAT® Accessories

■ heating units



Operating Voltage	Max. Performance	BEKOMAT® 1x Drains Min. Temperature*	BEKOMAT® 33 Min. Temperature*	Max. Pressure	Pipe Connection
115 VAC	137 W	-10 °F	5 °F	360 psig	NPT or BSP
230 VAC	125 W	-10 °F	5 °F	360 psig	NPT or BSP
24 VAC/VDC	50 W	25 °F	25 °F	360 psig	NPT or BSP

	115 VAC / NPT	115 VAC / BSP	230 VAC / NPT	230 VAC / BSP	24 VAC / VDC / NPT	24 VAC / VDC / BSP
Order ref.	2801246	2801245	2002447	2801244	2002448	2801247
Price (\$)	\$475	\$475	\$475	\$475	\$475	\$475

Price Group 13


*Minimum temperatures shown are only applicable when used in combination with proper insulation. This applies to all model sizes.

Insulation shells are available for BEKOMAT® 12, 13 and 14 below. BEKOMAT® 3x series drains and BEKOMAT® 16 models must be insulated on-site according to the application.

Caution! heating units are not to be used with:

BEKOMAT® 10, 20 or 21. This also includes high pressure BEKOMAT® models and applications in areas with potentially explosive atmospheres.

■ insulation shells




	12 12 CO 12 COPN 63	13 13 CO 13 COPN 25/40/50	14 14 CO 14 COPN 25
Order ref.	2000195	2000033	2000034
Price (\$)	\$60	\$65	\$71

Price Group 13 **115**

BEKOMAT® Accessories

■ ½" connection kit



Operating Conditions	½" connection kit with ball valve for S040-M032 L100-L304
Max. Pressure (psig)	232

Order ref.	2002228
Price (\$)	\$71

Price Group 84

BEKOMAT® Maintenance

■ annual service kits / wearing parts kits for current generation drains

Maintenance Interval: < 8,000 hours

Drain Model	Order ref.	Price (\$)
BEKOMAT® 31	4023608	\$147
BEKOMAT® 32	4025061	\$174
BEKOMAT® 33	4023634	\$228
BEKOMAT® 33 CO	4023636	\$274

Price Group 12

BEKOMAT® 12	4012942	\$161
BEKOMAT® 12 CO		
BEKOMAT® 12 CO PN 63	2000748	\$169
BEKOMAT® 13	4011612	\$161
BEKOMAT® 13 CO		
BEKOMAT® 13 CO PN 25	2000366	\$169
BEKOMAT® 13 CO PN 40 / 45 / 50		
BEKOMAT® 14	2002300	\$164
BEKOMAT® 14 CO		
BEKOMAT® 14 CO PN 25	2002556	\$172
BEKOMAT® 16 CO	4028261	\$205

Price Group 13

■ annual wearing parts kits for previous generation drains

Maintenance Interval: < 8,000 hours

Drain Model	Order ref.	Price (\$)
BEKOMAT® 10 / 10 F (serial no. 283.450 & newer)	2000451	\$109
BEKOMAT® 11 (serial no. 155.000 & newer)	2800842	\$185
BEKOMAT® 11 CO (serial no. 155.00 & newer)		
BEKOMAT® 20	4003701	\$119
BEKOMAT® 20 FM		
BEKOMAT® 21	2001365	\$106
BEKOMAT® 21 PRO		
BEKOMAT® 3	2800656	\$172
BEKOMAT® 3 CO / CO LA	2800670	\$186
BEKOMAT® 3 E	2800702	\$235
BEKOMAT® 3 E 25		
BEKOMAT® 3 E 63		
BEKOMAT® 6 CO / CO LA	2800656	\$172
BEKOMAT® 6 E 25	2800702	\$235

Price Group 13

BEKOMAT® Spare Parts

■ for current generation drains

	31	32	33	33 CO
Barbed Hose Connector 10 pcs.	2002310	2002310	2001457	2001457
Price (\$)	\$51	\$51	\$63	\$63
Sealing Kit	4024386	4024392	4024397	4024397
Price (\$)	\$36	\$36	\$39	\$39

Price Group 13

	12	12 CO	12 CO PN 63
Barbed Hose Connector 10 pcs.	2002312		
Price (\$)	\$57		
Set of Diaphragms 3 pcs	2000437		
Price (\$)	\$221		
Valve Complete	4027846	4027847	4027848
Price (\$)	\$208	\$247	\$987
Valve Attachment Components	2000052	2000053	2000054
Price (\$)	\$63	\$71	\$733
Sealing Kit	2000058		2000749
Price (\$)	\$45		\$47

Price Group 13

	12 CO Ni	12 KW
Sealing Kit	2000058	
Price (\$)	\$45	

Price Group 13

	13	13 CO	13 CO PN 25	13 CO PN 40 45 50
Barbed Hose Connector 10 pcs.	2001457		-	
Price (\$)	\$63		-	
Set of Diaphragms 3 pcs	2000439			
Price (\$)	\$302			
Diaphragm Seat	2001118		2000351	
Price (\$)	\$77		\$318	
Valve Complete	4027849	4027850	4027851	
Price (\$)	\$255	\$294	\$1,129	
Valve Attachment Components	2000071	2000072	2000371	
Price (\$)	\$97	\$99	\$935	
Sealing Kit	2000073		2000367	
Price (\$)	\$47		\$53	
Housing (inlet side)	2000077	2000078	2000369	
Price (\$)	\$182	\$604	\$700	

Price Group 13

	14	14 CO	14 CO PN 25	16 CO
Barbed Hose Connector 10 pcs.	2001457		-	-
Price (\$)	\$63		-	-
Set of Diaphragms 3 pcs	2000439			
Price (\$)	\$302			
Diaphragm Seat	2001118		2000351	-
Price (\$)	\$77		\$318	-
Valve Complete	4027849	4027850	4027851	2000089
Price (\$)	\$255	\$294	\$1,129	\$349
Valve Attachment Components	2000071	2000072	2000371	2000088
Price (\$)	\$97	\$99	\$935	\$78
Sealing Kit	2000080	4000923		2000090
Price (\$)	\$45	\$53		\$47
Housing (inlet side)	2000084	2000085		2000091
Price (\$)	\$294	\$655		\$796

Price Group 13

BEKOMAT® Spare Parts

■ for current generation drains

	12	12 CO	12 CO PN 63	12 KW
Top Electrical Unit	4010940			
Price (\$)	\$161			
Sensor Control Board	4047971			4047977
Price (\$)	\$428			\$388
Power Supply Board 230 VAC	2000063			
Price (\$)	\$208			
Power Supply Board 200 VAC	2000349			
Price (\$)	\$208			
Power Supply Board 115 VAC	2000064			
Price (\$)	\$208			
Power Supply Board 100 VAC	2000611			
Price (\$)	\$208			
Power Supply Board 24 VAC	2000065			
Price (\$)	\$208			
Power Supply Board 24 VDC	2000756			
Price (\$)	\$208			

Price Group 13

	13	13 CO	13 CO PN 25	13 CO PN 40 45 50
Top Electrical Unit	4010940			
Price (\$)	\$161			
Sensor Control Board	2000079			
Price (\$)	\$428			
Power Supply Board 230 VAC	2000063			
Price (\$)	\$208			
Power Supply Board 200 VAC	2000349			
Price (\$)	\$208			
Power Supply Board 115 VAC	2000064			
Price (\$)	\$208			
Power Supply Board 100 VAC	2000611			
Price (\$)	\$208			
Power Supply Board 24 VAC	2000065			
Price (\$)	\$208			
Power Supply Board 24 VDC	2000756			
Price (\$)	\$208			

Price Group 13

	14	14 CO	14 CO PN 25	16 CO
Top Electrical Unit	4010940			
Price (\$)	\$161			
Sensor Control Board	4047968			2000093
Price (\$)	\$449			\$449
Power Supply Board 230 VAC	2000063			
Price (\$)	\$208			
Power Supply Board 200 VAC	2000349			
Price (\$)	\$208			
Power Supply Board 115 VAC	2000064			
Price (\$)	\$208			
Power Supply Board 100 VAC	2000611			
Price (\$)	\$208			
Power Supply Board 24 VAC	2000065			
Price (\$)	\$208			
Power Supply Board 24 VDC	2000756			
Price (\$)	\$208			

Price Group 13

BEKOMAT® Spare Parts

■ for previous generation and specialty drains

	20	20 FM	21	21 PRO
Set of Diaphragms 5 pcs.	2000496			
Price (\$)	\$151			
Diaphragm Seat	4003700		2001367	
Price (\$)	\$89		\$75	
Sealing Kit	-		2001366	
Price (\$)	-		\$53	
Top Electrical Cover	4004301	2001913	2001914	
Price (\$)	\$89	\$126	\$126	

Price Group 13

	3	3 CO CO LA	3 E	3 E 25	3 E 63
Set of Diaphragms 3 pcs.	2000439				
Price (\$)	\$302				
Sealing Kit	2800658	2800671	2800689	2800703	
Price (\$)	\$45	\$44	\$100	\$100	
Top Electrical Cover	2800661		2800690		
Price (\$)	\$180		\$180		
Valve Complete	2800708	2800717	2800692	2800717	
Price (\$)	\$166	\$208	\$195	\$208	
Control Air Cover	2800665	-	-	-	-
Price (\$)	\$61	-	-	-	-

Price Group 13

	6 CO CO LA	6 E 25
Set of Diaphragms 3 pcs.	2000439	
Price (\$)	\$302	
Sealing Kit	2800658	2800703
Price (\$)	\$45	\$100
Top Electrical Cover	2800661	2800690
Price (\$)	\$180	\$180
Valve Complete	2800663	2800717
Price (\$)	\$171	\$198
Control Air Cover	2800665	-
Price (\$)	\$61	-

Price Group 13

	20	20 FM	21	21 PRO
Sensor Control Board	-	4003705	-	2001494
Price (\$)	-	\$351	-	\$276
Power Supply Board 230 VAC	2001488	2001495	2001488	2001495
Price (\$)	\$259	\$157	\$259	\$157
Power Supply Board 200 VAC	4004090	4001277	4004090	4001277
Price (\$)	\$259	\$157	\$259	\$157
Power Supply Board 100 VAC	4001273	4001275	4001273	4001275
Price (\$)	\$259	\$157	\$259	\$157
Power Supply Board 115 VAC	2001489	2001496	2001489	2001496
Price (\$)	\$259	\$157	\$259	\$157
Power Supply Board 24 VAC	2001490	2001497	2001490	2001497
Price (\$)	\$259	\$157	\$259	\$157
Power Supply Board 24 VDC	-	2001498	-	2001498
Price (\$)	-	\$157	-	\$157

Price Group 13

BEKOMAT® Spare Parts

■ for previous generation and specialty drains

	3	3 CO CO LA	3 E	3 E 25	3 E 63
Valve	2800701	2800673	2800693	2800705	2800718
Price (\$)	\$308	\$662	\$883	\$908	\$911
Power Supply Board 230 VAC	2800659				
Price (\$)	\$614				
Power Supply Board 100 VAC	2002200				
Price (\$)	\$693				
Power Supply Board 115 VAC	2800698				
Price (\$)	\$693				
Power Supply Board 24 VAC	2800699				
Price (\$)	\$693				

Price Group 13

	6 CO CO LA	6 E 25
Valve	2800664	2800705
Price (\$)	\$319	\$908
Power Supply Board 230 VAC	2800796	
Price (\$)	\$591	
Power Supply Board 115 VAC	2800804	
Price (\$)	\$674	
Power Supply Board 24 VAC	4010781	
Price (\$)	\$691	
Power Supply Board 24 VDC	2800806	
Price (\$)	\$545	

Price Group 13



Condensate Processing

QWIK-PURE®

highly efficient and economic condensate separation


› High Efficiency Oil-Water Separators

QWIK-PURE® CS High-Efficiency Oil-Water Separators

with direct to cartridge filtration


ECO CHOICE

- › Improved filling material that increases performance
- › Works well with all lubricant types
- › Lightweight easy to change cartridge
- › Min. / max. ambient temperature: 41 °F / 122 °F
- › Max. condensate temperature: 122 °F
- › Max. operating pressure: 232 psig



QWIK-PURE® CS	100	200	400
Max. Total Installed System Flow Rate (scfm)	100	200	400
Compatible Lubricants	All lubricant types		
Condensate Inlet	2 x ½"	2 x ½"	3 x ½" 1 x 1"
Number of Cartridges	1	1	1
Voltage (VAC)	-	-	-
Dimensions and Weight			
H x W x D (inches)	21 x 8	23 x 15	58 x 25 x 21
Weight (lbs)	7.7	12.7	29.8
Order ref.	4011732	4012057	4058810
Price (\$)	\$485	\$873	\$1,454

Price Group 26



CLIMATE ZONE	YEARLY AVERAGE	CORRECTION FACTOR
Cool / Mild	66% RH 45°F	1.00
Medium / Arid	68% RH 55°F	.90
Hot / Tropical	72% RH 75°F	.80

FILTER CARTRIDGE LIFE CYCLE*	
1 Shift Operation	9-12 months
2 Shift Operation	7-10 months
3 Shift Operation	5-8 months

*Ranges are approximate

To use the sizing chart, locate the region for your application on the climate zone map above, multiply the Total Installed System Flow Rate value from the table by the climate zone correction factor shown (e.g., QWIK-PURE® iCS 550 is rated for 550 scfm in the green zone, but in the blue zone, the result would be 550 x 0.90 = 495 scfm), then match the result to the total flow rate of all installed compressors in the application. All QWIK-PURE® models work with all lubricant types, so you will instantly know your application's correct QWIK-PURE® model size.

Capacity tests and our long-term experience have enabled us to make locational adjustments to our capacity figures by taking global climate data into account. Regions in the southern United States (i.e San Antonio, TX) are subject to higher temperature and humidity levels throughout the year, which can yield different condensate treatment requirements. Therefore, if you feel that your regional location may have a significant impact on the application or installation, please consult your BEKO Technologies representative for details.


QWIK-PURE® iCS High-Efficiency Oil-Water Separators

with intelligent operation and direct to cartridge filtration

ECO CHOICE

- › Patented, intelligent operation
- › Improved filling material increases performance
- › Works well with all lubricant types
- › Lightweight easy to change cartridge
- › Min. / max. ambient temperature: 41 °F / 122 °F
- › Max. condensate temperature: 122 °F
- › Max. operating pressure: 232 psig


Maintenance Interval: 4,000 - 8,000 hours
Maintenance and Spare Parts: Page 125
Extended Warranty: Page 152



QWIK-PURE® iCS	550	1100	2200	3300
Max. Total Installed System Flow Rate (scfm)	550	1100	2200	3300
Compatible Lubricants	All lubricant types			
Condensate Inlet	3 x ½" 1 x 1"	3 x ½" 1 x 1"	3 x ½" 1 x 1"	3 x ½" 1 x 1"
Number of Cartridges	1	2	4	6
Voltage (VAC)	90-264 V / 50-60 Hz	90-264 V / 50-60 Hz	90-264 V / 50-60 Hz	90-264 V / 50-60 Hz
Dimensions and Weight				
H x W x D (inches)	58 x 29 x 21	58 x 29 x 31	58 x 37 x 31	58 x 50 x 31
Weight (lbs)	35.3	77.2	99.2	132.3

Order ref.	4058816	4058815	4058817	4058818
Price (\$)	\$2,674	\$3,295	\$4,151	\$5,388

Price Group 26



CLIMATE ZONE	YEARLY AVERAGE	CORRECTION FACTOR
Cool / Mild	66% RH 45°F	1.00
Medium / Arid	68% RH 55°F	.90
Hot / Tropical	72% RH 75°F	.80

FILTER CARTRIDGE LIFE CYCLE*	
1 Shift Operation	9-12 months
2 Shift Operation	7-10 months
3 Shift Operation	5-8 months

*Ranges are approximate

To use the sizing chart, locate the region for your application on the climate zone map above, multiply the Total Installed System Flow Rate value from the table by the climate zone correction factor shown (e.g., QWIK-PURE® iCS 550 is rated for 550 scfm in the green zone, but in the blue zone, the result would be 550 x 0.90 = 495 scfm), then match the result to the total flow rate of all installed compressors in the application. All QWIK-PURE® models work with all lubricant types, so you will instantly know your application's correct QWIK-PURE® model size.

Capacity tests and our long-term experience have enabled us to make locational adjustments to our capacity figures by taking global climate data into account. Regions in the southern United States (i.e San Antonio, TX) are subject to higher temperature and humidity levels throughout the year, which can yield different condensate treatment requirements. Therefore, if you feel that your regional location may have a significant impact on the application or installation, please consult your BEKO Technologies representative for details.

QWIK-PURE® CS/iCS Maintenance and Spare Parts

■ for new generation models

Maintenance

	Order ref.	Price (\$)
Replacement Filter Cartridge for QWIK-PURE CS 100	4010719	\$167
Replacement Filter Cartridge for QWIK-PURE CS 200	4011999	\$278
Replacement Filter Cartridge for QWIK-PURE CS/iCS (models 400 - 3300)	4051809	\$495

Price Group 27

Accessories

Piston Service Unit	4058648	\$77
Valve Service Unit	4058649	\$244
Activated Carbon Mat	4058539	\$22

QWIK-PURE CS 400 spill protection basin 900 mm x 800 mm (35.43 in x 31.5 in)	4047642	\$533
QWIK-PURE iCS 550/QWIK-PURE iCS 1100 spill protection basin 900 mm x 800 mm (35.43 in x 31.5 in)	4047643	\$573
QWIK-PURE iCS 2200 spill protection basin 1100 mm x 900 mm (43.31 in x 35.43 in)	4047644	\$694
QWIK-PURE iCS 3300 spill protection basin 1400 mm x 900 mm (55.12 in x 35.43 in)	4058714	\$1,809
Expansion kit, QWIK-PURE iCS 400 to QWIK-PURE iCS 550	4058650	\$1,737
Expansion kit, QWIK-PURE iCS 550 to QWIK-PURE iCS 1100	4058554	\$1,667
Expansion kit, QWIK-PURE iCS 1100 to QWIK-PURE iCS 2200	4058557	\$2,244
Expansion kit, QWIK-PURE iCS 2200 to QWIK-PURE iCS 3300	4058511	\$3,262
Alarm Sensor	4058541	\$292




Spare Parts

Expansion module, 1 x 2 filter cartridges, QWIK-PURE iCS 3300	4058546	\$611
Connecting pipe, expansion modules iCS 550 - 3300	4058549	\$140
Locking unit, expansion module	4058553	\$91
Collector 1 x 1 filter cartridge	4058532	\$334
Collector 1 x 2 filter cartridges	4058535	\$487
Collector 2 x 2 filter cartridges	4058528	\$764
Plug for Collector	4058545	\$15
Replacement FRC Controller	4058543	\$1,043
FRC Controller Sealing Kit	4058529	\$36
Lid for Pressure Relief Chamber	4059531	\$135
Pressure relief chamber 25 l (6.6 gal)	4058519	\$417
Measuring Chamber 2.5 L for iCS 550	4058522	\$577
Measuring Chamber 5.0 L for iCS 1100 - 3300	4058515	\$632
Bayonet Insert for iCS 400	4058542	\$15
Clean Water Tank for iCS 400	4058527	\$251
Connecting pipe for iCS 400	4058524	\$126
Condensate Inlet	4058538	\$85
End Cap Cartridge	4058550	\$15
Riser Duct	4058552	\$77
Sealing Set	4058536	\$43
Stand	4058517	\$349
Locking device, foot	4058548	\$15
9' Replacement Power Cable	4056045	\$68
Reference turbidity tube	4001475	\$27
Elbow connector with union nut, reducer fitting and flat gasket	4059172	\$29
Fixing screw	4059164	\$57
Level indicator	4058544	\$22
Pop-up Indicator for CS 200	4011575	\$31

Price Group 28

QWIK-PURE® and ÖWAMAT® Accessories

■ for all previous generation models

		Order ref.	Price (\$)
Flow Splitter Kit for the Parallel Operation of up to Any Four (4) Units		4003998	\$329
Multiple-Inlet Adapter wall mounted, standalone adapter for multiple condensate feed connections into a single unit		4003993	\$143
Oil Collector Set ÖWAMAT® 12 and 14		2801295	\$110
Oil Collector Set ÖWAMAT® 15		4012569	\$110
Oil Collector Set ÖWAMAT® 16		2801302	\$125
Alarm Sensor for Level Indicator QWIK-PURE® 50 and ÖWAMAT® 11		4012448	\$237
Alarm Sensor for Level Indicator QWIK-PURE® 200 and 350, ÖWAMAT® 12-16		4013908	\$262
High Pressure Relief Chamber for up to 580 psig pressure relief chamber is wall mountable and for use with all models		2801292	\$692

Price Group 23

■ heating units



	QWIK-PURE® 200, ÖWAMAT® 14 and 15 (1000 watt)	QWIK-PURE® 350 and ÖWAMAT® 16 (1400 watt)
Voltage (VAC)	115	115
Weight (lb)	2.2	2.5
Order ref.	4001749	4001751
Price (\$)	\$1,092	\$1,289

Price Group 23

QWIK-PURE® and ÖWAMAT® Maintenance

■ previous generation replacement cartridge sets

Maintenance Interval: 4,000 - 8,000 hours

QWIK-PURE® Model	25	50	100	200	350
Pre-Filter (gal)	integrated	integrated	integrated	1 x 4.9	1 x 9.6
Cartridge Capacity (gal)	1 x 1.3	1 x 2.5	1 x 5.2	1 x 5.3	1 x 10.7
Weight (lbs)	1.1	4.4	11.8	13.3	24.5

Order ref.	4010719	4011999	4044056	4010713	4010714
Price (\$)	\$167	\$278	\$684	\$752	\$976

Price Group 22

ÖWAMAT® Model	12	14	15	16
Pre-Filter (gal)	1 x 0.7	1 x 1.8	1 x 4.9	1 x 9.6
Cartridge Capacity (gal)	1 x 1.4	1 x 2.8	1 x 5.3	1 x 10.7
Weight (lbs)	4.4	7.4	13.3	24.5

Order ref.	4010711	4010712	4010713	4010714
Price (\$)	\$260	\$412	\$752	\$976

Price Group 22

■ replacement filter bag sets for previous generations

Maintenance Interval: 4,000 - 8,000 hours

ÖWAMAT® Model	1 2 and QWIK-PURE® 20	3	4	5	5R	6	8
Filter Set	4027544	4027548	4027550	4027554	4027556	4027557	4027562
Price (\$)	\$167	\$261	\$306	\$564	\$457	\$608	\$1,530

Price Group 22

QWIK-PURE® Spare Parts

■ for previous generation models

	QWIK-PURE® 25	QWIK-PURE® 50	QWIK-PURE® 100	QWIK-PURE® 200	QWIK-PURE® 350
Pressure Relief Chamber	-	-	-	4012142	
Price (\$)	-	-	-	\$303	
Pop-up Indicator	-	4011575	-	4022541	4022540
Price (\$)		\$31		\$37	\$38
Multiple Inlet Adapter	-	-	4020311		
Price (\$)	-	-	\$70		
Cover Lid	4004290	-	4003753	4012349	4012350
Price (\$)	\$63	-	\$174	\$275	\$335
Container	4012557	4012559	4003741	4012505	4012506
Price (\$)	\$303	\$503	\$341	\$1,437	\$1,745
Handle for Cartridge	-	-	-	4012358	4012359
Price (\$)	-	-	-	\$97	\$104
Universal Sampling Valve Set	4012379		-	4012379	
Price (\$)	\$38		-	\$38	
Mounting Bracket	4004277	4012186	-	-	-
Price (\$)	\$102	\$112	-	-	-
Plastic Sample Vial 20 mg/l	2000556				
Price (\$)	\$27				
Plastic Sample Vial 10 mg/l	4001475				
Price (\$)	\$27				
Lid Screws (set of 3)	-	-	4023627		
Price (\$)	-	-	\$19		

Price Group 23

ÖWAMAT® Spare Parts

■ for previous generation models

	ÖWAMAT® 12	ÖWAMAT® 14	ÖWAMAT® 15	ÖWAMAT® 16
Pressure Relief Chamber	4012139	4012139	4012141	4012141
Price (\$)	\$222	\$222	\$303	\$303
Multiple Inlet Adapter	2002851	2002851	4020311	
Price (\$)	\$63	\$63	\$70	
Pre-Separation Tank serial no. 12438530 & newer	4021012	4021013	4021014	4021015
Price (\$)	\$183	\$222	\$285	\$346
Pre-Separation Tank	4012135	4012136	4012137	4012138
Price (\$)	\$183	\$222	\$285	\$346
Pre-Separation Tank Stand	4012162	4012163	4012164	4012165
Price (\$)	\$116	\$127	\$139	\$157
Cover Lid	4012342	4012343	4012349	4012350
Price (\$)	\$183	\$222	\$275	\$335
Container	4012503	4012504	4012505	4012506
Price (\$)	\$813	\$1,125	\$1,437	\$1,745
Overflow Pipe serial no. 12438530 & newer	4021003		4021005	4021006
Price (\$)	\$78		\$155	\$165
Overflow Pipe	4012564	4012565	4012566	4012567
Price (\$)	\$78	\$102	\$155	\$165
Handle for Cartridge	4012356	4012357	4012358	4012359
Price (\$)	\$75	\$88	\$97	\$104
Universal Sampling Valve Set	4012379			
Price (\$)	\$38			
Plastic Sample Vial 20 mg/l	2000556			
Price (\$)	\$27			
Plastic Sample Vial 10 mg/l	4001475			
Price (\$)	\$27			
Screw Plug Set G1	-	4020988		
Price (\$)	-	\$74		
Sealing Part Set V03 serial no. 12438530 & newer	4022580		4022581	
Price (\$)	\$71		\$97	
Lid Screws (set of 3)	4023627			
Price (\$)	\$19			
Sealing Kit V01 serial no. 11046999 and older	4013859		4013860	
Price (\$)	\$42		\$56	
Sealing Kit V01 serial no. 11047000 to 12438529	4013980		4013981	
Price (\$)	\$74		\$101	

Price Group 23

Replacement Alternative Filter Bag Sets for Oil-water Separators

- for a variety of competitive brands and models

	Order ref.	Price (\$)
Filter Set for Ultrafilter Superplus 5, Quincy QIOW 0005, Gardner Denver GDW5, BOGE Okomat 5 (Vent Filter Sold Separately = ZF3 kit)	2002294 4001791 (ZF3)	\$133 \$71
Filter Set for Ultrafilter Superplus 10, Quincy QIOW 0010, Gardner Denver GDW10, BOGE Okomat 10 (Vent Filter Sold Separately = ZF3 kit)	2000261 4001792 (ZF3)	\$176 \$89
Filter Set for Ultrafilter Superplus 15, Quincy QIOW 0015, Gardner Denver GDW15, BOGE Okomat 15 (Vent Filter Sold Separately = ZF3 kit)	2000262 4001793 (ZF3)	\$251 \$128
Filter Set for Ultrafilter Superplus 30, Quincy QIOW 0030, Gardner Denver GDW30, BOGE Okomat 30 (Vent Filter Sold Separately = ZF3 kit)	2000263 4001794 (ZF3)	\$416 \$203
Filter Set for Ultrafilter Superplus 60 / 120 / 240, Quincy QIOW 0060 / 0120 / 0240, Gardner Denver GDW60 / 120 / 240, BOGE Okomat 60 / 120 / 240 (120S Requires 2x 2000264, 240S Requires 4x 2000264, Vent Filter Sold Separately = ZF3 kit)	2000264 4001795 (ZF3)	\$572 \$271
Filter Set for Wortmann drukomat Mini and 1, Hankison HS1, Zander Ecosep 1 and 2	4015018	\$274
Filter Set for Wortmann drukomat 2, 3, 4 and 8, Hankison HS2, 3 and 4, Motivair OSW 2, 3 and 4, Zander Ecosep 3, 4 and 8	2000267	\$274
Filter Set for Wortmann drukomat 15, Hankison HS5, Motivair OSW 5, Zander Ecosep 15	2000269	\$381
Filter Set for Wortmann drukomat 30, Hankison HS6, Motivair OSW 6, Zander Ecosep 30	2000270	\$546
Filter Set for Wortmann drukomat 60, Hankison HS7, Motivair OSW 7, Zander Ecosep 60	2000271	\$987
Filter Set for domnick hunter ES 2100, Hi-Ross OWS 001, Zander Ecosep SL1, Comp-Air CS 2100, Ingersoll Rand ECS6, Sullair OS-1	4014218	\$216
Filter Set for domnick hunter ES 2150, Hi-Ross OWS 060, Zander Ecosep SL2, Comp-Air CS 2150, Ingersoll Rand ECS12, Sullair OS-16	4014218	\$216
Filter Set for domnick hunter ES 2200, Hi-Ross OWS 075, Zander Ecosep SL5, Comp-Air CS 2200, Ingersoll Rand ECS18, Sullair OS-20	4014218	\$216
Filter Set for domnick hunter ES 2300, Hi-Ross OWS 125, Zander Ecosep SL8, Comp-Air CS 2300, Ingersoll Rand ECS24, Sullair OS-33	4014234	\$264
Filter Set for domnick hunter ES 2400, Hi-Ross OWS 185, Zander Ecosep SL15, Comp-Air CS 2400, Ingersoll Rand ECS30, Sullair OS-1	4014235	\$443
Filter Set for domnick hunter ES 2500, Hi-Ross OWS 355, Zander Ecosep SL30, Comp-Air CS 2500, Ingersoll Rand ECS36, Sullair OS-16	4014236	\$311
Filter Set for domnick hunter ES 2600, Hi-Ross OWS 485, Zander Ecosep SL60, Comp-Air CS 2600, Ingersoll Rand ECS42, Sullair OS-1	4014237	\$645



Measurement Technology

METPOINT®

precision instruments for compressed air

- › Dew Point Meters
- › Flow Meters
- › Oil Vapor Measurement
- › Oil Vapor Monitoring Systems
- › Multi-Function Monitoring Systems
- › Portable Instrumentation and Monitoring Systems

METPOINT® DPMc Compact Dew Point Meter

pre-configured stationary compact pressure dew point meter

- › Self-contained pressure dew point sensor and single value display
- › Includes measuring chamber
- › 115-230 VAC / 50-60 Hz / 24 VDC power supply
- › Measurement range: -4 °F to 86 °F



Maintenance Interval: < 8,000 hours
Maintenance and Spare Parts: Page 141
Extended Warranty: Page 152


Order ref.	4032656
Price (\$)	\$1,907

Price Group 95

METPOINT® DPMe Economy Dew Point Meter

pre-configured stationary economy pressure dew point meter

- › SD21 dew point sensor with measuring chamber
- › DD081 single value display, wall mountable
- › 115 VAC / 50-60 Hz power supply
- › Connection cable
- › Measurement range: -76 °F to 86 °F
- › 4-20ma output
- › 2 alarm contacts



Maintenance Interval: < 8,000 hours
Maintenance and Spare Parts: Page 141
Extended Warranty: Page 152

Order ref.	4032012
Price (\$)	\$2,554


Price Group 95

METPOINT® DPMp Premium Dew Point Meter

pre-configured stationary premium pressure dew point meter



- › SD21 dew point sensor with measuring chamber
- › BDL Compact multi-function display, wall mountable
- › Full data log capabilities
- › 90 to 260 VAC / 50-60 Hz multi-voltage power supply
- › Connection cable
- › Measurement range: -76 °F to 86 °F
- › For custom configurations, see page 131



Maintenance Interval: < 8,000 hours
Maintenance and Spare Parts: Page 141
Extended Warranty: Page 152

Order ref.	4032013
Price (\$)	\$3,950

Price Group 95

OPTIONAL EQUIPMENT

Alarm Light and Siren with Wall Mount	4014684
Price (\$)	\$550
BDL Connect Basic Software (single-user)	4024218
Price (\$)	\$791
Compressed Air Analyzer Plug-in*	4036368
Price (\$)	\$1,406


*BDL Connect Software required

Price Group 95

METPOINT® FLMc Compact Flow Meter

stationary compact flow meter

- › SF13 compact flow meter
- › Measuring section with integrated digital display indicating actual flow and total consumption with built-in flow sensor
- › Multi-voltage power supply:
100-240 VAC / 24 VDC / 50-60 Hz



Maintenance Interval: < 8,000 hours
Maintenance and Spare Parts: Page 141
Extended Warranty: Page 152


Connection Size (NPT)	½"	¾"	1"	1¼"	1½"	2"
Flow Rate (scfm)	.12-53	.18-100	.29-170	.41-312	.59-430	1.18-703
Order ref.	4038526	4038528	4038529	4038530	4038531	4038532
Price (\$)	\$1,583	\$1,673	\$1,711	\$2,038	\$2,038	\$2,144

Price Group 95

METPOINT® FLMe Economy Flow Meter

pre-configured stationary economy flow meter

- › SF53 maximum speed flow sensor with adjustable probe for up to a 10" pipe
- › DD081 single value display, wall mountable
- › 115 VAC / 50-60 Hz power supply
- › Connection cable
- › 4-20ma output
- › 2 alarm contacts



Maintenance Interval: < 8,000 hours
Maintenance and Spare Parts: Page 141
Extended Warranty: Page 152

Order ref.	4032014
Price (\$)	\$4,901


Price Group 95

METPOINT® FLMp Premium Flow Meter

pre-configured stationary premium flow meter



- › SF53 maximum speed flow sensor with adjustable probe for up to a 10" pipe
- › BDL Compact multi-function display, wall mountable
- › Full data log capabilities
- › Multi-voltage power supply:
90 to 260 VAC / 50-60 Hz
- › Connection cable
- › For custom configurations, see page 131



Maintenance Interval: < 8,000 hours
Maintenance and Spare Parts: Page 141
Extended Warranty: Page 152

Order ref.	4032015
Price (\$)	\$6,224

Price Group 95

OPTIONAL EQUIPMENT

Alarm Light and Siren with Wall Mount	4014684
Price (\$)	\$550
BDL Connect Basic Software (single-user)	4024218
Price (\$)	\$791
Compressed Air Analyzer Plug-in*	4036368
Price (\$)	\$1,406

*BDL Connect Software required

Price Group 95


METPOINT® BDL Compact Multi-Function Monitoring Systems

pre-configured solution for dew point and pressure



- › BDLc 2A multi-function display, wall mountable
- › SD 21 Dew point sensor
- › SP 21 Pressure sensor
- › 30' cables for sensors

Maintenance Interval (sensors): < 8,000 hours
Maintenance and Spare Parts: Page 141
Extended Warranty: Page 152



Order ref.	4048946
Price (\$)	\$4,599

Price Group 95


METPOINT® BDL Compact Multi-Function Monitoring Systems

pre-configured solution for dew point and flow rate



- › BDLc 2D multi-function display, wall mountable
- › SD 23 Dew point sensor
- › SF 53 Flow sensor
- › 30' cables for sensors

Maintenance Interval (sensors): < 8,000 hours
Maintenance and Spare Parts: Page 141
Extended Warranty: Page 152



Order ref.	4048950
Price (\$)	\$8,565

Price Group 95


METPOINT® BDL Compact Multi-Function Monitoring Systems

pre-configured solution for dew point, flow rate, and pressure



- › BDLc 2A2D multi-function display, wall mountable
- › SD 23 Dew point sensor
- › SF 53 Flow Sensor
- › SP 21 Pressure sensor
- › 30' cables for sensors

Maintenance Interval (sensors): < 8,000 hours
Maintenance and Spare Parts: Page 141
Extended Warranty: Page 152



Order ref.	4048952
Price (\$)	\$9,636

Price Group 95

METPOINT® BDL Compact Multi-Function Monitoring Systems

custom configurations for 1–4 sensor connections




- › Compact, easy to read, touch screen display
- › Expandable and future-proof via expansion modules
- › Full data log capabilities
- › Optional integration and analysis software available
- › Fully assembled and ready to use

Maintenance Interval (sensors): < 8,000 hours

Maintenance and Spare Parts: Page 141

Extended Warranty: Page 152



Custom Configuration Legend


- Required Equipment Selections
- Expansion and Equipment Options

		BDL 2A		BDL 4A		BDL 2A2D		BDL 2D		BDL 4D	
		2 Analog Sensor Configuration		4 Analog Sensor Configuration		2 Analog / 2 Digital Sensor Configuration		2 Digital Sensor Configuration		4 Digital Sensor Configuration	
1	Select Monitor Type	Order ref.	Price (\$)	Order ref.	Price (\$)	Order ref.	Price (\$)	Order ref.	Price (\$)	Order ref.	Price (\$)
	BDL without Ethernet	4029266	\$2,433	4029406	\$3,083	4029278	\$3,083	4029262	\$2,433	4029409	\$3,083
	BDL with Ethernet	4029270	\$2,949	4029315	\$3,600	4029299	\$3,600	4029286	\$2,949	4029311	\$3,600
2	Select Sensors including 30' cable										
	SD21 Dew Point Sensor with Chamber -76 °F	4032333	\$1,687	4032333	\$1,687	4032333	\$1,687	-	-	-	-
	SD23 Dew Point Sensor with Chamber -76 °F	-	-	-	-	4032334	\$1,930	4032334	\$1,930	4032334	\$1,930
	SD41 Dew Point Sensor with Chamber -148 °F	4048188	\$2,710	4048188	\$2,710	4048188	\$2,710	-	-	-	-
	SF53 Flow Sensor up to 10" pipe	4039145	\$3,922	4039145	\$3,922	4039145	\$3,922	4039145	\$3,922	4039145	\$3,922
	SP21 Pressure Sensor: 0 to 360 psig	4024284	\$363	4024284	\$363	4024284	\$363	-	-	-	-
	SP61 Pressure Sensor: 0 to 870 psig	4024286	\$363	4024286	\$363	4024286	\$363	-	-	-	-
	TS109 Temperature Sensor	4044639	\$671	4044639	\$671	4044639	\$671	-	-	-	-
	AS109 Ampmeter with 5m cable	4014731	\$1,058	4014731	\$1,058	4014731	\$1,058	-	-	-	-
	METPOINT® OCV Compact	4040025	\$13,008	4040025	\$13,008	4040025	\$13,008				
3	Optional Software										
	BDL Connect Basic (single-user license)	4024218	\$791	4024218	\$791	4024218	\$791	4024218	\$791	4024218	\$791
4	Options										
	Alarm Light and Siren with Wall Mount	4014684	\$550	4014684	\$550	4014684	\$550	4014684	\$550	4014684	\$550
	Webserver	4027872	\$660	4027872	\$660	4027872	\$660	4027872	\$660	4027872	\$660
	Virtual Channels - Math Function	4027873	\$397	4027873	\$397	4027873	\$397	4027873	\$397	4027873	\$397

METPOINT® BDL XL Multi-Function Monitoring Systems
pre-configured solution for dew point and pressure

- › BDL XL4 multi-function display, wall mountable
- › SD 23 Dew point sensor
- › 2 x SP 21 Pressure sensors
- › BDL connect basic software (Single user)
- › 30' cables for sensors

Maintenance Interval (sensors): < 8,000 hours
Maintenance and Spare Parts: Page 141




Order ref.	4048954
Price (\$)	\$7,471

Price Group 95

METPOINT® BDL XL Multi-Function Monitoring Systems
pre-configured solution for dew point, flow rate, and pressure

- › BDL XL4 multi-function display, wall mountable
- › SD 23 Dew point sensor
- › SF 53 Flow sensor
- › 2 x SP 21 Pressure sensors
- › BDL connect basic software (single user)
- › 30' cables for sensors

Maintenance Interval (sensors): < 8,000 hours
Maintenance and Spare Parts: Page 141




Order ref.	4048955
Price (\$)	\$11,470

Price Group 95

METPOINT® BDL XL Multi-Function Monitoring Systems
pre-configured solution for oil vapor measurement

- › BDL XL4 multi-function display, wall mountable
- › OCV Compact
- › BDL connect basic software (single user)
- › 30' cable for sensor

Maintenance Interval (sensors): < 8,000 hours
Maintenance and Spare Parts: Page 141



Order ref.	4048958
Price (\$)	\$18,319

Price Group 95


METPOINT® BDL XL Multi-Function Monitoring Systems

custom configurations for up to 12 sensor connections with a single display

- › Extra large, easy to read, touch screen display
- › Full data log capabilities
- › Sensor ports work with both analog and digital sensors
- › Easy integration with existing systems
- › Network ready
- › Optional integration and analysis software available

Maintenance Interval (sensors): < 8,000 hours

Maintenance and Spare Parts: Page 141



Custom Configuration Legend

1 Required Equipment Selections

2 Equipment Options

	BDL XL4		BDL XL8		BDL XL12	
	4-Port Multi-use Sensor Configuration		8-Port Multi-use Sensor Configuration		12-Port Multi-use Sensor Configuration	
1 Select Monitor Type	Order ref.	Price (\$)	Order ref.	Price (\$)	Order ref.	Price (\$)
BDL XL with Ethernet	4055589	\$4,350	4055590	\$5,214	4055591	\$6,189
2 Select Sensors including 30' cable						
SD21 Dew Point Sensor with Chamber -76 °F	4032333	\$1,687	4032333	\$1,687	4032333	\$1,687
SD23 Dew Point Sensor with Chamber -76 °F	4032334	\$1,930	4032334	\$1,930	4032334	\$1,930
SD41 Dew Point Sensor with Chamber -148 °F	4048188	\$2,710	4048188	\$2,710	4048188	\$2,710
SF53 Flow Sensor up to 10" pipe	4039145	\$3,922	4039145	\$3,922	4039145	\$3,922
SP21 Pressure Sensor: 0 to 360 psig	4024284	\$363	4024284	\$363	4024284	\$363
SP61 Pressure Sensor: 0 to 870 psig	4024286	\$363	4024286	\$363	4024286	\$363
TS109 Temperature Sensor	4044639	\$671	4044639	\$671	4044639	\$671
AS109 Ampmeter with 5m cable	4014731	\$1,058	4014731	\$1,058	4014731	\$1,058
METPOINT® OCV Compact	4040025	\$13,008	4040025	\$13,008	4040025	\$13,008
3 Optional Software						
BDL Connect Basic (single-user license)	4024218	\$791	4024218	\$791	4024218	\$791
4 Options						
Alarm Light and Siren with Wall Mount	4014684	\$550	4014684	\$550	4014684	\$550
Webserver	4024291	\$660	4024291	\$660	4024291	\$660
Quick Measurement	4024295	\$348	4024295	\$348	4024295	\$348
Virtual Channels - Math Function	4027873	\$397	4027873	\$397	4027873	\$397


METPOINT® OCV Compact Oil Vapor Monitoring Systems

inline oil vapor measurement device with integrated display



- › Measurement range:
≤ .01 - 2.50 mg/m³ residual oil vapor content
- › Power supply: 100-240 VAC / 50-60 Hz
- › Connection: 1/8" internal thread
- › Outputs: 4-20 mA analog, RS-485, MODBUS RTU
- › Min. / max. operating temperature: 41 °F / 113 °F
- › Min. / max. operating pressure: 44 / 232 psig

Maintenance Interval: < 8,000 hours
Maintenance and Spare Parts: Page 141
Extended Warranty: Page 152



STANDARD PRESSURE

METPOINT® OCV Compact with 4-20 mA Output	4040025
Price (\$)	\$13,008

Price Group 96



OPTIONAL EQUIPMENT

High Pressure Adapter Kits for Systems up to 580 psig	Consult Factory
Price (\$)	ON REQUEST
Installation Kit	Consult Factory
Price (\$)	ON REQUEST

Price Group 96

METPOINT® OCV Compact Accessories

■ for use with 580 psig applications



	Pressure Reducer	Ball Valve
Order ref.	4014084	4014394
Price (\$)	\$1,877	\$709


Price Group 96

METPOINT® DPM Portable

portable dew point measurement instrument

Includes:

- › Handheld display with integrated SD23 PDP sensor
- › Integrated data log
- › Measurement range:
 - Pressure Dew Point -76 °F to 86 °F
 - Temperature: -22 °F to 158 °F
 - Relative Humidity: 0-95%
- › 11.3% RH control and calibration set
- › Connection cable
- › Carrying case



Maintenance Interval (sensor): < 8,000 hours

Maintenance and Spare Parts: Page 141

Extended Warranty: Page 152

Order ref.	4031162
Price (\$)	\$4,988

Price Group 95

OPTIONAL EQUIPMENT

BDL Connect Basic (single-user)	4024218
Price (\$)	\$791


Price Group 95

METPOINT® FLM Portable

portable flow rate measurement instrument

Includes:

- › Handheld display prepared for SF53 flow sensor
- › Integrated data log
- › Adjustable probe up to 10" pipe
- › Connection cable
- › Carrying case



Maintenance Interval (sensor): < 8,000 hours

Maintenance and Spare Parts: Page 141

Extended Warranty: Page 152

Order ref.	4032016
Price (\$)	\$7,050

Price Group 95

OPTIONAL EQUIPMENT


BDL Connect Basic (single-user)	4024218
Price (\$)	\$791

Price Group 95

METPOINT® PRO Portable
portable multi-function compressed air monitoring device

- Includes:
› Intelligent handheld device prepared for a variety of sensor attachments
› Integrated data log
› 100 to 240 VAC multi-voltage power supply
› Integrated data logger

- Compatible sensors (sold separately):
- › SD21, SD23, and SD41 pressure dew point sensors
 - › SP21 and SP61 pressure sensors
 - › SF53 or SF13 flow sensor
 - › And many more
 - › See page 127 for all available sensors



No maintenance required
Extended Warranty: Page 152

Order ref.	4028336
Price (\$)	\$2,450

Price Group 95


OPTIONAL EQUIPMENT

BDL Connect Basic (single-user)	4024218
Price (\$)	\$791

Price Group 95

METPOINT® CID
portable compressed air leak detection instrument

- › Headphones and spiral cable
- › Sound funnel and straightening tip attachment (exchangeable)
- › Holster with shoulder strap
- › Charger
- › Leak Tag (notepad)
- › Evaluation PC software "Leak Management Software"
- › Rugged carrying case





No maintenance required
Extended Warranty: Page 152

Order ref.	4060062
Price (\$)	\$8,571

Price Group 95

METPOINT® CID Accessories

- microphones optimized for special listening conditions



	Parabolic Microphone	Gooseneck Microphone
Order ref.	4055749	4055747
Price (\$)	\$3,003	\$894

Price Group 96

METPOINT® Maintenance

■ calibration and rental services

Maintenance Interval: < 8,000 hours

DEW POINT SENSORS

DPM Annual Calibration for SD11 Sensor	4032067
Price (\$)	\$355
DPM Pre-calibration Readings for SD21 Sensor	4059602
Price (\$)	\$228
DPM Annual Calibration for SD21 Sensor	4032069
Price (\$)	\$355
DPM Pre-calibration Readings for SD23 Sensor	4059603
Price (\$)	\$228
DPM Annual Calibration for SD23 Sensor	4032071
Price (\$)	\$355
DPM Annual Calibration for DP109 Sensor	4027629
Price (\$)	\$355
DPM Annual Calibration for SD31 Sensor	4048621
Price (\$)	\$705
DPM Annual Calibration for DP207 Sensor	4027631
Price (\$)	\$355
DPM Annual Calibration for SD41 Sensor	4048612
Price (\$)	\$1,473

Price Group 96

DPM SD21 Sensor Rental During Calibration / per week	4048616
Price (\$)	\$118
DPM SD23 Sensor Rental During Calibration / per week	4048615
Price (\$)	\$118
DPM SD41 Sensor Rental During Calibration / per week	4049012
Price (\$)	\$237

Price Group 96

PRESSURE SENSORS

PRM Annual Calibration for SP11, SP21, SP23 Pressure Sensors	4034020
Price (\$)	\$326

Price Group 96

FLOW SENSORS

FLM Annual Calibration for SF13, SF53 Flow Sensors	4036453
Price (\$)	\$1,170
FLM Annual Calibration for FS109 Flow Sensor	4013058
Price (\$)	\$971

Price Group 96

FLM SF53 Sensor Rental During Calibration / per week	4048617
Price (\$)	\$216

Price Group 96

OCV SENSORS

OCV Annual Calibration	4025003
Price (\$)	\$3,323
OCV Compact Annual Calibration	4040662
Price (\$)	\$3,540

Price Group 96

OCV Sensor Rental During Calibration / per week	4048618
Price (\$)	\$365
OCV Compact Sensor Rental During Calibration / per week	4048619
Price (\$)	\$365

Price Group 96

PARTICLE COUNTER

PC400 Particle Counter Annual Calibration	4040408
Price (\$)	\$3,545

Price Group 96

METPOINT® Spare Parts

■ replacement displays

	Order ref.	Price (\$)
Replacement BDL 2A without Ethernet	4029266	\$2,433
Replacement BDL 2A with Ethernet	4029270	\$2,949
Replacement BDL 4A without Ethernet	4029406	\$3,083
Replacement BDL 4A with Ethernet	4029315	\$3,600
Replacement BDL 2D2A without Ethernet	4029278	\$3,083
Replacement BDL 2D2A with Ethernet	4029299	\$3,600
Replacement BDL 2D without Ethernet	4029262	\$2,433
Replacement BDL 2D with Ethernet	4029286	\$2,949
Replacement BDL 4D without Ethernet	4029409	\$3,083
Replacement BDL 4D with Ethernet	4029311	\$3,600

Price Group 95

METPOINT® Spare Parts

■ replacement sensors and sensor parts

	Order ref.	Price (\$)
SD21 Pressure Dew Point Sensor without Chamber -76° F	4024282	\$1,183
SD23 Pressure Dew Point Sensor without Chamber -76° F	4024283	\$1,372
SD41 Pressure Dew Point Sensor without Chamber -148 °F	4051577	\$2,460
Bonded Sealing Washer for Dew Point Sensors	4027443	\$38
SF53 Flow Sensor: 185.0 m/s with 8.66" Standard Probe Length	4039145	\$3,922
SF53 Flow Sensor: 185.0 m/s with 15.75" Standard Probe Length	4039146	\$4,203
SP21 mA Pressure Sensor: 0 to 360 psig	4024284	\$363
SP61 mA Pressure Sensor: 0 to 870 psig	4024286	\$363
TS109 Temperature Sensor	4044639	\$671
AS109 Ampmeter with 15' Cable	4014731	\$1,058
Standard Cable for Handheld Displays: SF Sensor Cable 15'	4039570	\$82
Standard Cable for Handheld Displays: Open End	4028338	\$250
Measurement Chamber	4029196	\$330
OCV Replacement Probe 2" to 3" pipes	4013237	\$714
OCV 4 - 20 mA Cable Plug with M16 Connection	4014143	\$92

Price Group 95

METPOINT® Spare Parts

■ replacement cables

	15' Cables		30' Cables		80' Cables	
Sensors SP21, SP11, SP61 and SD21	4025252	\$46	4034219	\$58	4034220	\$110
Sensors SF13 and SF53	4014064	\$60	4014065	\$77	4020081	\$142
Sensor SD23	4025253	\$112	4033570	\$203	4033571	\$253
Sensor OCV Compact (open ended cable)	4017332	\$95	4017333	\$166	4048189	\$307



Advanced Catalytic Systems


BEKOKAT®

for oil-free and germ-free compressed air

› Complete Catalytic Conversion Systems

BEKOKAT® Catalytic Conversion Systems

complete oil and bacteria removal systems for compressed air



BEKOKAT®	iCC 010	iCC 035	iCC 070
Flow Rate (scfm)	10	35	70
Pipe Size (NPT)	1/2"	1"	1"
Voltage (VAC)	230 V / 1 Ph	230 V / 1 Ph	230 V / 1 Ph
Installed power (kW)	0.58	1.00	1.64
Average Power (kW)	0.20	0.52	0.86
Dimensions and Weight			
H x W x D (inches)	39 x 11 x 24	57 x 40 x 22	60 x 40 x 22
Weight (lbs)	135	309	386

Order ref.	4046760	4052718	4052419
Price (\$)	\$10,029	\$20,182	\$22,285

Price Group 45

REQUIRED INLET WATER SEPARATOR

Order ref.	4005005	4004735	4004736
Price (\$)	\$234	\$258	\$338

Price Group 82

OPTIONAL 1 µm PRE-FILTRATION

Order ref.	4015378	4005492	4005841
Price (\$)	\$299	\$366	\$457

Price Group 82

OPTIONAL EQUIPMENT

Bypass valve, mounted and tested	4043063	4025315	4025315
Price (\$)	\$1,537	\$1,772	\$1,772

Price Group 82

The residual oil content can be monitored continuously using the METPOINT® OCV Compact. When installing the BEKOKAT® downstream of a compressor with aftercooler, a water separator needs to be installed. Please consult our technical department before ordering.

- › Attainable residual oil at outlet: $\leq .003 \text{ mg/m}^3$
- › Oil-free air independent from ambient conditions
- › Produces germ-free, sterile air
- › ISO 8573-1, Class 1 certified
- › Min. / max. ambient conditions: 41 °F / 113 °F
- › Min. / max. inlet air temperature: 41 °F / 131 °F
- › Max. operating pressure: CC 035-425: 232 psig | CC10 & iCC 705: 160 psig

Maintenance Interval: < 8,000 hours
Maintenance and Spare Parts: Page 146
Extended Warranty: Page 152

BEKOKAT®	iCC 105	iCC 210	iCC 425	iCC 705
Flow Rate (scfm)	105	210	425	705
Pipe Size (NPT)	1¼"	1½"	2"	2½"
Voltage (VAC)	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph	460 V / 3 Ph
Installed power (kW)	2.64	5.14	8.74	13.84
Average Power (kW)	1.33	2.17	3.26	3.75

Dimensions and Weight

H x W x D (inches)	60 x 40 x 22	49 x 69 x 28	75 x 60 x 30	69 x 80 x 36
Weight (lbs)	441	717	1,169	1,636

Order ref.	4052719	4051082	4051081	4052720
Price (\$)	\$27,888	\$36,908	\$52,852	\$72,780

Price Group 45

REQUIRED INLET WATER SEPARATOR

Order ref.	4020397	4012257	4020440	4012260
Price (\$)	\$598	\$1,011	\$1,175	\$2,604

Price Group 82

OPTIONAL 1 µm PRE-FILTRATION

Order ref.	4020387	4016030	4020430	4003493
Price (\$)	\$512	\$799	\$1,012	\$2,266

Price Group 82

OPTIONAL EQUIPMENT

Bypass valve, mounted and tested	4025315	4037946	4037947	4037587
Price (\$)	\$1,772	\$2,286	\$2,584	\$4,038

Price Group 82

Correction Factors

Operating Pressure (psig)	20	40	60	80	90	100	110	120	130	140	160	180	200	230
Correction Factor	.30	.48	.65	.82	.91	1.00	1.09	1.17	1.26	1.35	1.52	1.70	1.87	2.13

The correction factors on this page provide an estimation of the performance that can be achieved with the model sizes shown. For precise sizing for your application, please contact your BEKO Technologies sales representative.

BEKOKAT® Maintenance

■ replacement catalyst material for current and previous generations

Maintenance Interval: 24,000 hours

	iCC 035	iCC 070	iCC 105	iCC 210	iCC 425	iCC 705
Order ref.	4024471	4024472	4024473	4024474	4024475	4024476
Price (\$)	\$1,036	\$2,725	\$4,137	\$7,518	\$15,971	\$32,502

Price Group 45

BEKOKAT® Spare Parts


■ for all model sizes and generations

	iCC / CC 035	iCC / CC 070	iCC / CC 105	
			up to serial no. CC180.07.051191	from serial no. CC180.07.0212118
Compressed Air Distributor	4024538	4024538	4024538	
Price (\$)	\$327	\$327	\$327	
Safety Valve 232 psi	4024552	4024552	4024552	
Price (\$)	\$190	\$190	\$190	
Electrical Inlet Valve	4024995	4024995	4024995	-
Price (\$)	\$844	\$844	\$844	-
Electrical Outlet Valve	4024996	4024996	4024996	-
Price (\$)	\$1,128	\$1,128	\$1,128	-
Pneumatic Inlet Valve	-	-	-	4025420
Price (\$)	-	-	-	\$425
Pneumatic Outlet Valve	-	-	-	4025421
Price (\$)	-	-	-	\$512
Pilot Valve	-	-	-	4026827
Price (\$)	-	-	-	\$570

Price Group 45

	iCC / CC 210		iCC / CC 425		iCC / CC 705
	up to serial no. CC360.07.091080	from serial no. CC360.07.091081	up to serial no. CC720.07.061075	from serial no. CC720.07.101086	
Compressed Air Distributor	4024539		4025195		4026828
Price (\$)	\$365		\$570		\$661
Safety Valve 160 psi	-		-		4026829
Price (\$)	-		-		\$687
Safety Valve 174 psi	4024553	-	4024553	-	-
Price (\$)	\$392	-	\$392	-	-
Safety Valve 232 psi	-	4024552	-	4024552	-
Price (\$)	-	\$190	-	\$190	-
Electrical Inlet Valve	-		-	-	-
Price (\$)	-		-	-	-
Electrical Outlet Valve	-		-	-	-
Price (\$)	-		-	-	-
Pneumatic Inlet Valve	-	4025422	-	4025427	4026825
Price (\$)	-	\$733	-	\$799	\$1,654
Pneumatic Outlet Valve	-	4025423	-	4025428	4026826
Price (\$)	-	\$825	-	\$912	\$1,828
Pilot Valve	-	4026827	-	4026827	4026827
Price (\$)	-	\$570	-	\$570	\$570

Price Group 45



Education and Training

Courses and Products

providing professional knowledge about the industry

- › Industry Specific Training Courses
- › Air Treatment Cutaways
- › Condensate Technology Cutaway and Demo Products with Carrying Case
- › Instrumentation Demo Products with Carrying Case

Industry Training and Demo Products

highly applicable, useful and easy to understand courses and products



2-day EPA 608 certification class including all study materials, proctored exam, and certification card upon successful completion

Location	Number of Days	Minimum Number of Trainees	Maximum Number of Trainees	Price (\$)
At BEKO USA Headquarters	2	4	16	\$649 per person
Off-site in the U.S.	2	4	16	\$649 per person
Outside of the U.S.	Consult Factory			



DRYPOINT® RA Training

Location	Number of Days	Minimum Number of Trainees	Maximum Number of Trainees	Price (\$)
At BEKO USA Headquarters	2	8	16	FREE
Off-site in the U.S.	2	4	16	\$2,000 per day
Outside of the U.S.	Consult Factory			



DRYPOINT® X Training

Location	Number of Days	Minimum Number of Trainees	Maximum Number of Trainees	Price (\$)
At BEKO USA Headquarters	2	8	16	FREE
Off-site in the U.S.	2	4	16	\$2,000 per day
Outside of the U.S.	Consult Factory			



BEKOMAT® / CLEARPOINT® / QWIK-PURE® / METPOINT® / BEKOKAT® Training

Location	Number of Days	Minimum Number of Trainees	Maximum Number of Trainees	Price (\$)
At BEKO USA Headquarters	2	8	16	FREE
Off-site in the U.S.	2	4	16	\$2,000 per day
Outside of the U.S.	Consult Factory			

Industry Training and Demo Products

highly applicable, useful and easy to understand courses and products



cutaway of filter element
with stand



cutaway of aluminum heat
exchanger profile with stand



cutaway of
hot gas bypass valve



cutaway of DRYPOINT® MDP with
integrated pre-filter

Air Treatment	CLEARPOINT® Filtration	DRYPOINT® RA Refrigerant Dryer		DRYPOINT® M Membrane Dryer
Order ref.	4040053	4041105	4041106	4009819
Net Price (\$)	\$132	\$207	\$125	\$535



cutaway of BEKOMAT® 32 multi-voltage zero air loss drain



set of BEKOMAT® 3x series drains with one 31, one 32 cutaway, one 33
and universal heating kit in hard shell carrying case

Condensate Technology	BEKOMAT® Condensate Drains	
Order ref.	4024398	Contact Your Regional Sales Manager
Net Price (\$)	\$498	\$1,029




fully functioning touch screen display with data log,
pressure dew point sensor and cables with hard shell carrying case



fully functioning touch screen display with data log,
flow sensor and cables with hard shell carrying case

Instrumentation	METPOINT® BDL and Sensor Packages	
Order ref.	4054653	4047594
Net Price (\$)	\$2,222	\$3,254



Commercial Information

Extended Warranty Program Terms and Conditions

+3
Years on all
Products

ask your
**sales
representative**
for complete details
and extend your full
warranty today

At a Glance

Standard Warranty up to 24 Months

Cover3More (4028121) can be added
up to 18 Months after purchase

Cover3More 25 - 60 Months

Months 12 18 24 36 48 60

Cover3More is available on all our product lines

DRYPOINT® RA	Refrigerant Air Dryers	BEKOMAT®	Zero Air Loss Drains
DRYPOINT® X / AC	Desiccant Air Dryers	QWIK-PURE®	Oil-water Separators
DRYPOINT® M	Membrane Air Dryers	METPOINT®	Instrumentation
CLEARPOINT®	Filters and Water Separators	BEKOKAT®	Hydrocarbon Removal Systems

How it Works

1. Select the product or products that you wish to cover with the extended warranty.
2. Simply add 8% to the net price of each product or call your sales representative if you need help calculating your final net price.
3. Include order reference number **4028121** as a line item with your purchase order or purchase the warranty extension up to 18-months post-sale.

What we need from you: It's not much. In fact, if you are purchasing the Cover3More extended warranty with a new equipment purchase, all you have to do is include a line item on your order indicating which items you wish you cover, and we will take care of the rest. If you happen to be adding coverage to a product you've already taken delivery of, then all we need is the company name and contact information of the original purchaser, the product model number of the product to be covered, serial number, and original purchase order number or BEKO Technologies invoice number, and we will apply coverage appropriately. **Please feel free to contact us at +1 (800) 235-6797 to get started.**

All maintenance procedures, including filter element changes, must be carried out in accordance with the manual in order to maintain any warranty.

Terms and Conditions

the following terms and conditions of sale govern all purchases from BEKO Technologies, Corp. ("BEKO USA")

1. Price/Delivery.

All prices are "ex-works" BEKO USA's place of business and are exclusive of transportation costs, insurance, and applicable taxes. Title and risk of loss or damage pass upon tender of delivery of the product to the carrier. BEKO USA will arrange for transportation and insurance at Buyer's expense. The shipping date is an estimate and is subject to change by BEKO USA. The price stated includes only the product specified and is firm only for the period stated. Taxes shall be the responsibility of Buyer.

2. Acceptance.

All orders are subject to acceptance by BEKO USA at its place of business.

3. Delays.

BEKO USA will not be responsible or liable for any loss, damage, or delay caused or occasioned by acts of God, transportation delays, accidents, fire, strike, civil or military authority, by the requirements of any statute, order, or directive of any government authority, or by any other cause beyond BEKO USA's reasonable control.

4. Inspection.

Buyer shall promptly inspect the products upon receipt and shall notify BEKO USA in writing of any nonconformity or defect within 10 days after receipt by Buyer. In the event Buyer does not act within the time limit, Buyer agrees that it shall be conclusively presumed to have accepted the products and to have waived any defect discoverable upon reasonable inspection. Where any tender of delivery by BEKO USA is rejected by Buyer as a result of a non-conformity or defect, BEKO USA may seasonably notify the Buyer of BEKO USA's intention to cure and may then make a conforming delivery within a reasonable time, said reasonable time to be at least thirty (30) days following receipt of notice of Buyer that the goods are non-conforming or defective.

5. Payment/Security Interest.

Unless otherwise stated herein, the purchase price shall be payable to BEKO USA in U.S. dollars at BEKO USA's place of business, net 30 days from the invoice date. Amounts not paid when due will bear a late payment charge of 1.5% per month after 30 days. Buyer grants BEKO USA a purchase money security interest in the products and any proceeds thereof, as security for Buyer's obligation to pay the purchase price, and Buyer agrees to execute any financing statement or other instrument required to perfect such security interest. Buyer hereby agrees to BEKO USA's Terms and Conditions on the reverse side of the Invoice and grants BEKO USA a security interest, as defined by Article 9 of the Uniform Commercial Code, in the goods shipped by BEKO USA.

6. Warranty / Disclaimer.

All products manufactured by BEKO USA are warranted to the original buyer, for a period of 24-months. The warranty period begins on the date of shipment or upon final installation of product at BEKO USA's discretion. The products are warranted to be free of any defects in materials and workmanship, which render the products unfit for their intended use, and to conform to their specifications provided. Any warranty coverage including any extended warranty requires that all maintenance procedures, including filter element changes, must be carried out in accordance with the manual in order to maintain warranty coverage. For product lines DRYPOINT® RA, RA HT, RA LC and RS HP the warranty coverage is only provided if the following mandatory requirement is fulfilled: a CLEARPOINT® coalescing filter, Type-F [1 micron] or Type-S [0.01 micron] as manufactured by BEKO USA, must be installed directly at the inlet of the dryer. For product lines DRYPOINT® M, X and AC the warranty coverage is only provided if the following mandatory requirement is fulfilled: a CLEARPOINT® coalescing filter, Type-S [0.01 micron] as manufactured by BEKO USA, must be installed directly at the inlet of the dryer. For product lines DRYPOINT® RA, RA HT, RA LC and RS HP the heat exchanger is warranted to the original buyer, for a period of 60-months from the date of shipment or upon final installation of product at BEKO USA's discretion. The heat exchanger is warranted to be free of any defects in materials and workmanship, which render the heat exchanger to fail in its intended use or to conform to the original specifications provided. BEKO USA maintains, at its discretion, the option to offer the same warranty on the aforementioned product lines where no filter is present or another manufacturer's filter has been employed, provided that the previously stated performance and installation requirements, as well as the product quality standards of BEKO USA, have been met. The standard 24-month warranty for all products consists of a full warranty which includes parts and labor. The standard 60-month warranty specific to refrigerant air dryer heat exchangers consists of a full warranty which includes parts and labor. Labor costs are limited to a maximum hourly rate of \$85 (85 USD) and limited to certain maximum time allowances that have been predetermined by BEKO USA for a variety of specific maintenance and repair tasks. Incidental costs are not included. Refer to the [Technical Service Support and Warranty Policy](#), which is available for your review by accessing the hyperlink provided above or obtained as an electronic copy from the Technical Service section of [BEKO USA's official website](#). This Policy shall provide you with comprehensive information regarding product warranties, procedures, and reimbursement.

The optional 36-month warranty extension (i.e. Cover3More) is a limited extended warranty that covers parts only from months 25-60 and the extension does not apply to refrigerant air dryer heat exchangers. All of the aforementioned installation, performance, and quality requirements, however, must still be met in order to maintain extended warranty coverage. Failure to do so will render all warranties null and void. The limited extended warranty coverage may be purchased and applied to any of the BEKO USA product lines included in the scope of the Cover3More extended warranty program from the original date of sale up to 18-months thereafter. Extended warranty coverage may not be purchased during the final 6-months of the standard warranty coverage, which are months 19-24 from the date of shipment or at BEKO USA's discretion, the date of installation. The purchase price of the Cover3More limited extended warranty is not prorated and the current published purchase price is always applied. Should the extended warranty coverage be purchased post-delivery or sale then the serial number of all products to which the warranty shall be extended must be provided to BEKO USA at the time of purchase. Subject to terms in this Section, BEKO USA will repair or replace, at its option, any products or components that are found to be defective or nonconforming, provided that Buyer gives written notice of the defect or nonconformity within the warranty period. Buyer shall make the product or component available for BEKO USA's inspection or, at BEKO USA's option, shall return the product or component to BEKO USA FOB its manufacturing facility designated by BEKO USA. BEKO USA will return the product or component to Buyer, freight prepaid, to any location in the continental United States. This warranty shall be void in the event of: (a) Buyer's performing any warranty repair work to the product, whether directly or indirectly, without first obtaining written authorization from BEKO USA; (b) any modifications or additions to the product not previously expressly approved in writing by BEKO USA; (c) use of non-authorized replacement parts on the product; (d) misuse or failure to maintain or service the product in accordance with BEKO USA recommendations and guidelines. The warranty excludes all normal maintenance services. This warranty applies only if Buyer has followed BEKO USA's approved maintenance schedules and procedures. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES OR OBLIGATIONS, EXPRESSED OR IMPLIED. BEKO USA EXPRESSLY DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. BUYER'S EXCLUSIVE REMEDY FOR BREACH OF WARRANTY IS REPLACEMENT OR REPAIR, AT BEKO USA'S OPTION. BUYER'S SOLE REMEDY IS LIMITED TO REPAIR OR REPLACEMENT OF NON-CONFORMING GOODS. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE PROVISIONS OF THESE TERMS AND CONDITIONS.

7. Warning to Users.

BUYER ACKNOWLEDGES THAT USE OF THE BEKO USA PRODUCTS REQUIRES CAUTION ON THE PART OF USERS AND THAT FAILURE TO USE SUCH CAUTION CAN CAUSE SERIOUS PERSONAL INJURY. BUYER SHALL INSTRUCT ITS EMPLOYEES AND ANY OTHER PERSONS WHO MAY COME IN CONTACT WITH THE PRODUCTS ON PROPER USE AND SHALL PLACE APPROPRIATE WARNINGS IN LOCATIONS REASONABLY NECESSARY TO ALERT SUCH EMPLOYEES AND OTHER PERSONS TO THE NEED FOR CAUTION IN CONNECTION WITH USE OF THE PRODUCTS. BUYER SHALL INDEMNIFY AND HOLD HARMLESS BEKO USA FROM ANY LOSS, CLAIM, OR DAMAGES, INCLUDING ATTORNEYS' FEES AT TRIAL AND ON APPEAL, CAUSED IN WHOLE OR IN PART BY BUYER'S FAILURE TO COMPLY WITH THE REQUIREMENTS OF THIS SECTION.

8. Limitations of Liability.

EXCEPT AS OTHERWISE EXPRESSLY PROVIDED IN THESE TERMS AND CONDITIONS IN NO EVENT WILL BEKO USA BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY KIND, SUSTAINED FROM ANY CAUSE RELATING TO THE PRODUCT OR ARISING OUT OF ANY LEGAL THEORY, WHETHER BREACH OF CONTRACT, NEGLIGENCE OR STRICT TORT LIABILITY. IN NO EVENT SHALL BEKO USA BE LIABLE TO BUYER FOR ANY CLAIM, WHETHER BASED UPON BREACH OF CONTRACT, NEGLIGENCE, STRICT TORT LIABILITY OR ANY OTHER LEGAL THEORY, ARISING OUT OF OR RELATING TO THE PRODUCTS SOLD, IN AN AMOUNT EXCEEDING THE PURCHASE PRICE OF THE SUBJECT PRODUCT. ANY LAWSUIT AGAINST BEKO USA, ITS OFFICERS, DIRECTORS, EMPLOYEES, OR AFFILIATES, ARISING OUT OF OR RELATING TO THE SUBJECT PRODUCT, MUST BE FILED WITHIN ONE YEAR FROM SHIPMENT OF THE PRODUCT BY BEKO USA.

9. Disputes.

THIS SALE TRANSACTION SHALL BE DEEMED TO HAVE BEEN MADE AND ENTERED INTO IN ATLANTA, FULTON COUNTY, GEORGIA. THESE TERMS AND CONDITIONS SHALL BE CONSTRUED UNDER THE LAWS OF THE STATE OF GEORGIA. BUYER HEREBY EXPRESSLY AGREES THAT FOR ALL ACTIONS OR PROCEEDINGS ARISING OUT OF OR RELATING TO THESE TERMS AND CONDITIONS OR THE PRODUCT BUYER WAIVES ALL RIGHTS TO A JURY TRIAL, AND JURISDICTION AND VENUE SHALL BE PROPER AND LIE SOLELY IN THE COURTS OF FULTON COUNTY, GEORGIA AND SHALL, ACCORDINGLY, BE HEARD ONLY IN SUCH COURTS. ANY DISPUTE, CONTROVERSY OR CLAIM ARISING OUT OF OR RELATED TO THESE TERMS AND CONDITIONS OR THE PRODUCT SHALL BE SOLELY AND EXCLUSIVELY RESOLVED BY BINDING ARBITRATION IN FULTON COUNTY, GEORGIA PURSUANT TO THE EXPEDITED PROCEDURES OF THE COMMERCIAL ARBITRATION RULES OF THE AMERICAN ARBITRATION ASSOCIATION THEN IN EFFECT. ANY ARBITRATION AWARD SHALL BE FINAL AND CONCLUSIVE AND A JUDGMENT THEREON MAY BE ENTERED IN THE SUPERIOR COURT OF FULTON COUNTY, GEORGIA. THE ARBITRATOR MAY AWARD ATTORNEYS' FEES AND COSTS.

10. Export Restrictions.

Buyer shall at all times comply with United States laws and regulations governing export control. Buyer shall not use, lease, or sell any products purchased from BEKO USA in any country, or to any other purchaser or lessee in any country of destination specified in Buyer's order, except in a manner expressly permitted by such laws and regulations.

11. Patents.

If Buyer becomes aware of any claim or allegation that a BEKO USA product infringes the patent or other rights of any third party, Buyer shall immediately notify BEKO USA in writing and shall give BEKO USA sufficient information to evaluate, defend, and possibly settle the claim. BEKO USA shall thereafter at its own expense and option: (a) settle the claim; (b) procure for Buyer the right to use the product; (c) replace or modify the product; (d) remove the product and refund the purchase price; or (e) defend the claim. If Buyer complies with its obligations under this paragraph, BEKO USA, using legal counsel of its exclusive choice, shall defend Buyer against any infringement claim based upon Buyer's use of the BEKO USA product and shall pay any costs and damages finally awarded by a court of competent jurisdiction based upon a finding that the BEKO USA product infringes the rights of a third party. If a court of competent jurisdiction enjoins use of the product, BEKO USA shall, at its option, undertake one of the options described in Clauses (b), (c), and (d) above or appeal such decision. This indemnity shall not apply to BEKO USA products that have been made to the specification or design of Buyer or to any product or part not manufactured by BEKO USA. The rights set forth in this paragraph shall be the sole and exclusive rights of Buyer with respect to patent and other intellectual property rights.

12. Returns.

Products may be returned to BEKO USA only with BEKO USA's prior written authorization. Refunds, restocking fees, and any other disputed amounts are subject to the exclusive discretion of BEKO USA for all products. BEKO USA reserves the right to refuse the return of any product at any time and for any reason. In order to receive credit, parts must be returned in their original, complete packaging and in unused condition. If a part is returned without the original packaging, BEKO USA will deduct the necessary amount from the credit to cover the cost of repackaging the return. Equipment and parts may be returned within 60-days from the date of purchase. All items are subject to a 10% restocking fee.

13. Precedence.

These terms and conditions take precedence over Buyer's additional or different terms and conditions, and BEKO USA's agreement to sell products to Buyer, and any acceptance by Buyer, are specifically limited to these terms and conditions. In the absence of Buyer's signature Buyer shall be bound by all of these terms and conditions: (a) 10 days after Buyer receives these terms and conditions unless written notice of objection is given to BEKO USA within the 10-day period; (b) when Buyer issues any instructions to BEKO USA and BEKO USA makes a substantial beginning of manufacture of the products or commitments for their procurement; (c) with respect to any products for which payment has been made and accepted or which Buyer has received and accepted.

14. Entire Agreement.

THESE TERMS AND CONDITIONS TOGETHER WITH ALL INVOICES FROM BEKO USA CONSTITUTE THE ENTIRE AGREEMENT BETWEEN THE PARTIES WITH RESPECT TO THE SUBJECT PRODUCTS, AND ANY REPRESENTATIONS, PROMISES, WARRANTIES OR STATEMENTS THAT DIFFER IN ANY WAY THEREFROM SHALL BE GIVEN NO FORCE OF EFFECT. THESE TERMS AND CONDITIONS MAY NOT BE MODIFIED EXCEPT IN WRITING SIGNED BY BEKO USA.

Air Filtration



Alternative Filter Elements

original manufacturer replacement filter elements

Contents

original manufacturer replacement filter elements

BEKO Technologies	CLEARPOINT® X25, X5, X1 and XA	158
	CLEARPOINT® AC and Duplex filters	159
BelAir / Friulair	FT Series Grade P, S, X and Z	160
Alternative Replacement Filter Elements		
Atlas Copco	DD, PD, and QD	161
	Old DD, PD, and QD	162
Balston	MTA, MTB, MTC, MTD, MTE, MCC, MCD, and MCE	163
CompAir	A, B, C, D, E and CD	164
	X1, XA and AC	165
Deltech	810, K, KC, and Color Change	166
Domnick Hunter	1994 - 2005 PF, AO, AA, and AX	167
	1994 - 2005 AR, ACS, AC, MV, and Ammonia filters	168
	1986 - 1994 PF, AO, AA, AX, and ACS	169
	pre-1986 MS, EPO, AC, CT, AOTS, and AATS	170
Finite	PU, C, CU, QU and AU	171
Gardner Denver	G, P, C, and V	172
Great Lakes	EGP, EGC, GP, and GC	173
Hankison	9, 7, 6, and 5	174
	3, 1, 9 Stainless Steel, and 7 Stainless Steel	175
	6, 5, 3, and 1 Stainless Steel	176
	T, A and H Standard / T, A and H Stainless Steel	177
Ingersoll Rand	IRP, IRH, and IRC	178
Kaeser	FS, PF, OR, OX, and VF	179
Pneumatech	P, C, and A	180
Sullair	PF, PH, and PC	181
Ultrafilter	90 Series: PE, MF, SMF, AK, USR and FF	182
	90 Series: HT/CR and HT/NX and 80 Series: V, FF, MF and SMF	183
	80 Series: AK, SRF, and HT/CR and HT/NX	184
Walker Filtration	X25, X5, X1 and XA	185
	AC and MV	186
Zander	V, Z, X, and A	187
Zeks	P, G, H and A	188

Previous Generation CLEARPOINT® Filter Housings

X25 / 25 Micron	Element Model	List Price USD
FA020	FE361X25	\$94
FA030	FE371X25	\$99
FA055	FE511X25	\$144
FA076	FE711X25	\$176
FA105	FE811X25	\$189
FA106	FE731X25	\$220
FA126	FE821X25	\$262
FA153	FE831X25	\$357
FA203	FE831X25	\$357
FA205	FE851X25	\$412
FA250	FE951X25	\$552
FA305	FE951X25	\$552
FA306	FE961X25	\$684
FA308	FE981X25	\$798
FA391	FE139X25	\$965
FA483	3 x FE088X25	\$1,588
FA484	4 x FE088X25	\$2,116
FA686	6 x FE088X25	\$3,084
FA688	8 x FE088X25	\$3,171
FA810	10 x FE088X25	\$5,288
FA816	16 x FE088X25	\$8,460
FA824	24 x FE088X25	\$12,691

X5 / 5 Micron	Element Model	List Price USD
FA020	FE361X5	\$94
FA030	FE371X5	\$99
FA055	FE511X5	\$144
FA076	FE711X5	\$176
FA105	FE811X5	\$189
FA106	FE731X5	\$220
FA126	FE821X5	\$262
FA153	FE831X5	\$357
FA203	FE831X5	\$357
FA205	FE851X5	\$412
FA250	FE951X5	\$552
FA305	FE951X5	\$552
FA306	FE961X5	\$684
FA308	FE981X5	\$798
FA391	FE139X5	\$965
FA483	3 x FE088X5	\$1,588
FA484	4 x FE088X5	\$2,116
FA686	6 x FE088X5	\$3,084
FA688	8 x FE088X5	\$3,171
FA810	10 x FE088X5	\$5,288
FA816	16 x FE088X5	\$8,460
FA824	24 x FE088X5	\$12,691

XA / .01 Micron	Element Model	List Price USD
FA020	FE361XA	\$94
FA030	FE371XA	\$99
FA055	FE511XA	\$144
FA076	FE711XA	\$176
FA105	FE811XA	\$189
FA106	FE731XA	\$220
FA126	FE821XA	\$262
FA153	FE831XA	\$357
FA203	FE831XA	\$357
FA205	FE851XA	\$412
FA250	FE951XA	\$552
FA305	FE951XA	\$552
FA306	FE961XA	\$684
FA308	FE981XA	\$798
FA391	FE139XA	\$965
FA483	3 x FE088XA	\$1,588
FA484	4 x FE088XA	\$2,116
FA686	6 x FE088XA	\$3,084
FA688	8 x FE088XA	\$3,171
FA810	10 x FE088XA	\$5,288
FA816	16 x FE088XA	\$8,460
FA824	24 x FE088XA	\$12,691

Previous Generation CLEARPOINT® Filter Housings

AC / Activated Carbon	Element Model	List Price USD
FA020	FE361AC	\$94
FA030	FE371AC	\$99
FA055	FE511AC	\$144
FA076	FE711AC	\$176
FA105	FE811AC	\$189
FA106	FE731AC	\$220
FA126	FE821AC	\$262
FA153	FE831AC	\$357
FA203	FE831AC	\$357
FA205	FE851AC	\$412
FA250	FE951AC	\$552
FA305	FE951AC	\$552
FA306	FE961AC	\$684
FA308	FE981AC	\$798
FA391	FE139AC	\$965
FA483	3 x FE088AC	\$1,588
FA484	4 x FE088AC	\$2,116
FA686	6 x FE088AC	\$3,084
FA688	8 x FE088AC	\$3,171
FA810	10 x FE088AC	\$5,288
FA816	16 x FE088AC	\$8,460
FA824	24 x FE088AC	\$12,691

Duplex Filter	Element Model	List Price USD
D020XAC	FE361XA 1 st Stage	\$94
	FE381AC 2 nd Stage	\$86
D030XAC	FE371XA 1 st Stage	\$99
	FE381AC 2 nd Stage	\$86
D045XAC	FE051XA 1 st Stage	\$161
	FE001AC 2 nd Stage	\$119

Previous Generation Belair / Friulair FT Series

Grade P / 5 Micron	Element Model	List Price USD
FT30P	FETP30	\$56
FT45P	FETP45	\$69
FT65P	FETP65	\$78
FT125P	FETP125	\$114
FT200P	FETP200	\$165
FT300P	FETP300	\$199
FT450P	FETP450	\$258
FT600P	FETP600	\$281
FT900P	FETP900	\$444
FT1500P	FETP1500	\$571

Grade S / 1 Micron	Element Model	List Price USD
FT30S	FETS30	\$56
FT45S	FETS45	\$69
FT65S	FETS65	\$78
FT125S	FETS125	\$114
FT200S	FETS200	\$165
FT300S	FETS300	\$199
FT450S	FETS450	\$258
FT600S	FETS600	\$281
FT900S	FETS900	\$444
FT1500S	FETS1500	\$571

Grade X / .01 Micron	Element Model	List Price USD
FT30X	FETX30	\$56
FT45X	FETX45	\$69
FT65X	FETX65	\$78
FT125X	FETX125	\$114
FT200X	FETX200	\$165
FT300X	FETX300	\$199
FT450X	FETX450	\$258
FT600X	FETX600	\$281
FT900X	FETX900	\$444
FT1500X	FETX1500	\$571

Grade Z / Activated Carbon	Element Model	List Price USD
FT30Z	FETZ30	\$56
FT45Z	FETZ45	\$69
FT65Z	FETZ65	\$78
FT125Z	FETZ125	\$114
FT200Z	FETZ200	\$165
FT300Z	FETZ300	\$199
FT450Z	FETZ450	\$258
FT600Z	FETZ600	\$281
FT900Z	FETZ900	\$444
FT1500Z	FETZ1500	\$571

Atlas Copco DD, PD and QD

Grade DD	Element Model	List Price USD
DD6	FD009X1	\$109
DD13	FD017X1	\$138
DD25	FD030X1	\$208
DD40	FD058X1	\$246
DD65	FD145X1	\$317
DD85	FD145X1	\$317
DD170	FD220X1	\$440
DD195	FD220X1	\$440
DD295	FD330X1	\$520
DD375	FD430X1	\$623
DD400	FD430X1	\$623
DD500	FD620X1	\$861
DD900	3 x FD330X1	\$1,560
DD500F	1 x FD330X1	\$520
DD900F	3 x FD330X1	\$1,560
DD1200F	4 x FD330X1	\$2,080
DD1800F	6 x FD330X1	\$3,120
DD3000F	10 x FD330X1	\$5,200
DD4800F	16 x FD330X1	\$8,320
DD7200F	24 x FD330X1	\$12,480

Grade PD	Element Model	List Price USD
PD6	FD009XA	\$109
PD13	FD017XA	\$138
PD25	FD030XA	\$208
PD40	FD058XA	\$246
PD65	FD145XA	\$317
PD85	FD145XA	\$317
PD195	FD220XA	\$440
PD295	FD220XA	\$440
PD375	FD330XA	\$520
PD400	FD430XA	\$623
PD500	FD430XA	\$623
PD900	FD620XA	\$861
PD500F	3 x FD330XA	\$1,560
PD900F	1 x FD330XA	\$520
DD900F	3 x FD330XA	\$1,560
PD1200F	4 x FD330XA	\$2,080
PD1800F	6 x FD330XA	\$3,120
PD3000F	10 x FD330XA	\$5,200
PD4800F	16 x FD330XA	\$8,320
PD7200F	24 x FD330XA	\$12,480

Grade QD	Element Model	List Price USD
QD6	FD009XA	\$109
QD13	FD017XA	\$138
QD25	FD030XA	\$208
QD40	FD058XA	\$246
QD65	FD145XA	\$317
QD85	FD145XA	\$317
QD170	FD220XA	\$440
QD195	FD220XA	\$440
QD295	FD330XA	\$520
QD375	FD430XA	\$623
QD400	FD430XA	\$623
QD500	FD620XA	\$861
QD900	3 x FD330XA	\$1,560
QD500F	1 x FD330XA	\$520
QD900F	3 x FD330XA	\$1,560
QD1200F	4 x FD330XA	\$2,080
QD1800F	6 x FD330XA	\$3,120
QD3000F	10 x FD330XA	\$5,200
QD4800F	16 x FD330XA	\$8,320
QD7200F	24 x FD330XA	\$12,480

Atlas Copco Old Generation DD, PD and QD

Grade DD (old)	Element Model	List Price USD
2901-0190-00	FD009X1	\$102
2901-0191-00	FD017X1	\$130
2901-0234-00	FD030X1	\$197
2901-0192-00	FD058X1	\$232
2901-0193-00	FD145X1	\$300
2906-0194-00	FD220X1	\$418
2906-0212-00	FD430X1	\$591
2906-0213-00	FD620X1	\$816

Grade PD (old)	Element Model	List Price USD
2901-0195-00	FD009XA	\$109
2901-0196-00	FD017XA	\$138
2901-0233-00	FD030XA	\$208
2901-0197-00	FD058XA	\$246
2901-0198-00	FD145XA	\$317
2901-0199-00	FD220XA	\$440
2906-0214-00	FD430XA	\$623
2906-0215-00	FD620XA	\$861

Grade QD (old)	Element Model	List Price USD
2901-0201-00	FD009AC	\$109
2901-0202-00	FD017AC	\$138
2901-0203-00	FD030AC	\$208
2901-0204-00	FD058AC	\$246
2901-0235-00	FD145AC	\$317
2906-0205-00	FD145AC	\$317
2906-0206-00	FD220AC	\$440
2906-0216-00	FD430AC	\$623
2901-0217-00	FD620AC	\$861

Balston MTA, MTB, MTC, MTD, MTE, MCC, MCD and MCE

Grade MTA	Element Model	List Price USD
050-05 AAQ	FMTA1232	\$9
050-11 AAQ	FMTA1257	\$10
100-09 AAQ	FMTA2551	\$10
100-12 AAQ	FMTA2564	\$12
100-18 AAQ	FMTA2127	\$13
100-25 AAQ	FMTA2178	\$17
150-19 AAQ	FMTA3152	\$29
200-16 AAQ	FMTA5189	\$30
200-30 AAQ	FMTA5213	\$31
200-35 AAQ	FMTA5230	\$34
200-80 AAQ	FMTA5476	\$40

Grade MTB	Element Model	List Price USD
050-05 AQ	FMTB1232	\$9
050-11 AQ	FMTB1257	\$10
100-09 AQ	FMTB2551	\$10
100-12 AQ	FMTB2564	\$12
100-18 AQ	FMTB2127	\$13
100-25 AQ	FMTB2178	\$17
150-19 AQ	FMTB3152	\$29
200-16 AQ	FMTB5189	\$30
200-30 AQ	FMTB5213	\$31
200-35 AQ	FMTB5230	\$34
200-80 AQ	FMTB5476	\$40

Grade MTC	Element Model	List Price USD
050-05 BQ	FMTC1232	\$9
050-11 BQ	FMTC1257	\$10
100-09 BQ	FMTC2551	\$10
100-12 BQ	FMTC2564	\$12
100-18 BQ	FMTC2127	\$13
100-25 BQ	FMTC2178	\$17
150-19 BQ	FMTC3152	\$29
200-16 BQ	FMTC5189	\$30
200-30 BQ	FMTC5213	\$31
200-35 BQ	FMTC5230	\$34
200-80 BQ	FMTC5476	\$40

Grade MTD	Element Model	List Price USD
050-05 CQ	FMTD1232	\$9
050-11 CQ	FMTD1257	\$10
100-09 CQ	FMTD2551	\$10
100-12 CQ	FMTD2564	\$12
100-18 CQ	FMTD2127	\$13
100-25 CQ	FMTD2178	\$17
150-19 CQ	FMTD3152	\$29
200-16 CQ	FMTD5189	\$30
200-30 CQ	FMTD5213	\$31
200-35 CQ	FMTD5230	\$34
200-80 CQ	FMTD5476	\$40

Grade MTE	Element Model	List Price USD
050-05 DQ	FMTE1232	\$9
050-11 DQ	FMTE1257	\$10
100-09 DQ	FMTE2551	\$10
100-12 DQ	FMTE2564	\$12
100-18 DQ	FMTE2127	\$13
100-25 DQ	FMTE2178	\$17
150-19 DQ	FMTE3152	\$29
200-16 DQ	FMTE5189	\$30
200-30 DQ	FMTE5213	\$31
200-35 DQ	FMTE5230	\$34
200-80 DQ	FMTE5476	\$40

Grade MCC	Element Model	List Price USD
050-05 BX	FMCC1232	\$13
050-11 BX	FMCC1257	\$15
100-09 BX	FMCC2551	\$16
100-12 BX	FMCC2564	\$18
100-18 BX	FMCC2127	\$32
100-25 BX	FMCC2178	\$34
150-19 BX	FMCC3152	\$38
200-16 BX	FMCC5189	\$42
200-30 BX	FMCC5213	\$44
200-35 BX	FMCC5230	\$47
200-80 BX	FMCC5476	\$75

Grade MCD	Element Model	List Price USD
050-05 CX	FMCD1232	\$13
050-11 CX	FMCD1257	\$15
100-09 CX	FMCD2551	\$16
100-12 CX	FMCD2564	\$18
100-18 CX	FMCD2127	\$32
100-25 CX	FMCD2178	\$34
150-19 CX	FMCD3152	\$38
200-16 CX	FMCD5189	\$42
200-30 CX	FMCD5213	\$44
200-35 CX	FMCD5230	\$47
200-80 CX	FMCD5476	\$75

Grade MCE	Element Model	List Price USD
050-05 DX	FMCE1232	\$13
050-11 DX	FMCE1257	\$15
100-09 DX	FMCE2551	\$16
100-12 DX	FMCE2564	\$18
100-18 DX	FMCE2127	\$32
100-25 DX	FMCE2178	\$34
150-19 DX	FMCE3152	\$38
200-16 DX	FMCE5189	\$42
200-30 DX	FMCE5213	\$44
200-35 DX	FMCE5230	\$47
200-80 DX	FMCE5476	\$75

Compair A, B, C, D, E and CD

Grade A	Element Model	List Price USD
CE 0005 A	FD009X25	\$109
CE 0010 A	FD017X25	\$138
CE 0018 A	FD030X25	\$208
CE 0036 A	FD058X25	\$246
CE 0087 A	FD145X25	\$317
CE 0087 A	FD145X25	\$317
CE 0087 A	FD145X25	\$317
CE 0132 A	FD220X25	\$440
CE 0132 A	FD220X25	\$440
CE 0198 A	FD330X25	\$520
CE 0258 A	FD430X25	\$623
CE 0258 A	FD430X25	\$623
CE 0372 A	FD620X25	\$861

Grade B	Element Model	List Price USD
CE 0005 B	FD009X1	\$109
CE 0010 B	FD017X1	\$138
CE 0018 B	FD030X1	\$208
CE 0036 B	FD058X1	\$246
CE 0087 B	FD145X1	\$317
CE 0087 B	FD145X1	\$317
CE 0087 B	FD145X1	\$317
CE 0132 B	FD220X1	\$440
CE 0132 B	FD220X1	\$440
CE 0198 B	FD330X1	\$520
CE 0258 B	FD430X1	\$623
CE 0258 B	FD430X1	\$623
CE 0372 B	FD620X1	\$861

Grade C	Element Model	List Price USD
CE 0005 C	FD009XA	\$109
CE 0010 C	FD017XA	\$138
CE 0018 C	FD030XA	\$208
CE 0036 C	FD058XA	\$246
CE 0087 C	FD145XA	\$317
CE 0087 C	FD145XA	\$317
CE 0087 C	FD145XA	\$317
CE 0132 C	FD220XA	\$440
CE 0132 C	FD220XA	\$440
CE 0198 C	FD330XA	\$520
CE 0258 C	FD430XA	\$623
CE 0258 C	FD430XA	\$623
CE 0372 C	FD620XA	\$861

Grade D	Element Model	List Price USD
CE 0005 D	FD009AC	\$109
CE 0010 D	FD017AC	\$138
CE 0018 D	FD030AC	\$208
CE 0036 D	FD058AC	\$246
CE 0087 D	FD145AC	\$317
CE 0087 D	FD145AC	\$317
CE 0087 D	FD145AC	\$317
CE 0132 D	FD220AC	\$440
CE 0132 D	FD220AC	\$440
CE 0198 D	FD330AC	\$520
CE 0258 D	FD430AC	\$623
CE 0258 D	FD430AC	\$623
CE 0372 D	FD620AC	\$861

Grade E	Element Model	List Price USD
CE 0005 E	FD009X1	\$109
CE 0010 E	FD017X1	\$138
CE 0018 E	FD030X1	\$208
CE 0036 E	FD058X1	\$246
CE 0087 E	FD145X1	\$317
CE 0087 E	FD145X1	\$317
CE 0087 E	FD145X1	\$317
CE 0132 E	FD220X1	\$440
CE 0132 E	FD220X1	\$440
CE 0198 E	FD330X1	\$520
CE 0258 E	FD430X1	\$623
CE 0258 E	FD430X1	\$623
CE 0372 E	FD620X1	\$861

Grade CD	Element Model	List Price USD
CE 0005 C & CE 0005 D	FD009XA FD006AC	\$109 \$109
CE 0008 C & CE 0008 D	FD017XA FD013AC	\$138 \$109
CE 0018 C & CE 0015 D	FD030XA FD025AC	\$208 \$207
CE 0036 C & CE 0024 D	FD058XA FD040AC	\$246 \$245
CE 0087 C & CE 0039 D	FD145XA FD085AC	\$317 \$318
CE 0087 C & CE 0051 D	FD145XA FD085AC	\$317 \$318

Compair X1, XA and AC

Grade X1	Element Model	List Price USD
98245/121	FCOM21X1	\$108
98245/122	FCOM22X1	\$138
98245/123	FCOM23X1	\$210
98245/125	FCOM25X1	\$245
98245/126	FCOM26X1	\$318
98245/127	FCOM27X1	\$440
98245/128	FCOM28X1	\$520
98245/129	FCOM29X1	\$861
98245/130	FCOM30X1	\$623

Grade XA	Element Model	List Price USD
98245/141	FCOM41XA	\$108
98245/142	FCOM42XA	\$138
98245/143	FCOM43XA	\$210
98245/145	FCOM45XA	\$245
98245/146	FCOM46XA	\$318
98245/147	FCOM47XA	\$440
98245/148	FCOM48XA	\$520
98245/149	FCOM49XA	\$861
98245/150	FCOM50XA	\$623

Grade AC	Element Model	List Price USD
98245/161	FCOM61AC	\$111
98245/162	FCOM62AC	\$113
98245/163	FCOM63AC	\$120
98245/164	FCOM64AC	\$234
98245/165	FCOM65AC	\$152
98245/166	FCOM66AC	\$260
98245/167	FCOM67AC	\$440
98245/168	FCOM68AC	\$549
98245/169	FCOM69AC	\$907
98245/170	FCOM70AC	\$658

Grade X1 (old)	Element Model	List Price USD
98245/21	FCOM22X1	\$138
98245/22	FCOM23X1	\$210
98245/23	FCOM25X1	\$245
98245/25	FCOM26X1	\$318
98245/27	FCOM27X1	\$440
98245/28	FCOM28X1	\$520
98245/29	FCOM29X1	\$861

Grade XA (old)	Element Model	List Price USD
98245/41	FCOM42XA	\$135
98245/42	FCOM43XA	\$205
98245/43	FCOM45XA	\$238
98245/45	FCOM46XA	\$307
98245/47	FCOM47XA	\$428
98245/48	FCOM48XA	\$506
98245/49	FCOM49XA	\$837

Grade AC (old)	Element Model	List Price USD
98245/62	FCOM62AC	\$111
98245/65	FCOM65AC	\$146
98245/67	FCOM67AC	\$428
98245/68	FCOM68AC	\$506

Deltech 801, K, K and Color Change

810 Series	Element Model	List Price USD
811E	FDE811E	\$133
812E	FDE812E	\$192
813E	FDE813E	\$272
814E	FDE814E	\$375
815E	FDE815E	\$493
816E	FDE816E	\$640
817E	FDE817E	\$787
818E	FDE818E	\$890
819E	FDE819E	\$1,106
820E	2 x FDE820E	\$1,445
821E	3 x FDE820E	\$2,166
822E	4 x FDE820E	\$2,886
823E	6 x FDE820E	\$4,330
824E	8 x FDE820E	\$5,772
825E	10 x FDE820E	\$7,217
826E	15 x FDE820E	\$10,823
827E	20 x FDE820E	\$14,430
828E	25 x FDE820E	\$18,037
829E	30 x FDE820E	\$21,645

K Series*	Element Model	List Price USD
6K11E	FDAC110AC	\$431
6K11E (R)	FDAC110AC	\$431
6K12E	FDAC120AC	\$691
6K12E (R)	FDAC120AC	\$691
6K13E	FDAC130AC	\$1,104
6K13E (R)	FDAC130AC	\$1,104
6K14E	FDAC140AC	\$1,807
6K14E (R)	FDAC140AC	\$1,807
6K15E	FDAC150AC	\$2,205
6K15E (R)	FDAC150AC	\$2,205
6K16E	FDAC160AC	\$1,692
6K16E (R)	FDAC160AC	\$1,692

KC Series*	Element Model	List Price USD
6KC11E	FDAC110ACC	\$477
6KC12E	FDAC120ACC	\$758
6KC13E	FDAC130ACC	\$1,208
6KC14E	FDAC140ACC	\$1,985
6KC15E	FDAC150ACC	\$2,423
6KC16E	FDAC160ACC	\$1,856

100 Series Color Change*	Element Model	List Price USD
6K110E	FDE6110E	\$303
6K110E (R)	FDE6110E	\$303
6K120E	FDE6120E	\$485
6K120E (R)	FDE6120E	\$485
6K130E	FDE6130E	\$768
6K130E (R)	FDE6130E	\$768
6K140E	FDE6140E	\$1,267
6K140E (R)	FDE6140E	\$1,267
6K150E	FDE6150E	\$1,547
6K150E (R)	FDE6150E	\$1,547
6K160E	FDE4160E	\$1,189
6K160E (R)	FDE4160E	\$1,189
4170E (R)	FDE4170E	\$1,447

*Price includes six (6) replacement filter elements

Domnick Hunter 1994-2005 PF, AO, AA and AX

Grade PF	Element Model	List Price USD
K009PF	FD009X25	\$109
K017PF	FD017X25	\$138
K030PF	FD030X25	\$208
K058PF	FD058X25	\$246
K145PF	FD145X25	\$317
K220PF	FD220X25	\$440
K330PF	FD330X25	\$520
K430PF	FD430X25	\$623
K620PF	FD620X25	\$861

Grade AO	Element Model	List Price USD
K009AO	FD009X1	\$109
K017AO	FD017X1	\$138
K030AO	FD030X1	\$208
K058AO	FD058X1	\$246
K145AO	FD145X1	\$317
K220AO	FD220X1	\$440
K330AO	FD330X1	\$520
K430AO	FD430X1	\$623
K620AO	FD620X1	\$861

Grade AA	Element Model	List Price USD
K009AA	FD009XA	\$109
K017AA	FD017XA	\$138
K030AA	FD030XA	\$208
K058AA	FD058XA	\$246
K145AA	FD145XA	\$317
K220AA	FD220XA	\$440
K330AA	FD330XA	\$520
K430AA	FD430XA	\$623
K620AA	FD620XA	\$861

Grade AX	Element Model	List Price USD
K009AX	FD009XAA	\$133
K017AX	FD017XAA	\$163
K030AX	FD030XAA	\$250
K058AX	FD058XAA	\$288
K145AX	FD145XAA	\$376
K220AX	FD220XAA	\$548
K330AX	FD330XAA	\$624
K430AX	FD430XAA	\$747
K620AX	FD620XAA	\$1,030

Domnick Hunter 1994-2005 AR, ACS, AC, MV and NH

Grade AR	Element Model	List Price USD
K009AR	FD009X1	\$109
K017AR	FD017X1	\$138
K030AR	FD030X1	\$208
K058AR	FD058X1	\$246
K145AR	FD145X1	\$317
K220AR	FD220X1	\$440
K330AR	FD330X1	\$520
K430AR	FD430X1	\$623
K620AR	FD620XA	\$861

Grade ACS	Element Model	List Price USD
K009ACS	FD009AC	\$109
K017ACS	FD017AC	\$138
K030ACS	FD030AC	\$208
K058ACS	FD058AC	\$246
K145ACS	FD145AC	\$317
K220ACS	FD220AC	\$440
K330ACS	FD330AC	\$520
K430ACS	FD430AC	\$623
K620ACS	FD620AC	\$861

Grade AC	Element Model	List Price USD
K006AC	FD006AC	\$109
K013AC	FD013AC	\$109
K025AC	FD025AC	\$207
K040AC	FD040AC	\$245
K065AC	FD065AC	\$240
K085AC	FD085AC	\$318

Grade MV	Element Model	List Price USD
K025PL	FD025MV	\$163
K040PL	FD040MV	\$190
K085PL	FD085MV	\$252
K195PL	FD195MV	\$346
K400PL	FD400MV	\$501

Ammonia 1 micron	Element Model	List Price USD
C12MSDBNH3	FD12BX1NH3	\$295
C24MSDBNH3	FD24BX1NH3	\$422
C245MSDBNH4	FD24BX1NH4	\$709
C120MSDBNH5	FD24BX1NH5	\$371
C250MSDBNH6	FD24BX1NH6	\$526
C360MSDBNH7	FD360BX1NH7	\$869

Ammonia .01 micron	Element Model	List Price USD
C12DBNH3	FD12BNH3	\$295
C24DBNH3	FD24BNH3	\$422
C245DBNH4	FD24BNH4	\$709
C120DBNH5	FD24BNH5	\$371
C250DBNH6	FD24BNH6	\$526
C360DBNH7	FD360BNH7	\$869

Domnick Hunter 1986-1994 PF, AO, AA, AX and ACS

Grade PF	Element Model	List Price USD
K006PF	FD006X25	\$109
K013PF	FD013X25	\$138
K025PF	FD025X25	\$208
K040PF	FD040X25	\$246
K085PF	FD085X25	\$317
K195PF	FD195X25	\$440
K295PF	FD295X25	\$520
K400PF	FD400X25	\$623
K500PF	FD500X25	\$861

Grade AO	Element Model	List Price USD
K006AO	FD006X1	\$109
K013AO	FD013X1	\$138
K025AO	FD025X1	\$208
K040AO	FD040X1	\$246
K085AO	FD085X1	\$317
K195AO	FD195X1	\$440
K295AO	FD295X1	\$520
K400AO	FD400X1	\$623
K500AO	FD500X1	\$861

Grade AA	Element Model	List Price USD
K007AA	FD007XA	\$138
K011AA	FD011XA	\$208
K035AA	FD035XA	\$246
K060AA	FD060XA	\$317
K120AA	FD120XA	\$440
K200AA	FD200XA	\$520
K250AA	FD250XA	\$520
K300AA	FD300XA	\$861
K360AA	FD360XA	\$861

Grade AX	Element Model	List Price USD
K006AX	FD006XAA	\$102
K013AX	FD013XAA	\$130
K025AX	FD025XAA	\$197
K040AX	FD040XAA	\$232
K085AX	FD085XAA	\$301
K195AX	FD195XAA	\$418
K295AX	FD295XAA	\$493
K400AX	FD400XAA	\$591
K500AX	FD500XAA	\$816

Grade ACS	Element Model	List Price USD
K006ACS	FD006ACS	\$109
K013ACS	FD013ACS	\$138
K025ACS	FD025ACS	\$208
K040ACS	FD040ACS	\$246
K085ACS	FD085ACS	\$317
K195ACS	FD195ACS	\$440
K295ACS	FD295ACS	\$520
K400ACS	FD400ACS	\$623
K500ACS	FD500ACS	\$861

Domnick Hunter Pre-1986 MS, EPO, AC, CT, AOTS and AATS

Grade MS	Element Model	List Price USD
C4MS	FD4X1	\$163
C8MS	FD8X1	\$243
C12MSD	FD12DX1	\$426
C12MS	FD12X1	\$285
C12MSDB	FD12BX1	\$426
C24MSDB	FD24BX1	\$501
C155MSD	FD155X1	\$418
C245MSD	FD245X1	\$827

Grade EPO	Element Model	List Price USD
C2EPO	FD2XA	\$96
C3EPO	FD3XA	\$158
C4EPO	FD4XA	\$180
C8EPO	FD8XA	\$264
C12EPO	FD12XA	\$306
C24EPO	FD24XA	\$505
C12D	FD12DXA	\$440
C12DB	FD12BXA	\$440
C24DB	FD24BXA	\$505
C155D	FD155XA	\$479
C185D	FD185XA	\$484
C245D	FD245XA	\$861
C305D	FD305XA	\$752

Grade AC	Element Model	List Price USD
C4AC	FD4AC	\$172
C8AC	FD8AC	\$258
C12AC	FD12AC	\$303
C12ACDB	FD12ACB	\$449
C24ACDB	FD24ACB	\$532
C155ACD	FD155AC	\$471
C245ACD	FD245AC	\$877
ABN1	FD013AC	\$78
E011AC	FD011AC	\$106
E060AC	FD060AC	\$149
E120AC	FD120AC	\$449
E200AC	FD200AC	\$532
E250AC	FD250AC	\$532
E300AC	FD300AC	\$861
E360AC	FD360AC	\$861

Grade CT	Element Model	List Price USD
C3CT	FD3MV	\$155
C4CT	FD4MV	\$175
C8CT	FD8MV	\$259
C12CT	FD12MV	\$80
C12CTDB	FD12BMV	\$353
C24CTDB	FD24BMV	\$501
C125CTD	FD125MV	\$377
C155CTD	FD155MV	\$466
C185CTD	FD185NFBMV	\$803
C245CTD	FD245MV	\$861
E011CT	FD011MV	\$170
E035CT	FD035MV	\$199
E060CT	FD060MV	\$263
E120CT	FD120MV	\$361
E250CT	FD250MV	\$501
E360CT	FD360MV	\$861

Grade AATS	Element Model	List Price USD
E007AATS	FD007TXA	\$153
E011AATS	FD011TXA	\$153
E035AATS	FD0357XA	\$272
E060AATS	FD060TXA	\$355
E085AATS	FD085TXA	\$355
E120AATS	FD120TXA	\$497
K195AATS	FD195TXA	\$497
E200AATS	FD200TXA	\$497
E250AATS	FD250TXA	\$570
K295AATS	FD300TXA	\$570
E300AATS	FD360TXA	\$942
E360AATS	FD360TXA	\$942
K500AATS	FD360TXA	\$942

Finite PU, C, CU, QU and AU

Grade PU	Element Model	List Price USD
3PU10-25	FN100253PU	\$29
3PU10-050	FN100503PU	\$46
3PU15-060	FN150603PU	\$58
3PU15-095	FN150953PU	\$68
3PU25-130	FN251303PU	\$138
3PU25-187	FN251873PU	\$161
3PU25-235	FN252353PU	\$172
3PU35-280	FN352803PU	\$316
3PU51-280	FN512803PU	\$519
3PU85-250	FN852503PU	\$715
3PU85-360	FN853603PU	\$923

Grade C	Element Model	List Price USD
C10-025	FN10025C	\$32
C10-050	FN10050C	\$50
C15-060	FN15060C	\$59
C15-095	FN15095C	\$77

*Substitute for grade reference 10, 8, 6, 4 or 2

Grade CU	Element Model	List Price USD
CU10-25	FN100253CU	\$33
CU10-050	FN100503CU	\$52
CU15-060	FN150603CU	\$65
CU15-095	FN150953CU	\$84
CU25-130	FN251303CU	\$156
CU25-187	FN251873CU	\$161
CU25-235	FN252353CU	\$205
CU35-280	FN352803CU	\$361
CU51-280	FN512803CU	\$543
CU85-250	FN852503CU	\$722
CU85-360	FN853603CU	\$785

*Substitute for grade reference 10, 8, 6, 4 or 2

Grade QU	Element Model	List Price USD
QU10-025	FN100253QU	\$51
QU10-050	FN100503QU	\$87
QU15-060	FN150603QU	\$112
QU15-095	FN150953QU	\$136
QU25-130	FN251303QU	\$260
QU25-187	FN251873QU	\$276
QU25-235	FN252353QU	\$343
QU35-280	FN352803QU	\$642
QU51-280	FN512803QU	\$642
QU85-260	FN852503QU	\$821
QU85-360	FN853603QU	\$1,065

*Substitute for grade reference 10, 8, 6, 4 or 2

Grade AU	Element Model	List Price USD
AU10-25	FN10025AC	\$33
AU10-050	FN10050AC	\$52
AU15-060	FN15060AC	\$65
AU15-095	FN15095AC	\$84
AU25-130	FN25130AC	\$156
AU25-187	FN25187AC	\$161
AU25-235	FN25235AC	\$205
AU35-280	FN35280AC	\$361
AU51-280	FN51280AC	\$543
AU85-250	FN85250AC	\$722
AU85-360	FN85360AC	\$785

Gardner Denver G, P, C and V

Grade G	Element Model	List Price USD
FSH30GE	FWFH30GE	\$113
FSH65GE	FWFH65GE	\$171
FSH75GE	FWFH75GE	\$180
FSH100GE	FWFH100GE	\$203
FSH150GE	FWFH150GE	\$234
FSH225GE	FWFH225GE	\$265
FSH300GE	FWFH300GE	\$306
FSH450GE	FWFH450GE	\$386
FSH650GE	FWFH650GE	\$450
FSH700GE	FWFH700GE	\$483
FSH1000GE	FWFH1000GE	\$569
FSH1250GE	FWFH1250GE	\$746
FSH1500GE	FWFH1500GE	\$832

Grade P	Element Model	List Price USD
FSH30PE	FWFH30PE	\$113
FSH65PE	FWFH65PE	\$171
FSH75PE	FWFH75PE	\$180
FSH100PE	FWFH100PE	\$203
FSH150PE	FWFH150PE	\$234
FSH225PE	FWFH225PE	\$265
FSH300PE	FWFH300PE	\$306
FSH450PE	FWFH450PE	\$386
FSH650PE	FWFH650PE	\$450
FSH700PE	FWFH700PE	\$483
FSH1000PE	FWFH1000PE	\$569
FSH1250PE	FWFH1250PE	\$746
FSH1500PE	FWFH1500PE	\$832

Grade V	Element Model	List Price USD
FSH30VE	FWFH30VE	\$113
FSH65VE	FWFH65VE	\$171
FSH75VE	FWFH75VE	\$180
FSH100VE	FWFH100VE	\$203
FSH150VE	FWFH150VE	\$234
FSH225VE	FWFH225VE	\$265
FSH300VE	FWFH300VE	\$306
FSH450VE	FWFH450VE	\$386
FSH650VE	FWFH650VE	\$450
FSH700VE	FWFH700VE	\$483
FSH1000VE	FWFH1000VE	\$569
FSH1250VE	FWFH1250VE	\$746
FSH1500VE	FWFH1500VE	\$832

Great Lakes EGP, EGC, GP and GC

Grade EGP	Element Model	List Price USD
EGP-25	FN10025PU	\$30
EGP-30	FN10025PU	\$30
EGP-40	FN10025PU	\$30
EGP-65	FN10050PU	\$47
EGP-80	FN10050PU	\$47
EGP-130	FN15060PU	\$58
EGP-170	FN15060PU	\$58
EGP-230	FN15095PU	\$69
EGP-250	FN20130PU	\$94
EGP-370	FN20130PU	\$94
EGP-420	FN20130PU	\$94
EGP-540	FN20187PU	\$120
EGP-415/600	FN25130PU	\$135
EGP-625	FN25187PU	\$161
EGP-700	FN25187PU	\$161
EGP-920	FN25235PU	\$172
EGP-1250	FN25280PU	\$232
EGP-1330/1660	FN35280PU	\$316
EGP-1650	FN35280PU	\$316
EGP-2500	FN51280PU	\$519
EGP-3300	FN85250PU	\$551

Grade EGC	Element Model	List Price USD
EGC-15	FN10025CU6	\$33
EGC-20	FN10025CU6	\$33
EGC-40	FN10050CU6	\$52
EGC-50	FN10050CU6	\$52
EGC-80	FN15060CU6	\$66
EGC-100	FN15060CU6	\$69
EGC-140	FN15095CU6	\$84
EGC-220	FN20130CU6	\$106
EGC-250	FN20130CU6	\$106
EGC-325	FN20187CU6	\$140
EGC-255/350	FN25130CU6	\$156
EGC-350	FN25130CU6	\$156
EGC-375	FN25187CU6	\$161
EGC-420	FN25187CU6	\$161
EGC-550	FN25235CU6	\$205
EGC-750	FN25235CU6	\$205
EGC-900	FN35280CU6	\$361
EGC-1000	FN35280CU6	\$361
EGC-1500	FN51280CU6	\$639
EGC-2000	FN85250CU6	\$817

Grade GP	Element Model	List Price USD
EGP-25	FN10025PU	\$30
EGP-30	FN10025PU	\$30
EGP-40	FN10025PU	\$30
EGP-65	FN10050PU	\$47
EGP-80	FN10050PU	\$47
EGP-130	FN15060PU	\$58
EGP-170	FN15060PU	\$58
EGP-230	FN15095PU	\$69
EGP-415	FN20130PU	\$94
EGP-600	FN25187PU	\$120
EGP-750	FN25187PU	\$120
EGP-1035	FN25235PU	\$172
EGP-1330	FN35280PU	\$232
EGP-1660	FN35280PU	\$232
EGP-2500	FN51280PU	\$519
EGP-3300	FN85250PU	\$551

Grade GC	Element Model	List Price USD
EGA-15	FN10025AC	\$33
EGA-20	FN10025AC	\$33
EGA-25	FN10025AC	\$52
EGA-40	FN10050AC	\$52
EGA-50	FN10050AC	\$66
EGA-80	FN15060AC	\$69
EGA-100	FN15060AC	\$84
EGA-140	FN15095AC	\$106
EGA-220	FN20130AC	\$106
EGA-250	FN20130AC	\$140
EGA-325	FN20187AC	\$156
EGA-255/350	FN25130AC	\$156
EGA-375	FN25187AC	\$161
EGA-420	FN25187AC	\$161
EGA-550	FN25235AC	\$205
EGA-750	FN25280AC	\$205
EGA-1000	FN35280AC	\$361
EGA-800/1000	FN35280AC	\$361
EGA-1500	FN51280AC	\$639
EGA-2000	FN85250AC	\$817

Hankison 9, 7, And 5

Grade 9	Element Model	List Price USD
E9-12	FHKX5-12	\$65
E9-16	FHKX5-16	\$75
E9-20	FHKX5-20	\$109
E9-24	FHKX5-24	\$121
E9-28	FHKX5-28	\$165
E9-32	FHKX5-32	\$233
E9-36	FHKX5-36	\$306
E9-40	FHKX5-40	\$378
E9-44	FHKX5-44	\$392
E9-48	FHKX5-48	\$420
E9-54	FHKX5-54	\$382
E9-PV	FHKX5-PV	\$420

Grade 7	Element Model	List Price USD
E7-12	FHKX1-12	\$65
E7-16	FHKX1-16	\$75
E7-20	FHKX1-20	\$109
E7-24	FHKX1-24	\$121
E7-28	FHKX1-28	\$165
E7-32	FHKX1-32	\$233
E7-36	FHKX1-36	\$306
E7-40	FHKX1-40	\$378
E7-44	FHKX1-44	\$392
E7-48	FHKX1-48	\$420
E7-54	FHKX1-54	\$382
E7-PV	FHKX1-PV	\$420

Grade 5	Element Model	List Price USD
E5-12	FHKXA-12	\$65
E5-16	FHKXA-16	\$75
E5-20	FHKXA-20	\$109
E5-24	FHKXA-24	\$121
E5-28	FHKXA-28	\$165
E5-32	FHKXA-32	\$233
E5-36	FHKXA-36	\$306
E5-40	FHKXA-40	\$378
E5-44	FHKXA-44	\$392
E5-48	FHKXA-48	\$420
E5-54	FHKXA-54	\$382
E5-PV	FHKXA-PV	\$420

Hankison 3, 1, 9 Stainless Steel And 7 Stainless Steel

Grade 3	Element Model	List Price USD
E3-12	FHKXAA-12	\$59
E3-16	FHKXAA-16	\$70
E3-20	FHKXAA-20	\$96
E3-24	FHKXAA-24	\$154
E3-28	FHKXAA-28	\$193
E3-32	FHKXAA-32	\$216
E3-36	FHKXAA-36	\$277
E3-40	FHKXAA-40	\$340
E3-44	FHKXAA-44	\$359
E3-48	FHKXAA-48	\$481
E3-54	FHKXAA-54	\$349
E3-PV	FHKXAA-PV	\$389

Grade 1	Element Model	List Price USD
E1-12	FHKAC-12	\$84
E1-16	FHKAC-16	\$92
E1-20	FHKAC-20	\$114
E1-24	FHKAC-24	\$192
E1-28	FHKAC-28	\$241
E1-32	FHKAC-32	\$272
E1-36	FHKAC-36	\$300
E1-40	FHKAC-40	\$396
E1-44	FHKAC-44	\$423
E1-48	FHKAC-48	\$587
E1-54	FHKAC-54	\$405
E1-PV	FHKAC-PV	\$437

Grade 9 Stainless Steel	Element Model	List Price USD
E6-12S	FHKX5-12	\$73
E6-16S	FHKX5-16	\$84
E6-20S	FHKX5-20	\$119
E6-24S	FHKX5-24	\$126
E6-28S	FHKX5-28	\$181
E6-32S	FHKX5-32	\$254
E6-36S	FHKX5-36	\$335
E6-40S	FHKX5-40	\$413
E6-44S	FHKX5-44	\$323
E6-48S	FHKX5-48	\$461
E6-54S	FHKX5-54	\$420
E6-PVS	FHKX5-PV	\$461

Grade 7 Stainless Steel	Element Model	List Price USD
E5-12S	FHKX1-12	\$64
E5-16S	FHKX1-16	\$74
E5-20S	FHKX1-20	\$100
E5-24S	FHKX1-24	\$126
E5-28S	FHKX1-28	\$162
E5-32S	FHKX1-32	\$172
E5-36S	FHKX1-36	\$216
E5-40S	FHKX1-40	\$228
E5-44S	FHKX1-44	\$243
E5-48S	FHKX1-48	\$270
E5-54S	FHKX1-54	\$259
E5-PVS	FHKX1-PV	\$272

Hankison Stainless Steel 6, 5, 3 and 1

Grade 6 Stainless Steel	Element Model	List Price USD
E6-12S	FHKX1-12-SS	\$64
E6-16S	FHKX1-16-SS	\$74
E6-20S	FHKX1-20-SS	\$100
E6-24S	FHKX1-24-SS	\$126
E6-28S	FHKX1-28-SS	\$162
E6-32S	FHKX1-32-SS	\$172
E6-36S	FHKX1-36-SS	\$216
E6-40S	FHKX1-40-SS	\$228
E6-44S	FHKX1-44-SS	\$243
E6-48S	FHKX1-48-SS	\$270
E6-54S	FHKX1-54-SS	\$259
E6-PVS	FHKX1-PV-SS	\$272

Grade 5 Stainless Steel	Element Model	List Price USD
E5-12S	FHKXA-12-SS	\$78
E5-16S	FHKXA-16-SS	\$84
E5-20S	FHKXA-20-SS	\$112
E5-24S	FHKXA-24-SS	\$162
E5-28S	FHKXA-28-SS	\$202
E5-32S	FHKXA-32-SS	\$229
E5-36S	FHKXA-36-SS	\$302
E5-40S	FHKXA-40-SS	\$344
E5-44S	FHKXA-44-SS	\$390
E5-48S	FHKXA-48-SS	\$485
E5-54S	FHKXA-54-SS	\$355
E5-PVS	FHKXA-PV-SS	\$405

Grade 3 Stainless Steel	Element Model	List Price USD
E3-12S	FHKXAA-12-SS	\$85
E3-16S	FHKXAA-16-SS	\$92
E3-20S	FHKXAA-20-SS	\$115
E3-24S	FHKXAA-24-SS	\$181
E3-28S	FHKXAA-28-SS	\$217
E3-32S	FHKXAA-32-SS	\$243
E3-36S	FHKXAA-36-SS	\$305
E3-40S	FHKXAA-40-SS	\$374
E3-44S	FHKXAA-44-SS	\$428
E3-48S	FHKXAA-48-SS	\$532
E3-54S	FHKXAA-54-SS	\$458
E3-PVS	FHKXAA-PV-SS	\$445

Grade 1 Stainless Steel	Element Model	List Price USD
E1-12S	FHKAC-12-SS	\$101
E1-16S	FHKAC-16-SS	\$104
E1-20S	FHKAC-20-SS	\$133
E1-24S	FHKAC-24-SS	\$213
E1-28S	FHKAC-28-SS	\$267
E1-32S	FHKAC-32-SS	\$300
E1-36S	FHKAC-36-SS	\$334
E1-40S	FHKAC-40-SS	\$428
E1-44S	FHKAC-44-SS	\$481
E1-48S	FHKAC-48-SS	\$636
E1-54S	FHKAC-54-SS	\$437
E1-PVS	FHKAC-PV-SS	\$494

Hankison T, A And H Standard and Stainless Steel

Grade T	Element Model	List Price USD
0731-3	FHK7313P	\$60
0731-4	FHK7314P	\$88
0731-5	FHK7315P	\$114
0731-6	FHK7316P	\$164
0731-7	FHK7317P	\$207
0731-8	FHK7318P	\$208
0731-9	FHK7319P	\$217

Grade A	Element Model	List Price USD
0713-2	FHK7132C	\$78
0713-3	FHK7133C	\$100
0713-4	FHK7134C	\$162
0713-5	FHK7135C	\$233
0713-6	FHK7136C	\$299
0713-7	FHK7137C	\$359
0713-11	FHK71311C	\$385
0713-12	FHK71312C	\$348

Grade H	Element Model	List Price USD
0715-2	FHK7152C	\$96
0715-3	FHK7153C	\$119
0715-4	FHK7154C	\$199
0715-5	FHK7155C	\$289
0715-6	FHK7156C	\$323
0715-7	FHK7157C	\$418
0715-11	FHK71511C	\$441
0715-12	FHK71512C	\$405

Grade T Stainless Steel	Element Model	List Price USD
0731-3S	FHK7313P-SS	\$82
0731-4S	FHK7314P-SS	\$112
0731-5S	FHK7315P-SS	\$136
0731-6S	FHK7316P-SS	\$190
0731-7S	FHK7317P-SS	\$237
0731-8S	FHK7318P-SS	\$237
0731-9S	FHK7319P-SS	\$276

Grade A Stainless Steel	Element Model	List Price USD
0713-2S	FHK7132C-SS	\$96
0713-3S	FHK7133C-SS	\$120
0713-4S	FHK7134C-SS	\$193
0713-5S	FHK7135C-SS	\$276
0713-6S	FHK7136C-SS	\$328
0713-7S	FHK7137C-SS	\$395
0713-11S	FHK71311C-SS	\$445
0713-12S	FHK71312C-SS	\$380

Grade H Stainless Steel	Element Model	List Price USD
0715-2S	FHK7152C-SS	\$114
0715-3S	FHK7153C-SS	\$128
0715-4S	FHK7154C-SS	\$223
0715-5S	FHK7155C-SS	\$318
0715-6S	FHK7156C-SS	\$356
0715-7S	FHK7157C-SS	\$447
0715-11S	FHK71511C-SS	\$437
0715-12S	FHK71512C-SS	\$437

Ingersoll Rand IRP, IRC and IRH

Grade IRP	Element Model	List Price USD
IRP 25	FDE850X1	\$111
IRP 47	FDE850X1	\$111
IRP 65	FDE851X1	\$136
IRP 110	FDE852X1	\$164
IRP 180	FDE870X1	\$210
IRP 220	FDE871X1	\$210
IRP 280	FDE872X1	\$244
IRP 385	FDE876X1	\$320
IRP 580	FDE101X1	\$422
IRP 750	FDE102X1	\$422
IRP 1100	FDE111X1	\$467
IRP 1350	FDE113X1	\$507
IRP 1775	FDE201X1	\$775

Grade IRC	Element Model	List Price USD
IRC 25	FDE850AC	\$111
IRC 47	FDE853AC	\$136
IRC 65	FDE854AC	\$164
IRC 110	FDE854AC	\$164
IRC 180	FDE873AC	\$210
IRC 220	FDE874AC	\$210
IRC 580	FDE112AC	\$467
IRC 750	FDE121AC	\$507

Kaeser FS, PF, OR, OX and VF

Grade FS	Element Model	List Price USD
USFS20	FHKX5-12	\$64
USFS35	FHKX5-16	\$74
USFS60	FHKX5-20	\$108
USFS100	FHKX5-24	\$122
USFS170	FHKX5-28	\$164
USFS250	FHKX5-32	\$233
USFS375	FHKX5-36	\$305
USFS485	FHKX5-40	\$378
USFS625	FHKX5-44	\$390
USFS780	FHKX5-48	\$420
USFS500	FHKX5-54	\$382
USFSPV	FHKX5-PV	\$420

Grade PF	Element Model	List Price USD
USPF20	FHKX1-12	\$64
USPF35	FHKX1-16	\$74
USPF60	FHKX1-20	\$108
USPF100	FHKX1-24	\$122
USPF170	FHKX1-28	\$164
USPF250	FHKX1-32	\$233
USPF375	FHKX1-36	\$305
USPF485	FHKX1-40	\$378
USPF625	FHKX1-44	\$390
USPF780	FHKX1-48	\$420
USPF500	FHKX1-54	\$382
USFPV	FHKX1-PV	\$420

Grade OR	Element Model	List Price USD
USOR20	FHKXA-12	\$64
USOR35	FHKXA-16	\$74
USOR60	FHKXA-20	\$108
USOR100	FHKXA-24	\$122
USOR170	FHKXA-28	\$164
USOR250	FHKXA-32	\$233
USOR375	FHKXA-36	\$305
USOR485	FHKXA-40	\$378
USOR625	FHKXA-44	\$390
USOR780	FHKXA-48	\$420
USOR500	FHKXA-54	\$382
USORPV	FHKXA-PV	\$420

Grade OX	Element Model	List Price USD
USOX20	FHKXAA-12	\$64
USOX35	FHKXAA-16	\$74
USOX60	FHKXAA-20	\$108
USOX100	FHKXAA-24	\$122
USOX170	FHKXAA-28	\$164
USOX250	FHKXAA-32	\$233
USOX375	FHKXAA-36	\$305
USOX485	FHKXAA-40	\$378
USOX625	FHKXAA-44	\$390
USOX780	FHKXAA-48	\$420
USOX500	FHKXAA-54	\$382
USOXPV	FHKXAA-PV	\$420

Grade VF	Element Model	List Price USD
USVF20	FHKAC-12	\$64
USVF35	FHKAC-16	\$74
USVF60	FHKAC-20	\$108
USVF100	FHKAC-24	\$122
USVF170	FHKAC-28	\$164
USVF250	FHKAC-32	\$233
USVF375	FHKAC-36	\$305
USVF485	FHKAC-40	\$378
USVF625	FHKAC-44	\$390
USVF780	FHKAC-48	\$420
USVF500	FHKAC-54	\$382
USVFPV	FHKAC-PV	\$420

Pneumatech P, C and A

Grade P	Element Model	List Price USD
P25-10	FN10050PU	\$47
P50-10	FN10050PU	\$47
P60-15	FN15060PU	\$58
P95-15	FN15095PU	\$69
P130-20	FN20130PU	\$94
P187-20	FN20187PU	\$120
P130-25	FN25130PU	\$135
P235-25	FN25235PU	\$172
P280-25	FN25280PU	\$232
P280-35	FN35280PU	\$316
P280-51	FN51280PU	\$519
P250-85	FN85250PU	\$551
P360-85	FN85360PU	\$771

Grade C	Element Model	List Price USD
*25-10	FN10025CU6	\$33
*50-10	FN10050CU6	\$52
*60-15	FN15060CU6	\$69
*95-15	FN15095CU6	\$84
*130-20	FN20130CU6	\$106
*187-20	FN20187CU6	\$140
*130-25	FN25130CU6	\$156
*187-25	FN25187CU6	\$161
*235-25	FN25235CU6	\$205
*280-25	FN25280CU6	\$210
*280-35	FN35280CU6	\$361
*280-51	FN51280CU6	\$639
*250-85	FN85250CU6	\$817
*360-85	FN85360CU6	\$667

*Substitute for grade reference C or Q

Grade A	Element Model	List Price USD
A25-10	FN10025AC	\$33
A50-10	FN10050AC	\$52
A60-15	FN15060AC	\$65
A95-15	FN15095AC	\$106
A130-20	FN20130AC	\$106
A187-20	FN20187AC	\$156
A130-25	FN25130AC	\$156
A187-25	FN25187AC	\$161
A235-25	FN25235AC	\$205
A280-25	FN25280AC	\$205
A280-35	FN35280AC	\$361
A280-51	FN51280AC	\$639
A250-85	FN85250AC	\$817
A280-85	FN85250AC	\$817
A360-85	FN85360AC	\$667

Sullair PF, PH and PC

Grade PF	Element Model	List Price USD
25 0024 423	FD009X1	\$108
25 0024 424	FD017X1	\$138
25 0024 425	FD030X1	\$207
25 0024 426	FD058X1	\$245
25 0024 427	FD145X1	\$317
25 0024 428	FD220X1	\$440
25 0024 429	FD330X1	\$520
25 0024 430	FD620X1	\$861
25 0024 644	FD430X1	\$623

Grade PH	Element Model	List Price USD
25 0024 431	FD009XA	\$108
25 0024 432	FD017XA	\$138
25 0024 433	FD030XA	\$207
25 0024 434	FD058XA	\$245
25 0024 435	FD145XA	\$317
25 0024 436	FD220XA	\$440
25 0024 437	FD330XA	\$520
25 0024 438	FD620XA	\$861
25 0024 645	FD430XA	\$623

Grade PC	Element Model	List Price USD
25 0024 439	FD220AC	\$548
25 0024 440	FD330AC	\$624
25 0024 441	FD620AC	\$1,030
25 0024 646	FD430AC	\$747

Ultrafilter 90 Series

Grade PE	Element Model	List Price USD
PE 0205	FUV0205	\$78
PE 0305	FUV0305	\$87
PE 0310	FUV0310	\$97
PE 0410	FUV0410	\$106
PE 0420	FUV0420	\$144
PE 0520	FUV0520	\$198
PE 0525	FUV0525	\$236
PE 0725	FUV0725	\$290
PE 0730	FUV0730	\$367
PE 1030	FUV1030	\$428
PE 1530	FUV1530	\$562
PE 2030	FUV2030	\$662
PE 3030	FUV3030	\$818
PE 3050	FUV3050	\$1,050

Grade MF	Element Model	List Price USD
MF 0205	FUMF0205	\$87
MF 0305	FUMF0305	\$101
MF 0310	FUMF0310	\$111
MF 0410	FUMF0410	\$122
MF 0420	FUMF0420	\$161
MF 0520	FUMF0520	\$219
MF 0525	FUMF0525	\$258
MF 0725	FUMF0725	\$320
MF 0730	FUMF0730	\$397
MF 1030	FUMF1030	\$467
MF 1530	FUMF1530	\$607
MF 2030	FUMF2030	\$724
MF 3030	FUMF3030	\$900
MF 3050	FUMF3050	\$1,144

Grade SMF	Element Model	List Price USD
SMF 0205	FUSM0205	\$96
SMF 0305	FUSM0305	\$112
SMF 0310	FUSM0310	\$122
SMF 0410	FUSM0410	\$139
SMF 0420	FUSM0420	\$192
SMF 0520	FUSM0520	\$245
SMF 0525	FUSM0525	\$284
SMF 0725	FUSM0725	\$350
SMF 0730	FUSM0730	\$428
SMF 1030	FUSM1030	\$507
SMF 1530	FUSM1530	\$653
SMF 2030	FUSM2030	\$786
SMF 3030	FUSM3030	\$974
SMF 3050	FUSM3050	\$1,239

Grade AK	Element Model	List Price USD
AK 0205	FUAC0205	\$87
AK 0305	FUAC0305	\$101
AK 0310	FUAC0310	\$111
AK 0410	FUAC0410	\$122
AK 0420	FUAC0420	\$161
AK 0520	FUAC0520	\$219
AK 0525	FUAC0525	\$258
AK 0725	FUAC0725	\$320
AK 0730	FUAC0730	\$398
AK 1030	FUAC1030	\$467
AK 1530	FUAC1530	\$607
AK 2030	FUAC2030	\$724
AK 3030	FUAC3030	\$896
AK 3050	FUAC3050	\$1,144

Grade USR	Element Model	List Price USD
USR 02/05	FUSR0205	\$293
USR 03/05	FUSR0305	\$341
USR 03/10	FUSR0310	\$375
USR 04/10	FUSR0410	\$401
USR 04/20	FUSR0420	\$418
USR 05/20	FUSR0520	\$467
USR 05/25	FUSR0525	\$524
USR 07/25	FUSR0725	\$652
USR 07/30	FUSR0730	\$746
USR 10/30	FUSR1030	\$909
USR 15/30	FUSR1530	\$1,064
USR 20/30	FUSR2030	\$1,375
USR 30/30	FUSR3030	\$1,588
USR 30/50	FUSR3050	\$2,695

Grade FF	Element Model	List Price USD
FF 02/05	FUFF0205	\$96
FF 03/05	FUFF0305	\$112
FF 03/10	FUFF0310	\$121
FF 04/10	FUFF0410	\$136
FF 04/20	FUFF0420	\$176
FF 05/20	FUFF0520	\$241
FF 05/25	FUFF0525	\$284
FF 07/25	FUFF0725	\$350
FF 07/30	FUFF0730	\$438
FF 10/30	FUFF1030	\$515
FF 15/30	FUFF1530	\$667
FF 20/30	FUFF2030	\$798
FF 30/30	FUFF3030	\$984
FF 30/50	FUFF3050	\$1,259

Ultrafilter 90 Series

Grade HT/CR or HT/NX	Element Model	List Price USD
FF 0205	FUFF0205	\$87
FF 0305	FUFF0305	\$101
FF 0310	FUFF0310	\$111
FF 0410	FUFF0410	\$122
FF 0420	FUFF0420	\$161
FF 0520	FUFF0520	\$220
FF 0525	FUFF0525	\$258
FF 0725	FUFF0725	\$320
FF 0730	FUFF0730	\$398
FF 1030	FUFF1030	\$467
FF 1530	FUFF1530	\$607
FF 2030	FUFF2030	\$724
FF 3030	FUFF3030	\$900
FF 3050	FUFF3050	\$1,144

Please state model and grade when ordering!

For example: FUFF0520HT/NX - Not doing so will cause your order to be delayed.

Ultrafilter 80 Series

Grade V	Element Model	List Price USD
V 3/1	FUV310	\$111
V 3/1.5	FUV315	\$125
V 4/1.5	FUV415	\$156
V 4/2.5	FUV425	\$197
V 5/2.5	FUV525	\$250
V 5/3	FUV530	\$304
V 10/3	FUV103	\$413
V 15/3	FUV153	\$548
V 20/3	FUV203	\$639
V 30/3	FUV303	\$786
V 30/5	FUV305	\$974

Grade FF	Element Model	List Price USD
FF 3/1	FUFF310	\$111
FF 3/1.5	FUFF315	\$125
FF 4/1.5	FUFF415	\$156
FF 4/2.5	FUFF425	\$197
FF 5/2.5	FUFF525	\$250
FF 5/3	FUFF530	\$304
FF 10/3	FUFF103	\$413
FF 15/3	FUFF153	\$548
FF 20/3	FUFF203	\$639
FF 30/3	FUFF303	\$786
FF 30/5	FUFF305	\$974

Grade MF	Element Model	List Price USD
MF 3/1	FUMF310	\$117
MF 3/1.5	FUMF315	\$139
MF 4/1.5	FUMF415	\$172
MF 4/2.5	FUMF425	\$218
MF 5/2.5	FUMF525	\$280
MF 5/3	FUMF530	\$343
MF 10/3	FUMF103	\$467
MF 15/3	FUMF153	\$606
MF 20/3	FUMF203	\$722
MF 30/3	FUMF303	\$896
MF 30/5	FUMF305	\$1,142

Grade SMF	Element Model	List Price USD
SMF 3/1	FUSM310	\$125
SMF 3/1.5	FUSM315	\$149
SMF 4/1.5	FUSM415	\$189
SMF 4/2.5	FUSM425	\$244
SMF 5/2.5	FUSM525	\$312
SMF 5/3	FUSM530	\$383
SMF 10/3	FUSM103	\$507
SMF 15/3	FUSM153	\$652
SMF 20/3	FUSM203	\$786
SMF 30/3	FUSM303	\$973
SMF 30/5	FUSM305	\$1,238

Ultrafilter 80 Series

Grade AK	Element Model	List Price USD
AK 3/1	FUAC310	\$125
AK 3/1.5	FUAC315	\$149
AK 4/1.5	FUAC415	\$189
AK 4/2.5	FUAC425	\$244
AK 5/2.5	FUAC525	\$311
AK 5/3	FUAC530	\$383
AK 10/3	FUAC103	\$507
AK 15/3	FUAC153	\$652
AK 20/3	FUAC203	\$786
AK 30/3	FUAC303	\$973
AK 30/5	FUAC305	\$1,238

Grade SRF	Element Model	List Price USD
SRF 3/1	FUSR310	\$375
SRF 3/1.5	FUSR315	\$388
SRF 4/1.5	FUSR415	\$401
SRF 4/2.5	FUSR425	\$418
SRF 5/2.5	FUSR525	\$524
SRF 5/3	FUSR530	\$537
SRF 10/3	FUSR103	\$909
SRF 15/3	FUSR153	\$1,064
SRF 20/3	FUSR203	\$1,375
SRF 30/3	FUSR303	\$1,588
SRF 30/5	FUSR305	\$2,695

Grade HT/CR or HT/NX	Element Model	List Price USD
FF/MF/SMF 3/1	FUFF / FUMF / FUSM310	\$144
FF/MF/SMF 3/1.5	FUFF / FUMF / FUSM315	\$181
FF/MF/SMF 4/1.5	FUFF / FUMF / FUSM415	\$220
FF/MF/SMF 4/2.5	FUFF / FUMF / FUSM425	\$244
FF/MF/SMF 5/2.5	FUFF / FUMF / FUSM525	\$303
FF/MF/SMF 5/3	FUFF / FUMF / FUSM530	\$404
FF/MF/SMF 10/3	FUFF / FUMF / FUSM730	\$455
FF/MF/SMF 15/3	FUFF / FUMF / FUSM153	\$747
FF/MF/SMF 20/3	FUFF / FUMF / FUSM203	\$916
FF/MF/SMF 30/3	FUFF / FUMF / FUSM303	\$1,127
FF/MF/SMF 30/5	FUFF / FUMF / FUSM305	\$1,380

Please state model and grade when ordering!

For example: FUFF730HT/NX - Not doing so will cause your order to be delayed.

Walker Filtration X25, X5, X1 and XA

Grade X25	Element Model	List Price USD
E361X25	FE361X25	\$94
E371X25	FE371X25	\$99
E511X25	FE511X25	\$144
E711X25	FE711X25	\$176
E811X25	FE811X25	\$189
E731X25	FE731X25	\$220
E821X25	FE821X25	\$262
E831X25	FE831X25	\$357
E851X25	FE851X25	\$412
E1251X25	FE951X25	\$552
E1261X25	FE961X25	\$684
E1281X25	FE981X25	\$798
E88X25	FE088X25	\$548

Grade X5	Element Model	List Price USD
E361X5	FE361X5	\$94
E371X5	FE371X5	\$99
E511X5	FE511X5	\$144
E711X5	FE711X5	\$176
E811X5	FE811X5	\$189
E731X5	FE731X5	\$220
E821X5	FE821X5	\$262
E831X5	FE831X5	\$357
E851X5	FE851X5	\$412
E1251X5	FE951X5	\$552
E1261X5	FE961X5	\$684
E1281X5	FE981X5	\$798
E88X5	FE088X5	\$548

Grade X1	Element Model	List Price USD
E361X1	FE361X1	\$94
E371X1	FE371X1	\$99
E511X1	FE511X1	\$144
E711X1	FE711X1	\$176
E811X1	FE811X1	\$189
E731X1	FE731X1	\$220
E821X1	FE821X1	\$262
E831X1	FE831X1	\$357
E851X1	FE851X1	\$412
E1251X1	FE951X1	\$552
E1261X1	FE961X1	\$684
E1281X1	FE981X1	\$798
E88X1	FE088X1	\$548

Grade XA	Element Model	List Price USD
E361XA	FE361XA	\$94
E371XA	FE371XA	\$99
E511XA	FE511XA	\$144
E711XA	FE711XA	\$176
E811XA	FE811XA	\$189
E731XA	FE731XA	\$220
E821XA	FE821XA	\$262
E831XA	FE831XA	\$357
E851XA	FE851XA	\$412
E1251XA	FE951XA	\$552
E1261XA	FE961XA	\$684
E1281XA	FE981XA	\$798
E88XA	FE088XA	\$548

Walker Filtration AC and MV

Grade AC	Element Model	List Price USD
E361AC	FE361AC	\$94
E371AC	FE371AC	\$99
E511AC	FE511AC	\$144
E711AC	FE711AC	\$176
E811AC	FE811AC	\$189
E731AC	FE731AC	\$220
E821AC	FE821AC	\$262
E831AC	FE831AC	\$357
E851AC	FE851AC	\$412
E1251AC	FE951AC	\$552
E1261AC	FE961AC	\$684
E1281AC	FE981AC	\$798
E88AC	FE088AC	\$548

Medical Vacuum	Element Model	List Price USD
E511MV	FE511MV	\$143
E521MV	FE521MV	\$176
E811MV	FE811MV	\$188
E821MV	FE821MV	\$262
E831MV	FE831MV	\$357
E851MV	FE851MV	\$411
E1261MV	FE961MV	\$684
E1281MV	FE981MV	\$798
E88MV	FE088MV	\$548

Zander V, Z, X and A

Grade V	Element Model	List Price USD
1030 V	FZV1030	\$67
1050 V	FZV1050	\$101
1070 V	FZV1070	\$128
1140 V	FZV1140	\$153
2010 V	FZV2010	\$198
2020 V	FZV2020	\$264
2030 V	FZV2030	\$326
2050 V	FZV2050	\$427
3050 V	FZV3050	\$493
3075 V	FZV3075	\$595
5060 V	FZV5060	\$791
5075 V	FZV5075	\$858

Grade Z	Element Model	List Price USD
1030 Z	FZZ1030	\$67
1050 Z	FZZ1050	\$101
1070 Z	FZZ1070	\$128
1140 Z	FZZ1140	\$153
2010 Z	FZZ2010	\$198
2020 Z	FZZ2020	\$264
2030 Z	FZZ2030	\$326
2050 Z	FZZ2050	\$427
3050 Z	FZZ3050	\$493
3075 Z	FZZ3075	\$595
5060 Z	FZZ5060	\$791
5075 Z	FZZ5075	\$858

Grade X	Element Model	List Price USD
1030 X	FZX1030	\$67
1050 X	FZX1050	\$101
1070 X	FZX1070	\$128
1140 X	FZX1140	\$153
2010 X	FZX2010	\$198
2020 X	FZX2020	\$264
2030 X	FZX2030	\$326
2050 X	FZX2050	\$427
3050 X	FZX3050	\$493
3075 X	FZX3075	\$595
5060 X	FZX5060	\$791
5075 X	FZX5075	\$858

Grade A	Element Model	List Price USD
1030 A	FZA1030	\$67
1050 A	FZA1050	\$101
1070 A	FZA1070	\$128
1140 A	FZA1140	\$153
2010 A	FZA2010	\$198
2020 A	FZA2020	\$264
2030 A	FZA2030	\$326
2050 A	FZA2050	\$427
3050 A	FZA3050	\$493
3075 A	FZA3075	\$595
5060 A	FZA5060	\$791
5075 A	FZA5075	\$858

Zeks P, G, H and A

Grade P	Element Model	List Price USD
E15P	FEZK015X5	\$67
E30P	FEZK030X5	\$101
E32P	FEZK032X5	\$128
E65P	FEZK065X5	\$155
E80P	FEZK080X5	\$198
E100P	FEZK100X5	\$264
E150P	FEZK150X5	\$326
E250P	FEZK250X5	\$427
E300P	FEZK300X5	\$493
E500P	FEZK500X5	\$600
E650P	FEZK650X5	\$791
E1000P	FEZK1000X5	\$858
E1250P	FEZK1250X5	\$509
E1600P	FEZK1600X5	\$681

Grade G	Element Model	List Price USD
E15G	FEZK015X1	\$59
E30G	FEZK030X1	\$61
E32G	FEZK032X1	\$67
E65G	FEZK065X1	\$84
E80G	FEZK080X1	\$111
E100G	FEZK100X1	\$147
E150G	FEZK150X1	\$166
E250G	FEZK250X1	\$291
E300G	FEZK300X1	\$308
E500G	FEZK500X1	\$388
E650G	FEZK650X1	\$423
E1000G	FEZK1000X1	\$532
E1250G	FEZK1250X1	\$582
E1600G	FEZK1600X1	\$777

Grade H	Element Model	List Price USD
E15H	FEZK015XAA	\$59
E30H	FEZK030XAA	\$61
E32H	FEZK032XAA	\$67
E65H	FEZK065XAA	\$84
E80H	FEZK080XAA	\$111
E100H	FEZK100XAA	\$147
E150H	FEZK150XAA	\$166
E250H	FEZK250XAA	\$291
E300H	FEZK300XAA	\$308
E500H	FEZK500XAA	\$388
E650H	FEZK650XAA	\$423
E1000H	FEZK1000XAA	\$532
E1250H	FEZK1250XAA	\$582
E1600H	FEZK1600XAA	\$777

Grade A	Element Model	List Price USD
E15A	FEZK015AC	\$59
E30A	FEZK030AC	\$61
E32A	FEZK032AC	\$67
E65A	FEZK065AC	\$84
E80A	FEZK080AC	\$111
E100A	FEZK100AC	\$147
E150A	FEZK150AC	\$166
E250A	FEZK250AC	\$291
E300A	FEZK300AC	\$308
E500A	FEZK500AC	\$388
E650A	FEZK650AC	\$423
E1000A	FEZK1000AC	\$532
E1250A	FEZK1250AC	\$582
E1600A	FEZK1600AC	\$777

Reliable | Efficient | Innovative

What can we do for you?



BEKO TECHNOLOGIES CORP.
900 Great Southwest Pkwy SW
Atlanta, GA 30336
USA
Phone +1 (404) 924-6900
www.bekousa.com

